Aptivra — whole-project Entity Relationship Diagram

72 full tables | 158 foreign keys | Crow's Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.

auth_tokens
- id : bigint [PK, NOT NULL]
- user_id : bigint [FK, NOT NULL]
- purpose : text [NOT NULL]
- email_bound : text [NOT NULL]
- token_hash : text [NOT NULL]
- issued_at : timestamptz [NOT NULL]
- expires_at : timestamptz [NOT NULL]
- consumed_at : timestamptz [NULL]

membership_permissions
- id : bigint [PK, NOT NULL]
- membership_id : bigint [FK, NOT NULL]
- permission_code : text [NOT NULL]
- granted_by : bigint [FK, NOT NULL]
- granted_at : timestamptz [NOT NULL]

memberships
- id : bigint [PK, NOT NULL]
- organization_id : bigint [FK, NOT NULL]
- user_id : bigint [FK, NOT NULL]
- role : text [NOT NULL]
- status : text [NOT NULL]
- changed_by : bigint [FK, NOT NULL]
- created_at : timestamptz [NOT NULL]

organization_decisions
- id : bigint [PK, NOT NULL]
- organization_id : bigint [FK, NOT NULL]
- actor_user_id : bigint [FK, NOT NULL]
- outcome : text [NOT NULL]
- reason : text [NOT NULL]
- recorded_at : timestamptz [NOT NULL]

organizations
- id : bigint [PK, NOT NULL]
- name : text [NOT NULL]
- slug : text [NOT NULL]
- status : text [NOT NULL]
- created_by : bigint [FK, NOT NULL]
- created_at : timestamptz [NOT NULL]
- closed_at : timestamptz [NULL]

passkeys
- id : bigint [PK, NOT NULL]
- user_id : bigint [FK, NOT NULL]
- credential_id : text [NOT NULL]
- public_key : text [NOT NULL]
- signature_counter : bigint [NOT NULL]
- created_at : timestamptz [NOT NULL]

sessions
- id : text [PK, NOT NULL]
- user_id : bigint [FK, NULL]
- payload : text [NOT NULL]
- last_activity_at : timestamptz [NOT NULL]
- expires_at : timestamptz [NOT NULL]

users
- id : bigint [PK, NOT NULL]
- display_name : text [NOT NULL]
- email : text [NULL]
- password_hash : text [NULL]
- email_verified_at : timestamptz [NULL]
- is_platform_admin : bool [NOT NULL]
- status : text [NOT NULL]
- last_active_at : timestamptz [NOT NULL]
- inactivity_notice_at : timestamptz [NULL]
- closed_at : timestamptz [NULL]
- created_at : timestamptz [NOT NULL]

job_families
- id : bigint [PK, NOT NULL]
- code : text [NOT NULL]
- name : text [NOT NULL]

role_catalogue_versions
- id : bigint [PK, NOT NULL]
- job_family_id : bigint [FK, NOT NULL]
- version_number : integer [NOT NULL]
- state : text [NOT NULL]
- source_licence : text [NOT NULL]
- reviewed_by : bigint [FK, NULL]
- published_at : timestamptz [NULL]

role_criteria
- id : bigint [PK, NOT NULL]
- role_catalogue_version_id : bigint [FK, NOT NULL]
- criterion_code : text [NOT NULL]
- importance : text [NOT NULL]
- description : text [NOT NULL]

vacancies
- id : bigint [PK, FK, NOT NULL]
- organization_id : bigint [FK, NOT NULL]
- slug : text [NOT NULL]
- created_by : bigint [FK, NOT NULL]
- status : text [NOT NULL]
- effective_version_id : bigint [FK, NULL]
- created_at : timestamptz [NOT NULL]

vacancy_criteria
- id : bigint [PK, NOT NULL]
- vacancy_version_id : bigint [FK, NOT NULL]
- criterion_code : text [NOT NULL]
- importance : text [NOT NULL]
- description : text [NOT NULL]

vacancy_moderation_reports
- id : bigint [PK, NOT NULL]
- vacancy_version_id : bigint [FK, NOT NULL]
- reporter_user_id : bigint [FK, NOT NULL]
- retention_scope_id : bigint [FK, NOT NULL]
- reason : text [NOT NULL]
- status : text [NOT NULL]
- reviewed_by : bigint [FK, NULL]
- outcome_reason : text [NULL]
- reviewed_at : timestamptz [NULL]
- action_taken : text [NULL]
- reported_at : timestamptz [NOT NULL]

vacancy_versions
- id : bigint [PK, NOT NULL]
- vacancy_id : bigint [FK, NOT NULL]
- version_number : integer [NOT NULL]
- role_catalogue_version_id : bigint [FK, NOT NULL]
- title : text [NOT NULL]
- description : text [NOT NULL]
- location : text [NOT NULL]
- experience_level : text [NOT NULL]
- workplace_type : text [NOT NULL]
- state : text [NOT NULL]
- created_by : bigint [FK, NOT NULL]
- published_at : timestamptz [NULL]

cv_documents
- id : bigint [PK, NOT NULL]
- artifact_id : bigint [FK, NOT NULL]
- original_filename : text [NOT NULL]
- mime_type : text [NOT NULL]
- origin_document_hash : text [NULL]
- created_at : timestamptz [NOT NULL]

cv_extractions
- id : bigint [PK, NOT NULL]
- processing_operation_id : bigint [FK, NOT NULL]
- raw_native_text : text [NOT NULL]
- raw_ocr_text : text [NULL]
- total_pages : integer [NOT NULL]
- covered_pages : integer [NOT NULL]
- result_state : text [NOT NULL]
- conversion_version : text [NOT NULL]
- extracted_at : timestamptz [NOT NULL]

processing_manifests
- id : bigint [PK, NOT NULL]
- manifest_hash : text [NOT NULL]
- parser_version : text [NOT NULL]
- conversion_version : text [NOT NULL]
- model_revision : text [NULL]
- prompt_hash : text [NULL]
- settings_json : jsonb [NOT NULL]
- created_at : timestamptz [NOT NULL]

processing_operations
- id : bigint [PK, NOT NULL]
- cv_document_id : bigint [FK, NOT NULL]
- manifest_id : bigint [FK, NOT NULL]
- operation_key : uuid [NOT NULL]
- status : text [NOT NULL]
- started_at : timestamptz [NOT NULL]
- deadline_at : timestamptz [NOT NULL]
- finished_at : timestamptz [NULL]
- failure_code : text [NULL]

stored_artifacts
- id : bigint [PK, NOT NULL]
- retention_scope_id : bigint [FK, NOT NULL]
- kind : text [NOT NULL]
- private_storage_key : text [NOT NULL]
- content_sha256 : text [NOT NULL]
- content_type : text [NOT NULL]
- byte_count : bigint [NOT NULL]
- created_at : timestamptz [NOT NULL]

virus_scan_logs
- id : bigint [PK, NOT NULL]
- processing_operation_id : bigint [FK, NOT NULL]
- scanner_version : text [NOT NULL]
- result : text [NOT NULL]
- duration_ms : integer [NOT NULL]
- threat_name : text [NULL]
- scanned_at : timestamptz [NOT NULL]

comparison_corrections
- id : bigint [PK, NOT NULL]
- comparison_id : bigint [FK, NOT NULL]
- correction_id : bigint [FK, NOT NULL]

comparison_criteria_matches
- id : bigint [PK, NOT NULL]
- evidence_comparison_id : bigint [FK, NOT NULL]
- role_criterion_id : bigint [FK, NULL]
- vacancy_criterion_id : bigint [FK, NULL]
- evidence_status : text [NOT NULL]
- justification : text [NOT NULL]

cv_claims
- id : bigint [PK, NOT NULL]
- source_passage_id : bigint [FK, NOT NULL]
- claim_type : text [NOT NULL]
- statement : text [NOT NULL]

cv_extraction_corrections
- id : bigint [PK, NOT NULL]
- source_passage_id : bigint [FK, NOT NULL]
- cv_claim_id : bigint [FK, NULL]
- requested_by : bigint [FK, NOT NULL]
- earlier_value : text [NOT NULL]
- proposed_value : text [NOT NULL]
- request_reason : text [NOT NULL]
- status : text [NOT NULL]
- reviewed_by : bigint [FK, NULL]
- review_reason : text [NULL]
- reviewed_at : timestamptz [NULL]
- supersedes_id : bigint [FK, NULL]
- requested_at : timestamptz [NOT NULL]

cv_passages
- id : bigint [PK, NOT NULL]
- cv_extraction_id : bigint [FK, NOT NULL]
- page_number : integer [NOT NULL]
- char_start : integer [NOT NULL]
- char_end : integer [NOT NULL]
- passage_text : text [NOT NULL]

evidence_comparisons
- id : bigint [PK, NOT NULL]
- cv_extraction_id : bigint [FK, NOT NULL]
- role_catalogue_version_id : bigint [FK, NULL]
- vacancy_version_id : bigint [FK, NULL]
- manifest_id : bigint [FK, NOT NULL]
- coverage_denominator : integer [NOT NULL]
- supported_numerator : integer [NOT NULL]
- summary : text [NULL]
- generated_at : timestamptz [NOT NULL]
- state : text [NOT NULL]

match_evidence
- id : bigint [PK, NOT NULL]
- criterion_match_id : bigint [FK, NOT NULL]
- cv_claim_id : bigint [FK, NOT NULL]

guidance_resources
- id : bigint [PK, NOT NULL]
- guidance_id : bigint [FK, NOT NULL]
- learning_resource_id : bigint [FK, NOT NULL]
- display_order : integer [NOT NULL]
- rationale : text [NOT NULL]

learning_guidance
- id : bigint [PK, NOT NULL]
- retention_scope_id : bigint [FK, NOT NULL]
- role_catalogue_version_id : bigint [FK, NOT NULL]
- comparison_id : bigint [FK, NULL]
- practice_session_id : bigint [FK, NULL]
- goal : text [NOT NULL]
- rationale : text [NOT NULL]
- manifest_id : bigint [FK, NOT NULL]
- generated_at : timestamptz [NOT NULL]

learning_resources
- id : bigint [PK, NOT NULL]
- job_family_id : bigint [FK, NOT NULL]
- resource_code : text [NOT NULL]
- version_number : integer [NOT NULL]
- title : text [NOT NULL]
- resource_url : text [NOT NULL]
- source_licence : text [NOT NULL]
- reviewed_by : bigint [FK, NOT NULL]
- reviewed_at : timestamptz [NOT NULL]

practice_bank_versions
- id : bigint [PK, NOT NULL]
- role_catalogue_version_id : bigint [FK, NOT NULL]
- version_number : integer [NOT NULL]
- source_licence : text [NOT NULL]
- state : text [NOT NULL]
- reviewed_by : bigint [FK, NULL]
- published_at : timestamptz [NULL]

practice_questions
- id : bigint [PK, NOT NULL]
- bank_version_id : bigint [FK, NOT NULL]
- question_code : text [NOT NULL]
- question_text : text [NOT NULL]
- options_json : jsonb [NOT NULL]
- correct_option : text [NOT NULL]
- explanation : text [NOT NULL]

practice_responses
- id : bigint [PK, NOT NULL]
- practice_session_id : bigint [FK, NOT NULL]
- practice_question_id : bigint [FK, NOT NULL]
- selected_option : text [NOT NULL]
- submitted_at : timestamptz [NOT NULL]

practice_sessions
- id : bigint [PK, NOT NULL]
- retention_scope_id : bigint [FK, NOT NULL]
- bank_version_id : bigint [FK, NOT NULL]
- operation_key : uuid [NOT NULL]
- started_at : timestamptz [NOT NULL]
- deadline_at : timestamptz [NOT NULL]
- status : text [NOT NULL]
- finished_at : timestamptz [NULL]

preparation_reports
- id : bigint [PK, NOT NULL]
- comparison_id : bigint [FK, NOT NULL]
- artifact_id : bigint [FK, NOT NULL]
- credit_reservation_id : bigint [FK, NOT NULL]
- state : text [NOT NULL]
- ready_at : timestamptz [NULL]

report_revisions
- id : bigint [PK, NOT NULL]
- preparation_report_id : bigint [FK, NOT NULL]
- revision_number : integer [NOT NULL]
- comparison_id : bigint [FK, NOT NULL]
- artifact_id : bigint [FK, NOT NULL]
- created_by : bigint [FK, NOT NULL]
- reason : text [NOT NULL]
- created_at : timestamptz [NOT NULL]

history_renewals
- id : bigint [PK, NOT NULL]
- saved_version_id : bigint [FK, NOT NULL]
- actor_user_id : bigint [FK, NOT NULL]
- operation_key : uuid [NOT NULL]
- renewed_at : timestamptz [NOT NULL]

saved_preparation_versions
- id : bigint [PK, NOT NULL]
- retention_scope_id : bigint [FK, NOT NULL]
- candidate_user_id : bigint [FK, NOT NULL]
- slot_number : integer [NOT NULL]
- cv_document_id : bigint [FK, NOT NULL]
- comparison_id : bigint [FK, NOT NULL]
- version_label : text [NOT NULL]
- report_artifact_id : bigint [FK, NOT NULL]

application_events
- id : bigint [PK, NOT NULL]
- application_id : bigint [FK, NOT NULL]
- actor_user_id : bigint [FK, NULL]
- new_state : text [NOT NULL]
- reason : text [NULL]
- amends_event_id : bigint [FK, NULL]
- operation_key : uuid [NOT NULL]
- recorded_at : timestamptz [NOT NULL]
- source_referral_id : bigint [FK, NULL]

application_referrals
- id : bigint [PK, NOT NULL]
- application_id : bigint [FK, NOT NULL]
- revision_number : integer [NOT NULL]
- source_type : text [NOT NULL]
- status : text [NOT NULL]
- recorded_by : bigint [FK, NOT NULL]
- referrer_user_id : bigint [FK, NULL]
- referrer_description : text [NULL]
- basis : text [NULL]
- confirmed_by : bigint [FK, NULL]
- confirmed_at : timestamptz [NULL]
- amends_id : bigint [FK, NULL]
- recorded_at : timestamptz [NOT NULL]

application_reviews
- id : bigint [PK, NOT NULL]
- application_id : bigint [FK, NOT NULL]
- stage_id : bigint [FK, NOT NULL]
- assigned_to : bigint [FK, NOT NULL]
- assigned_by : bigint [FK, NOT NULL]
- assigned_at : timestamptz [NOT NULL]
- due_at : timestamptz [NULL]

application_snapshots
- id : bigint [PK, NOT NULL]
- application_id : bigint [FK, NOT NULL]
- application_fields_json : jsonb [NOT NULL]
- form_schema_version : text [NOT NULL]
- captured_at : timestamptz [NOT NULL]

applications
- id : bigint [PK, NOT NULL]
- submission_id : bigint [FK, NOT NULL]
- vacancy_version_id : bigint [FK, NOT NULL]
- cv_document_id : bigint [FK, NOT NULL]
- retention_scope_id : bigint [FK, NOT NULL]
- status : text [NOT NULL]
- submitted_at : timestamptz [NOT NULL]
- first_closed_at : timestamptz [NULL]

professional_references
- id : bigint [PK, NOT NULL]
- application_id : bigint [FK, NOT NULL]
- recorded_by : bigint [FK, NOT NULL]
- referee_name : text [NOT NULL]
- contact_detail : text [NOT NULL]
- relationship : text [NOT NULL]
- contact_status : text [NOT NULL]
- response_note : text [NULL]
- recorded_at : timestamptz [NOT NULL]

review_events
- id : bigint [PK, NOT NULL]
- review_id : bigint [FK, NOT NULL]
- actor_user_id : bigint [FK, NOT NULL]
- event_type : text [NOT NULL]
- notes : text [NOT NULL]
- amends_event_id : bigint [FK, NULL]
- recorded_at : timestamptz [NOT NULL]

vacancy_review_stages
- id : bigint [PK, NOT NULL]
- vacancy_version_id : bigint [FK, NOT NULL]
- stage_type : text [NOT NULL]
- name : text [NOT NULL]
- is_required : bool [NOT NULL]
- sequence_order : integer [NOT NULL]

assessment_answers
- id : bigint [PK, NOT NULL]
- attempt_id : bigint [FK, NOT NULL]
- question_id : bigint [FK, NOT NULL]
- answer_text : text [NULL]
- last_saved_at : timestamptz [NOT NULL]

assessment_attempts
- id : bigint [PK, NOT NULL]
- invitation_id : bigint [FK, NOT NULL]
- attempt_number : integer [NOT NULL]
- operation_key : uuid [NOT NULL]
- started_at : timestamptz [NOT NULL]
- deadline_at : timestamptz [NOT NULL]
- submitted_at : timestamptz [NULL]
- finalized_at : timestamptz [NULL]
- status : text [NOT NULL]

assessment_grades
- id : bigint [PK, NOT NULL]
- answer_id : bigint [FK, NOT NULL]
- revision_number : integer [NOT NULL]
- marking_kind : text [NOT NULL]
- grader_user_id : bigint [FK, NULL]
- points : numeric [NOT NULL]
- reason : text [NOT NULL]
- amends_id : bigint [FK, NULL]
- recorded_at : timestamptz [NOT NULL]

assessment_invitations
- id : bigint [PK, NOT NULL]
- application_id : bigint [FK, NOT NULL]
- assessment_version_id : bigint [FK, NOT NULL]
- stage_id : bigint [FK, NULL]
- issued_by : bigint [FK, NOT NULL]
- token_hash : text [NOT NULL]
- operation_key : uuid [NOT NULL]
- issued_at : timestamptz [NOT NULL]
- expires_at : timestamptz [NOT NULL]
- cancelled_at : timestamptz [NULL]
- cancellation_reason : text [NULL]
- accommodated_duration_seconds : integer [NULL]
- accommodation_reason : text [NULL]

assessment_questions
- id : bigint [PK, NOT NULL]
- assessment_version_id : bigint [FK, NOT NULL]
- question_code : text [NOT NULL]
- question_text : text [NOT NULL]
- question_type : text [NOT NULL]
- skill_tag : text [NOT NULL]
- max_points : numeric [NOT NULL]
- options_json : jsonb [NULL]
- correct_option : text [NULL]
- rubric : text [NULL]

assessment_releases
- id : bigint [PK, NOT NULL]
- attempt_id : bigint [FK, NOT NULL]
- released_by : bigint [FK, NOT NULL]
- released_at : timestamptz [NOT NULL]
- operation_key : uuid [NOT NULL]

assessment_versions
- id : bigint [PK, NOT NULL]
- assessment_id : bigint [FK, NOT NULL]
- version_number : integer [NOT NULL]
- state : text [NOT NULL]
- duration_seconds : integer [NULL]
- allowed_attempts : integer [NULL]
- outage_policy : text [NULL]
- accommodation_policy : text [NULL]
- autosave_policy : text [NULL]
- source_licence : text [NOT NULL]
- reviewed_by : bigint [FK, NULL]
- published_at : timestamptz [NULL]

assessments
- id : bigint [PK, NOT NULL]
- vacancy_id : bigint [FK, NOT NULL]
- name : text [NOT NULL]
- created_by : bigint [FK, NOT NULL]
- created_at : timestamptz [NOT NULL]

grader_assignments
- id : bigint [PK, NOT NULL]
- attempt_id : bigint [FK, NOT NULL]
- grader_user_id : bigint [FK, NOT NULL]
- assigned_by : bigint [FK, NOT NULL]
- assigned_at : timestamptz [NOT NULL]

interview_events
- id : bigint [PK, NOT NULL]
- interview_id : bigint [FK, NOT NULL]
- revision_number : integer [NOT NULL]
- actor_user_id : bigint [FK, NOT NULL]
- event_type : text [NOT NULL]
- scheduled_start : timestamptz [NOT NULL]
- scheduled_end : timestamptz [NOT NULL]
- display_time_zone : text [NOT NULL]
- meeting_url : text [NOT NULL]
- note : text [NOT NULL]
- event_at : timestamptz [NOT NULL]
- recorded_at : timestamptz [NOT NULL]
- amends_id : bigint [FK, NULL]
- effective_status : text [NULL]

interview_schedules
- id : bigint [PK, NOT NULL]
- application_id : bigint [FK, NOT NULL]
- stage_id : bigint [FK, NULL]
- created_by : bigint [FK, NOT NULL]
- created_at : timestamptz [NOT NULL]

job_alerts
- id : bigint [PK, NOT NULL]
- user_id : bigint [FK, NOT NULL]
- job_family_id : bigint [FK, NULL]
- location_preference : text [NULL]
- experience_preference : text [NULL]
- workplace_preference : text [NULL]
- frequency : text [NOT NULL]
- opted_in_at : timestamptz [NOT NULL]
- opted_out_at : timestamptz [NULL]
- last_matched_at : timestamptz [NULL]

notifications
- id : bigint [PK, NOT NULL]
- recipient_user_id : bigint [FK, NOT NULL]
- retention_scope_id : bigint [FK, NULL]
- event_key : text [NOT NULL]
- template_code : text [NOT NULL]
- target_type : text [NULL]
- target_id : bigint [NULL]
- read_at : timestamptz [NULL]
- created_at : timestamptz [NOT NULL]
- expires_at : timestamptz [NOT NULL]

campaign_allowances
- id : bigint [PK, NOT NULL]
- vacancy_id : bigint [FK, NOT NULL]
- grant_kind : text [NOT NULL]
- entitlement_id : bigint [FK, NULL]
- first_published_at : timestamptz [NOT NULL]
- intake_deadline : timestamptz [NOT NULL]
- acceptance_limit : integer [NOT NULL]
- reviewer_seat_limit : integer [NOT NULL]
- accepted_count : integer [NOT NULL]

campaign_submissions
- id : bigint [PK, NOT NULL]
- campaign_allowance_id : bigint [FK, NOT NULL]
- candidate_user_id : bigint [FK, NOT NULL]
- operation_key : uuid [NOT NULL]
- accepted_at : timestamptz [NOT NULL]
- retain_until : timestamptz [NOT NULL]

demonstration_entitlements
- id : bigint [PK, NOT NULL]
- user_id : bigint [FK, NULL]
- organization_id : bigint [FK, NULL]
- feature : text [NOT NULL]
- quantity : integer [NOT NULL]
- starts_at : timestamptz [NOT NULL]
- expires_at : timestamptz [NOT NULL]
- granted_by : bigint [FK, NOT NULL]
- reason : text [NOT NULL]

organization_trial_ledger
- id : bigint [PK, NOT NULL]
- organization_id : bigint [FK, NOT NULL]
- free_campaign_vacancy_id : bigint [FK, NULL]
- used_at : timestamptz [NULL]
- retain_until : timestamptz [NOT NULL]

report_credit_events
- id : bigint [PK, NOT NULL]
- reservation_id : bigint [FK, NOT NULL]
- from_status : text [NULL]
- to_status : text [NOT NULL]
- reason : text [NOT NULL]
- recorded_at : timestamptz [NOT NULL]

report_credit_periods
- id : bigint [PK, NOT NULL]
- user_id : bigint [FK, NOT NULL]
- month_start : date [NOT NULL]
- month_time_zone : text [NOT NULL]
- base_allowance : integer [NOT NULL]
- additional_entitlement_id : bigint [FK, NULL]
- retain_until : timestamptz [NOT NULL]

report_credit_reservations
- id : bigint [PK, NOT NULL]
- period_id : bigint [FK, NOT NULL]
- operation_key : uuid [NOT NULL]
- status : text [NOT NULL]
- reserved_at : timestamptz [NOT NULL]
- finalized_at : timestamptz [NULL]
- release_reason : text [NULL]
- reservation_expires_at : timestamptz [NOT NULL]

audit_events
- id : bigint [PK, NOT NULL]
- organization_id : bigint [FK, NULL]
- actor_user_id : bigint [FK, NULL]
- action_code : text [NOT NULL]
- entity_type : text [NOT NULL]
- entity_id : bigint [NOT NULL]
- operation_key : uuid [NOT NULL]
- version_context_json : jsonb [NOT NULL]
- recorded_at : timestamptz [NOT NULL]
- expires_at : timestamptz [NOT NULL]

data_subject_requests
- id : bigint [PK, NOT NULL]
- requester_user_id : bigint [FK, NOT NULL]
- organization_id : bigint [FK, NULL]
- retention_scope_id : bigint [FK, NOT NULL]
- request_type : text [NOT NULL]
- identity_confirmed_at : timestamptz [NOT NULL]
- status : text [NOT NULL]
- resolution_explanation : text [NULL]
- completed_at : timestamptz [NULL]
- export_artifact_id : bigint [FK, NULL]
- requested_at : timestamptz [NOT NULL]

purged_retention_records
- id : bigint [PK, NOT NULL]
- purged_scope_id : bigint [NOT NULL]
- purpose : text [NOT NULL]
- reason : text [NOT NULL]
- worker_operation_key : uuid [NOT NULL]
- result : text [NOT NULL]
- artifact_count : integer [NOT NULL]
- error_code : text [NULL]
- recorded_at : timestamptz [NOT NULL]
- expires_at : timestamptz [NOT NULL]

retention_scopes
- id : bigint [PK, NOT NULL]
- purpose : text [NOT NULL]
- owner_user_id : bigint [FK, NULL]
- organization_id : bigint [FK, NULL]
- started_at : timestamptz [NOT NULL]
- processing_deadline : timestamptz [NULL]
- completed_at : timestamptz [NULL]
- saved_or_renewed_at : timestamptz [NULL]
- first_closed_at : timestamptz [NULL]
- access_until : timestamptz [NOT NULL]
- purge_after : timestamptz [NOT NULL]
- revoked_at : timestamptz [NULL]


stage_exceptions
- id : bigint [PK, NOT NULL]
- application_id : bigint [FK, NOT NULL]
- stage_id : bigint [FK, NOT NULL]
- requested_by : bigint [FK, NOT NULL]
- request_reason : text [NOT NULL]
- status : text [NOT NULL]
- decided_by : bigint [FK, NULL]
- decision_reason : text [NULL]
- decided_at : timestamptz [NULL]
- requested_at : timestamptz [NOT NULL]
- operation_key : uuid [NOT NULL]

Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C01 — Accounts and workspaces

8 full tables | 11 foreign keys | Crow’s Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.




Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C02 — Roles, vacancies and moderation

7 full tables | 14 foreign keys | Crow’s Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.




Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C03 — Controlled document processing

6 full tables | 6 foreign keys | Crow’s Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.




Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C04 — Evidence and corrections

7 full tables | 18 foreign keys | Crow's Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.



Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C05 — Private preparation and guidance

9 full tables | 23 foreign keys | Crow's Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.




Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C06 — Saved preparation history

2 full tables | 7 foreign keys | Crow’s Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.




Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C07 — Applications and recruitment decisions

8 full tables | 24 foreign keys | Crow’s Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.




Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C08 — Versioned recruitment assessments

9 full tables | 20 foreign keys | Crow's Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.




Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C09 — Interview coordination

2 full tables | 6 foreign keys | Crow’s Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.




Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C10 — Notifications and opt-in alerts

2 full tables | 4 foreign keys | Crow’s Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.




Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C11 — Report and campaign allowances

7 full tables | 13 foreign keys | Crow’s Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.




Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.

C12 — Privacy, audit and retention

5 full tables | 12 foreign keys | Crow’s Foot relationships from the verified PostgreSQL 16 catalogue

Circle = optional; bar = one; fork = many. Unique child keys determine one-to-one links. Outside-domain tables show keys only.



Private preparation, recruitment, sources and purpose-specific retention remain separate. This is not a claim that all features are implemented.