SOFTWARE ENGINEERING (UCS503)

AI Twin

A Personal Digital Replica for Memory, Behavioural Modelling, Decision Simulation, and Adaptive Goal Support

Submitted by:

102403078 Lakkshya Jha
1024030713 Saksham Raj
1024030697 Noorsharn Singh

Group: 3C52
BE Third Year, Computer Engineering

Submitted to:

PARAMVEER KAUR

Mid-Semester Evaluation

Computer Science and Engineering Department

Thapar Institute of Engineering and Technology, Patiala

Contents

1 Introduction **1**
- 1.1 Background and Context . . . 1
- 1.2 Project Status . . . 1
- 1.3 Problem Statement . . . 2
- 1.4 Aim and Objectives . . . 2
- 1.5 Scope and Limitations . . . 3

2 Methodology and Design **4**
- 2.1 Development Methodology . . . 4
- 2.2 System Architecture . . . 4
  - 2.2.1 Major Components . . . 6
- 2.3 Personal Memory Design . . . 7
- 2.4 Dynamic User Model and Decision Simulation . . . 8
- 2.5 Adaptive Goal Optimisation . . . 8
- 2.6 Proposed Technical Stack . . . 9
- 2.7 Privacy, Security, and Ethics . . . 10

3 Results and Evaluation **11**
- 3.1 Current Project Status . . . 11
- 3.2 Testing Methodology . . . 11
- 3.3 Evaluation Metrics . . . 12
- 3.4 Results and Analysis . . . 12
- 3.5 Risks and Mitigation . . . 13

4 Conclusion **14**
- 4.1 Summary of Work . . . 14
- 4.2 Key Findings . . . 14
- 4.3 Future Work and Recommendations . . . 15
- 4.4 Final Remarks . . . 15

Bibliography **16**

Chapter 1

Introduction

1.1 Background and Context

Artificial intelligence assistants are commonly designed to respond to the immediate prompt presented by a user. Although such systems can provide useful explanations and recommendations, an interaction-by-interaction approach may not consistently represent a person's long-term preferences, experiences, habits, commitments, or goals. A user may therefore need to repeat relevant context, and generic recommendations may not reflect the constraints of that individual's everyday life.

AI Twin proposes a more personalised approach: a digital representation of an individual that can be updated as information is accumulated over time. The project's central idea is to connect personal memory with a dynamic user model, behavioural pattern analysis, decision simulation, and goal-oriented adaptation. Rather than treating every interaction independently, the proposed system aims to use relevant historical context to explain its predictions and tailor its recommendations.

The project is currently in the prototype development and ongoing implementation stage. An initial website prototype is available to demonstrate the interface and the functionality implemented so far. Requirements and the proposed architecture provide the foundation for continued development, while the complete AI Twin workflow—including persistent personal memory, dynamic user modelling, decision simulation, and adaptive learning—remains under development or validation wherever these capabilities are not yet functional. Accordingly, this report documents the system design, current prototype stage, development plan, and proposed evaluation approach without claiming that all planned capabilities have been implemented or experimentally validated.

1.2 Project Status

The project repository is available at `https://github.com/lakkshyajhaaa/UCS503P_202627_Alter`. AI Twin is currently in the prototype development and ongoing implementation stage. An initial website prototype is available for demonstration, while the requirements and proposed architecture guide further development. The next milestone is to validate the existing prototype and progressively implement the Personal Memory System. Implementation details and test outcomes are described only where supported by project evidence.

1.3 Problem Statement

A conventional assistant may provide advice without maintaining a structured, evolving representation of the user's experiences and behaviour. This creates several related challenges: personal context may be lost between sessions; recommendations may not account for the user's actual schedule and habits; predictions may lack an explicit explanation of the evidence used; and the system may not learn systematically from whether earlier recommendations were followed or successful.

The problem addressed by AI Twin is the design of a privacy-conscious personal system that can organise user-controlled memories, infer patterns from available history, simulate likely decisions in a given context, and adapt goal-related recommendations based on feedback. These outputs must distinguish stored facts from inferred preferences and predictions, and they must remain open to user correction.

1.4 Aim and Objectives

The overall aim is to design a modular personal AI system that follows the cycle *Remember, Understand, Predict, Adapt, and Learn*. The objectives are:

1. **Design persistent personal memory:** specify semantic, episodic, and behavioural memory categories and the operations required to create, retrieve, update, correct, and delete memories.

2. **Define a dynamic user model:** represent preferences, goals, knowledge, behaviours, and patterns, with updates driven by new interactions and observed outcomes.

3. **Specify evidence-aware decision simulation:** design a process that estimates a likely user choice from relevant context and communicates confidence and supporting factors without presenting a prediction as a fact.

4. **Plan adaptive goal support:** represent goals, schedules, commitments, priorities, distractions, and past adherence so that future plans can be personalised.

5. **Establish an evaluation framework:** define measures for memory retrieval, preference and decision prediction, recommendation usefulness, and behavioural adaptation before reporting empirical performance.

6. **Address privacy and user control:** incorporate consent, data minimisation, secure storage, transparency, and memory management into the proposed design.

1.5 Scope and Limitations

The initial scope is a single-user AI Twin. The proposed system is intended to support personal memory, user modelling, decision simulation, adaptive goal optimisation, behavioural pattern detection, and learning from outcomes. The planned technical direction includes a modular AI layer, local or open-weight models where permitted, embeddings and retrieval, a Python/FastAPI backend, a React or Next.js frontend, and PostgreSQL with pgvector or an alternative vector store.

These technologies are options in the project plan, not a verified record of the final implementation. The initial report therefore focuses on requirements and design. Multimodal inputs, long-term temporal analysis, environmental intelligence, and broader simulation are treated as future possibilities rather than completed features.

Chapter 2

Methodology and Design

2.1 Development Methodology

The project follows a phased development roadmap. The phases provide a staged method in which foundational requirements and memory capabilities precede behavioural modelling and higher-level decision support.

1. **Research and requirements:** define scope, study related approaches, specify memory and behavioural requirements, identify evaluation metrics, and finalise the architecture.

2. **Memory system:** develop a user profile, data ingestion, semantic and episodic memory, persistent storage, retrieval, and memory management.

3. **User modelling:** extract preferences, process behavioural data, detect patterns, update the profile, and maintain confidence indicators.

4. **Twin engine:** combine contextual retrieval with personalised response generation, decision simulation, and evidence-based predictions.

5. **Adaptive goal optimisation:** represent goals and schedules, detect constraints, analyse habits, optimise plans, and track interventions.

6. **Evaluation and integration:** create an evaluation dataset, test retrieval and prediction, analyse failure cases, refine the interface, improve performance, and document security and deployment considerations.

2.2 System Architecture

The architecture is modular so that individual components can be developed, tested, and replaced independently. The user interacts through a client interface. An interaction API passes input to processing and goal-management components. Relevant information is stored in the memory system and retrieved for the user model, behavioural analytics, and knowledge representation. The Twin Engine uses the retrieved context to reason, predict, and optimise; an adaptation layer presents personalised output and collects feedback for subsequent updates.




Figure 2.1: Proposed high-level architecture of AI Twin.

2.2.1 Major Components

Client and interaction API

Accept user goals, questions, corrections, and feedback, then route requests to the relevant subsystem.

Input processing

Organise incoming information and attach useful metadata such as source, time, and context. The final extraction method remains an implementation decision.

Goal manager

Maintain user-defined goals, priorities, schedules, and constraints for goal-oriented planning.

Memory system

Separate stable personal information from event-based history and behaviour-related observations.

Retrieval engine

Retrieve potentially relevant memories using semantic similarity, metadata filters, and ranking. Retrieved items should retain enough provenance to support explanation and correction. Semantic embeddings can support meaning-based retrieval, as explored in Sentence-BERT [RG19], while retrieval-augmented approaches provide a general design precedent for combining retrieved context with generated outputs [LPP+20].

User model and behavioural analytics

Maintain an evolving representation of preferences and goals and analyse recurring activity patterns when sufficient data is available.

Twin Engine

Use relevant memories and model features to produce personalised reasoning, likely-choice estimates, and goal-plan suggestions.

Adaptation layer

Present outputs, collect feedback, and record outcomes for later evaluation and model updates.

2.3 Personal Memory Design

The proposed design uses three complementary memory categories. Their separation is important because a stable preference, a specific past event, and a pattern inferred from repeated actions have different meanings and confidence requirements.

Memory type	**Purpose**	**Illustrative contents from the project concept**
Semantic	Store relatively stable facts about the user.	Skills, interests, preferences, goals, knowledge, and important facts.
Episodic	Record events and experiences.	Projects, previous conversations, experiences, events, and past decisions.
Behavioural	Represent repeated actions and observed tendencies.	Productive periods, recurring choices, distractions, routine deviations, and decision patterns.

Table 2.1: Proposed personal memory categories.

Each memory should ideally include its content, category, source, creation or observation time, and status. Additional confidence or provenance metadata may help distinguish direct user statements from system inferences. These fields are design recommendations for the proposed system and must be finalised during implementation. Memory management should support viewing, correcting, updating, and deleting stored information, as a core requirement of the proposed design.

2.4 Dynamic User Model and Decision Simulation

The user model is intended to evolve as new interactions and observed behaviours become available. Preferences, goals, and knowledge inform the interpretation of behavioural observations; repeated observations may contribute to patterns, which can in turn inform a decision estimate. Updates should not silently convert uncertain inferences into confirmed facts.

For a hypothetical decision, the planned workflow is:

1. Receive a scenario and identify the choice or outcome to be estimated.
2. Retrieve memories and observations relevant to the scenario, current priorities, and similar past decisions.
3. Evaluate the available evidence and identify factors that support or contradict candidate choices.
4. Produce a predicted choice with a confidence estimate and an explanation of relevant factors.
5. Keep the prediction separate from a normative recommendation; a likely choice is not necessarily the best choice.
6. When the actual choice becomes known, record the outcome where the user has consented and use it for evaluation and potential model updates.

Confidence must be calibrated through evaluation rather than treated as inherently reliable. If there is insufficient relevant history, the system should communicate uncertainty instead of presenting an unsupported prediction.

2.5 Adaptive Goal Optimisation

The goal-management component is intended to help users pursue goals such as examination preparation, skill development, exercise, project completion, or consistent writing. Personalised ranking and recommendation are established areas of study; the project should select and evaluate a suitable method rather than assume that a particular algorithm is best [RRS15]. Planning should consider existing schedules, commitments, habits, productive periods, distractions, historical adherence, preferences, and goal priorities.

The planned adaptation loop consists of defining a goal, collecting constraints, proposing a plan, observing whether tasks were followed, assessing outcomes, and adjusting later plans. Behavioural examples are illustrative only; they are not measured results from this project. The effectiveness of the approach will need to be tested using actual user-approved observations and predefined metrics.

2.6 Proposed Technical Stack

The project has not finalised its technology stack. The following table lists the options currently under consideration.

Layer	Technologies or approaches under consideration
Backend	Python and FastAPI
Frontend	React or Next.js
Data storage	PostgreSQL; pgvector or another vector database; optional graph database
AI and machine learning	Local or open-weight models where permitted, sentence embeddings, NLP, classification, clustering, recommendation algorithms, behavioural prediction, and time-series analysis
Libraries	PyTorch, scikit-learn, spaCy, and Sentence Transformers
Retrieval and knowledge	Vector search, semantic retrieval, metadata filtering, memory ranking, and knowledge graphs
Engineering and infrastructure	Git/GitHub, Docker, automated testing, and CI/CD

Table 2.2: Technical options under consideration; final selections are pending confirmation.

The project explicitly aims not to depend on a direct hosted LLM API. The exact local model, embedding model, database configuration, deployment environment, and interface framework remain to be selected and validated. The architecture should therefore keep the AI layer replaceable so that candidate models and algorithms can be evaluated independently.

2.7 Privacy, Security, and Ethics

The system is intended to process highly personal information. The project design identifies user-controlled memory, editing and deletion, transparent evidence for predictions, clear separation of facts and inferences, secure storage, minimal data collection, and explicit consent for behavioural tracking as design goals.

The implementation should apply these principles throughout the data lifecycle. A structured privacy-risk approach can help translate privacy principles into design and governance activities [Nat20]. Access to stored information should be restricted; sensitive information should not be collected unless necessary for a clearly explained purpose; retention and deletion behaviour should be documented; and users should be able to inspect or correct information attributed to them. The interface should distinguish at least three states: a known statement, an inference based on observations, and a prediction about a future event. These are requirements to implement and evaluate, not claims that the controls are already operational.

Chapter 3

Results and Evaluation

3.1 Current Project Status

The project is in the *Prototype Development and Ongoing Implementation* stage. An initial website prototype is available to demonstrate the current interface and implemented functionality. The broader AI Twin workflow is being developed in phases, with persistent personal memory identified as a key next milestone. This report documents the current prototype stage and proposed evaluation plan; it does not claim measured model accuracy, user-study findings, or deployment results.

3.2 Testing Methodology

Testing will be introduced as the corresponding modules are implemented. The following strategy is proposed for the development roadmap.

- **Unit testing:** test memory creation, categorisation, updating, deletion, metadata handling, retrieval ranking, and goal-constraint processing as separate components.
- **Integration testing:** verify the flow from user input through storage and retrieval to the Twin Engine and personalised output, including feedback updates.
- **Functional testing:** check that users can view, correct, update, and delete memories, and that outputs distinguish predictions from recommendations.
- **Privacy and security testing:** verify consent paths, access restrictions, deletion behaviour, and the handling of information that should not be retained.
- **User evaluation:** once a working prototype exists, ask consenting participants to assess relevance, clarity, perceived usefulness, trust, and ease of correction. The evaluation procedure and participant count must be documented before testing.

3.3 Evaluation Metrics

The project design identifies several evaluation dimensions. The exact dataset, baseline, thresholds, and experimental protocol remain to be specified before measurements can be reported.

Dimension	**Candidate measures**	**Evaluation approach**
Memory retrieval	Precision, recall, and Top-K retrieval accuracy	Compare retrieved memories with a manually labelled set of relevant memories.
Preference prediction	Prediction accuracy and consistency	Compare predicted preferences with known or explicitly confirmed user preferences.
Decision simulation	Accuracy, confidence calibration, and prediction consistency	Evaluate scenarios for which the user's actual decision is known.
Behavioural adaptation	Task adherence and outcome change	Compare predefined measures before and after an intervention, using a documented observation period.
User feedback	Personalisation, relevance, accuracy, usefulness, trust, and consistency	Collect structured ratings and qualitative feedback from consenting users.

Table 3.1: Proposed evaluation framework. No measured scores are available in the current project description.

3.4 Results and Analysis

No empirical performance results are currently available. In particular, example task-adherence percentages and decision-confidence values are explanatory illustrations, not measured outcomes from an implemented AI Twin. They are therefore not reported as project results in this document.

At the current stage, the assessable deliverables include the defined requirements, proposed modular architecture, and initial website prototype. The next evaluation checkpoint is to validate the prototype's existing functionality and implement the personal-memory workflow. The team should record the test cases, system configuration, baseline, measured values, and failure cases as testing is performed. Objectives should be marked as achieved only when supported by evidence.

3.5 Risks and Mitigation

Risk	Potential impact	Proposed mitigation
Incorrect or stale memories	Personalised output may be misleading.	Provide memory inspection, correction, update, and deletion controls.
Weak behavioural evidence	Predictions may be overconfident or unreliable.	Expose uncertainty, require evaluation, and avoid unsupported predictions.
Privacy exposure	Personal data may be accessed or retained inappropriately.	Minimise collection, apply access controls, and document consent and deletion.
Technology uncertainty	Proposed components may not integrate or perform as expected.	Keep modules replaceable and compare candidate models and storage options.
Insufficient evaluation data	Reported performance may not generalise.	Define evaluation cases and metrics before testing and document limitations.

Table 3.2: Initial design risks and proposed mitigations.

Chapter 4

Conclusion

4.1 Summary of Work

AI Twin is proposed as a personal digital representation that combines persistent memory, a dynamic user model, decision simulation, behavioural pattern detection, adaptive goal support, and learning from outcomes. Its distinguishing design objective is to make personal context an explicit part of assistance, while keeping predictions explainable and allowing users to manage the memories that inform them.

This report presents the project as a structured document covering the problem, objectives, phased methodology, modular architecture, memory categories, proposed technology options, privacy requirements, and evaluation strategy. The project is in the prototype development and ongoing implementation stage: an initial website prototype is available, while the broader AI Twin capabilities are being developed and validated in phases. The report distinguishes the current prototype from planned capabilities and does not present unverified features as completed implementation.

4.2 Key Findings

- **Memory is foundational:** the Personal Memory System is the next milestone and is a prerequisite for meaningful personalisation across interactions.
- **Predictions need evidence and uncertainty:** the design should identify relevant historical factors and distinguish likely behaviour from normative advice.
- **Adaptation requires outcome measurement:** recommendations should be assessed against observed outcomes rather than assumed to be effective.
- **Privacy is a core requirement:** user control, consent, transparency, and the distinction between facts and inferences must shape the system from the beginning.

4.3 Future Work and Recommendations

The next step is to implement and validate the Personal Memory System, including storage, retrieval, metadata, and memory-management operations. Subsequent work should establish the dynamic user model, implement the Twin Engine, and add goal tracking and adaptation. Before claiming effectiveness, the team should create an evaluation dataset and test retrieval, preference prediction, decision prediction, confidence calibration, and user-perceived usefulness.

Further development may explore multimodal input from text, images, audio, and documents; temporal modelling across months or years; environmental factors such as workload and deadlines; and broader simulation capabilities. These are future possibilities and are outside the confirmed current scope. Model choice, data retention, security controls, and deployment should be reviewed before any real-world use involving sensitive personal information.

4.4 Final Remarks

AI Twin aims to move from an assistant that primarily answers questions to a system that can remember relevant context, develop a representation of the user, make cautious evidence-based predictions, and adapt support in response to outcomes. Its value will depend not only on technical capability but also on whether its memory is correctable, its predictions are transparent, its privacy controls are effective, and its benefits can be demonstrated through evaluation.

Bibliography

[LPP+20] Patrick Lewis, Ethan Perez, Aleksandra Piktus, et al. "Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks". In: *Advances in Neural Information Processing Systems*. Vol. 33. 2020, pp. 9459–9474. URL: https://proceedings.neurips.cc/paper/2020/hash/6b493230205f780e1bc26945df7481e5-Abstract.html (cit. on p. 6).

[Nat20] National Institute of Standards and Technology. *NIST Privacy Framework: A Tool for Improving Privacy through Enterprise Risk Management, Version 1.0*. Tech. rep. U.S. Department of Commerce, 2020. URL: https://www.nist.gov/privacy-framework (cit. on p. 10).

[RG19] Nils Reimers and Iryna Gurevych. "Sentence-BERT: Sentence Embeddings using Siamese BERT-Networks". In: *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing* (2019), pp. 3982–3992. URL: https://aclanthology.org/D19-1410/ (cit. on p. 6).

[RRS15] Francesco Ricci, Lior Rokach, and Bracha Shapira, eds. *Recommender Systems Handbook*. 2nd ed. Springer, 2015 (cit. on p. 8).