# **Compare the Triplets**

Alice and Bob each created one problem for HackerRank. A reviewer rates the two challenges, awarding points on a scale from 1 to 100 for three categories: problem clarity, originality, and difficulty.

We define the rating for Alice's challenge to be the triplet  $A=(a_0,a_1,a_2)$ , and the rating for Bob's challenge to be the triplet  $B=(b_0,b_1,b_2)$ .

Your task is to find their *comparison scores* by comparing  $a_0$  with  $b_0$ ,  $a_1$  with  $b_1$ , and  $a_2$  with  $b_2$ .

- If  $a_i > b_i$ , then Alice is awarded 1 point.
- If  $a_i < b_i$ , then Bob is awarded 1 point.
- If  $a_i = b_i$ , then neither person receives a point.

Given A and B, can you compare the two challenges and print their respective comparison points?

# **Input Format**

The first line contains 3 space-separated integers,  $a_0$ ,  $a_1$ , and  $a_2$ , describing the respective values in triplet A.

The second line contains 3 space-separated integers,  $b_0$ ,  $b_1$ , and  $b_2$ , describing the respective values in triplet B.

#### **Constraints**

- $1 \le a_i \le 100$
- $1 \le b_i \le 100$

# **Output Format**

Print two space-separated integers denoting the respective comparison scores earned by Alice and Bob.

# Sample Input

5 6 7 3 6 10

# **Sample Output**

11

### **Explanation**

In this example:

• 
$$A = (a_0, a_1, a_2) = (5, 6, 7)$$

• 
$$B = (b_0, b_1, b_2) = (3, 6, 10)$$

Now, let's compare each individual score:

ullet  $a_0>b_0$ , so Alice receives 1 point.

- ullet  $a_1=b_1$ , so nobody receives a point.
- ullet  $a_2 < b_2$ , so Bob receives 1 point.

Alice's comparison score is 1, and Bob's comparison score is 1. Thus, we print  $1\ 1$  (Alice's comparison score followed by Bob's comparison score) on a single line.