
IEEE Education Society
SEC IEEE SBC



CSS
STYLE YOUR FIRST WEBSITE

IEEE Education Society
SEC IEEE SBC


PROCEED?

• S RIFAATH FATHIMAH • LAKSHAN M • MYTHILI R

CSS = Cascading Style Sheets

HTML gives a webpage its structure.

CSS gives it style and appearance.



CSS

With CSS, we can control:

- 🎨 Colors
- 🔤 Fonts
- 📐 Size & spacing
- 🧱 Layout
- ✨ Shadows & borders
- 📱 Responsive design
- 🎬 Simple visual effects

IEEE Education Society
SEC IEEE SBC

CONNECTING CSS TO HTML

IEEE Education Society
SEC IEEE SBC

There are three ways to add CSS:

INLINE

Applied directly inside an HTML tag using the style attribute to affect a single element.

```
<p style="color: blue;">Hello!</p>
```

INTERNAL

Written inside a <style> tag within the HTML <head> section to affect that single document.

```
<style>
 p {
color: blue;
}
 </style>
```

EXTERNAL

Written in a separate .css file and linked to the HTML document via a <link> tag to style multiple pages at once.

```
<link rel="stylesheet"
href="style.css">

 /* style.css */
 p { color: blue; }
```

⭐ **Recommended: Keep them separate whenever possible.**

IEEE Education Society
SEC IEEE SBC


CSS SYNTAX

```
selector {
    property: value;
}

Example
h1 {
    color: blue;
    font-size: 40px;
}
```

Understand it:

- h1 → Selector
- color → Property
- blue → Value



CSS SELECTORS

Select the HTML elements you want to style

- Element Selector

Targets all <p> elements.

- Class Selector

Targets elements with a class.

- ID Selector

Targets an element with a specific ID.

Quick Reminder

- p → Element
- .card → Class
- #title → ID

```css
/*Element Selectors*/
p {
    color: gray;
}

/*Class Selectors*/
.card {
    background-color: white;
}

/*ID Selectors*/
#title {
    color: navy;
}
```

IEEE Education Society
SEC IEEE SBC

CSS UNITS

Units control size

- px - Pixels: 20px
- % - Percentage: 50%
- em - Relative to parent font size: 2em
- rem - Relative to root font size: 2rem
- vh - Viewport height: 100vh
- vw - Viewport width: 100vw

Beginner tip: Start with px, %, and rem. Learn the others as you build more responsive websites.

```css
/*CSS Units*/
.box {
    width: 50%;
    padding: 20px;
    font-size: 1.2rem;
}
```

BACKGROUND & COLOR

Change the background and text color

- Using HEX
- Using RGB


Think of it as:
color → Text
background-color → Background

```css
/*Background and text colour*/
body {
    background-color: lightblue;
}

h1 {
    color: navy;
}

h1 {
    color: #1e3a8a;
}

h1 {
    color: rgb(30, 58, 138);
}
```



```css
/*Text Styling*/
 body {
  font-family: Arial, sans-serif;
}

h1 {
  font-size: 40px;
}

h1 {
  font-weight: 700;
}

p {
  font-style: italic;
}
```

TEXT STYLING

IEEE Education Society
SEC IEEE SBC

Make your text look better

1. **Font Family:** The name of the specific type design (e.g., Arial, Times New Roman, Roboto).
2. **Font Size:** How large or small the text appears on the screen.
3. **Font Weight:** How thick or thin (bold vs. light) the letters are drawn.
4. **Font Style:** Whether the text appears in a standard (normal) or slanted (italic) shape.



TEXT ALIGNMENT & DECORATION

```
h1 {
  text-align: center;
}

a {
  text-decoration: none;
}

p {
  letter-spacing: 1px;
  line-height: 1.6;
  word-spacing: 4px;
}
```

Text Alignment

- left
- center
- right
- justify

Text Decoration

- underline
- overline
- line-through

Text Spacing

- letter-spacing
- line-height
- word-spacing

IEEE Education Society
SEC IEEE SBC

Font → Size → Weight → Alignment → Spacing

DISPLAY

display controls how an element behaves in the layout

- Block — takes the available width and starts on a new line.
- Inline — stays within the same line.
- Inline-block — stays inline while allowing width and height.
- None — the element disappears from the page.

```css
.box {
    background-color: #3498db;
    color: white;
    padding: 10px;
    margin: 10px 0;
    border: 2px solid #2980b9;
}

/* 1. Block: Takes full width, starts on a new line */
.block-example {
    display: block;
    width: 50%; /* You can set width and height */
}

/* 2. Inline: Takes only as much width as its content, no new line */
.inline-example {
    display: inline;
    background-color: #e74c3c;
    padding: 5px;
    /* width and height are ignored here */
}

/* 3. Inline-Block: Sits inline, but respects width and height */
.inline-block-example {
    display: inline-block;
    width: 150px;
    height: 50px;
    background-color: #2ecc71;
    margin: 5px;
}

/* 4. None: Completely removes the element from the layout */
.none-example {
    display: none;
}
```

DISPLAY

IEEE Education Society
SEC IEEE SBC

The CSS Display Property

1. Display: Block

Block Element 1

Block Element 2 (Starts on a new line)

2. Display: Inline

This is text inside a paragraph. Inline Element 1 and Inline Element 2 stay right inside the text stream without breaking to a new line.

3. Display: Inline-Block

These boxes sit next to each other like inline elements, but you can set their width and height:

Box A Box B Box C

4. Display: None

There is a hidden box right below this sentence, but you can't see it or inspect its space because display is set to none.

THE CSS BOX MODEL


IEEE Education Society
SEC IEEE SBC

Every HTML element is treated like a box.

Four parts:

- Content → Padding → Border → Margin

Padding = Inside
Margin = Outside



POSITION

Control where an element appears.

Relative


- Moves the element relative to its normal position.

Absolute

- Positions the element relative to its positioned ancestor.


Key idea:

- relative → normal position + offset
- absolute → positioned ancestor



IEEE Education Society
SEC IEEE SBC

BORDER



Add borders around elements

Border styles:

- solid
- dashed
- dotted

Rounded corners with border-radius

BOX & BASIC STRUCTURE:

Add depth to your elements

- X-offset(Horizontal)
- Y-offset(vertical)
- Blur
- Color

Use subtle shadows to make cards look cleaner and more modern.

```
.card {
  box-shadow:
    0 4px 12px rgba(0,0,0,0.15);
}


.card {
  box-shadow: 0 5px 15px gray;
}
```

PUT EVERYTHING TOGETHER!

```
<div class="card">
  <h2>EdSpark</h2>
  <p>Ignite your First Website</p>
  <button>Get Started</button>
</div>


.card {
  background: white;
  padding: 25px;
  border: 1px solid #ddd;
  border-radius: 15px;
  box-shadow: 0 5px 15px rgba(0,0,0,0.1);
  text-align: center;
}

button {
  background: navy;
  color: white;
  padding: 10px 20px;
  border: none;
  border-radius: 8px;
}
```

What did we use?

- **Color + Background**
- **Padding**
- **Border + Radius**
- **Shadow**
- **Text + Button**

WHAT'S NEXT?



EdSpark
@IEEE_EdSoc

THANK YOU FOR LISTENING
EdSpark — Ignite Your First Website
Learn → Build → Experiment → Create

You now know how to:
Build → Style → Arrange → Design

Final Thought

- *HTML gives your website structure.*
- *CSS gives it personality.*
- *JavaScript gives it life.*

IEEE Education Society
SEC IEEE SBC