Solution Requirements: Functional & Non-functional

Implement Client Script & UI Policy (Incident) | Enforcing data integrity on Incident records

FUNCTIONAL REQUIREMENTS

FR-01	**Auto-populate defaults** An onLoad Client Script sets default values (for example Contact type) when a new Incident form opens.
FR-02	**Conditional mandatory fields** UI Policies make fields mandatory by condition: State = On Hold needs On hold reason; State = Resolved needs Resolution code and notes; Priority = 1 needs Assignment group.
FR-03	**Conditional visibility** UI Policy Actions show or hide fields so users see only what is relevant to the current state.
FR-04	**Read-only control** UI Policy Actions lock fields that must not be edited in a given state.
FR-05	**Dependent field consistency** An onChange Client Script clears and refreshes dependent fields (for example Subcategory when Category changes).
FR-06	**Save-time validation** An onSubmit Client Script checks business rules (for example minimum Short description length) before the record is saved.
FR-07	**Submission blocking** When a rule fails, the onSubmit script returns false so the Incident cannot be submitted incomplete or invalid.
FR-08	**Clear user messaging** Error and info messages name the field and the action needed to fix it.
FR-09	**Reverse if false** UI Policies restore normal field behaviour when their condition no longer applies.

NON-FUNCTIONAL REQUIREMENTS

NFR-01	**Performance** Rules run in the browser with no noticeable delay on load, change or submit; avoid synchronous server calls.
NFR-02	**Usability** Behaviour is predictable and messages are in plain language, so analysts understand what to correct.
NFR-03	**Maintainability** One rule per policy or script, clear names, comments and documentation of each condition.
NFR-04	**Consistency & reuse** Prefer UI Policies where they can do the job; use Client Scripts for logic. Standards apply across Incident views.
NFR-05	**Compatibility** Works in supported browsers; UI type settings on policies and scripts are set deliberately.
NFR-06	**Data integrity & security** Client-side checks guide users but are not a security boundary; critical rules can be backed by server-side Business Rules and ACLs.
NFR-07	**Testability** Each rule has a test case covering pass and fail paths, with changes captured in an update set.
NFR-08	**Reliability** Policies and scripts do not conflict; execution order is reviewed and defined.

SCOPE: Incident table, client-side controls (UI Policy, UI Policy Actions, Client Scripts, Form Validation). Server-side enforcement is a recommended backstop, outside this implementation.