

Visual Disease Diagnostic Report

Specimen Snapshot

Structured report with aligned sections for fast review and audit.

CRITICAL

Researcher	Research Group 16	Model	MobileNetV2 (CNN)
Pond ID	1	Task	BG / Healthy / WSSV / WSSV_BG
Capture	Upload	Engine	AquaSmart v1.0

Visual Evidence



Diagnosis Panel

INFECTION

BG & WSSV Coinfection



Severity

Emergency

High mortality risk. Immediate response required.

Observed Symptom Pattern

- Extreme lethargy
- Severe gill fouling
- Mass mortality signs

AI Recommendation Summary

EMERGENCY: Multiple pathological markers detected. High risk of mass mortality; notify biosecurity immediately.

Detailed Action Plan

Critical Coinfection Protocol

- Emergency response: isolate immediately; high mortality risk.
- Maximize oxygen: 24/7 aeration; monitor DO closely.
- Minimize handling: avoid transport; reduce any additional stress.
- Consider lab confirmation: PCR/rapid methods if available.

Checklist (Mark during operations)

- ☐ Quarantine activated
- ☐ Emergency aeration
- ☐ Strict access control
- ☐ Rescan multiple specimens
- ☐ Lab confirmation requested

Monitoring Notes

- Use consistent lighting and focus on carapace + gill region for best accuracy.
- For low confidence outputs: rescan with better focus and reduced glare.
- Keep specimen handling minimal to avoid stress-related artifacts.
- If infection suspected: restrict movement between ponds and disinfect tools.