Status	Finished
Started	Wednesday, 21 October 2026, 2:01 PM
Completed	Wednesday, 21 October 2026, 2:06 PM
Duration	5 mins 12 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. Name Error

b. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

c. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

d. TypeError: update() doesn't allow list as a argument.

Question **2**

Incorrect

Mark 0.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['2', '3', '30', '8']

b. ['8', '30', '3', '2']

c. ['2', '3', '8', '30']

d. ['30', '8', '3', '2'] ✗

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓
True

b. False
True

c. False
False

d. True
False

Question **4**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **5**

Incorrect

Mark 0.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {4}

b. {1,3,2}

c. {1,3,4} ✗

d. {2}

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl1=tupl+tupl ✓

b. tupl.sort()

c. tupl[1]=2

d. tupl.append(2)

Question **7**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

b. (30, 40, 50) (10, 20, 30, 40)

c. (30, 40, 50)(40, 50, 60, 70, 80)

d. (10, 20, 30, 40) (40, 50, 60, 70, 80)

Question **8**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. Error

b. Error

c. False ✓

d. True

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

a. (12)

b. (55,78,64,25)

c. 12

d. Error ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

a. 1

b. 5

c. Error ✓

d. 2

Question **11**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

a. [11,11,11,3,3,3]

b. (11, 3, 11, 3, 11, 3) ✓

c. (11,3)(11,3)(11,3)

d. (11,3,11,11,3,11,11,11,3)

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {}

b. {2,5,3,1}

c. {3} ✓

d. {2,5,1}

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,0,9}

b. {9}

c. It will throw an error as there are two 0 while creating the set.

d. {0,9} ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only strings as its elements.

b. In Python, a tuple can contain only integers as its elements.

c. In Python, a tuple can contain either string or integer but not both at a time.

d. In Python, a tuple can contain both integers and strings as its elements. ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [1, 4, 8] ✓

b. [2, 3, 9]

c. [1, 2, 4, 3, 8, 9]

d. (1, 4, 8)