Status	Finished
Started	Sunday, 18 October 2026, 3:54 PM
Completed	Sunday, 18 October 2026, 4:01 PM
Duration	6 mins 29 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Bubble ✓

b. Complexity

c. Insertion

d. Selection

Question **2**

Correct

Mark 1.00 out of 1.00

The average case occurs in the linear search algorithm

a. When the item is somewhere in the middle of the array ✓

b. When the item is not the array at all

c. When the item is the last element in the array

d. Item is the last element in the array or item is not there at all

Question **3**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

a. Deleting elements from a list

b. Sorting elements in a list

c. Determining whether an element is present in a list ✓

d. Inserting elements into a list

Question **4**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

a. When the list is small and sorted
b. When the list is large and sorted
c. When the list is small and unsorted ✓
d. When the list is large and unsorted

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following is not the required condition for a binary search algorithm?

a. There must be a mechanism to delete and/or insert elements in the list ✓
b. The list must be sorted
c. Number values should only be present

Number values should only be present

d. There should be direct access to the middle element in any sublist

Question **6**

Correct

Mark 1.00 out of 1.00

What is the best-case time complexity of linear search?

a. O(n log n)
b. O(log n)
c. O(1) ✓
d. O🥎

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

a. Bubble search
b. Quick search
c. Merge search
d. Linear search ✓

Question **8**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. At the beginning of the list
b. In the right sublist
c. In the entire list
d. In the left sublist ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

a. The search starts over from the beginning
b. The search backtracks to find duplicate elements
c. The search continues until the end of the list
d. The search stops immediately ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

a. Linear search requires the list to be sorted.
b. Linear search divides the list into halves.
c. Linear search can be applied to both sorted and unsorted lists. ✓
d. Linear search is more efficient than binary search on large lists.

Question **11**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

a. Linear search ✓
b. Hash search
c. Interpolation search
d. Binary search

Question **12**

Correct

Mark 1.00 out of 1.00

In _____ checks the elements of a list, one at a time, without skipping any element.

a. Binary search

b. Linear search ✓

c. Both (1) & (3)

d. Hash search

Question **13**

Correct

Mark 1.00 out of 1.00

What is the time complexity of binary search in the worst case?

a. O👎

b. O(1)

c. O(log n) ✓

d. O(n log n)

Question **14**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

a. When the list contains duplicate elements

b. When the search algorithm finishes

c. When the element is found in the list ✓

d. When the list is sorted

Question **15**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 89 and 99

b. 90 and 94

c. 89 and 94

d. 90 and 99 ✓