

Test Data – VWO Login Feature

Purpose

This document stores the reusable login test datasets for the VWO login feature. The data below is intentionally marked as sample values because the prompt does not include actual production or QA credentials.

1. Valid Credentials

Dataset ID	Username / Email	Password	Usage
DATA-VALID-01	valid_user@example.com	ValidPass123!	Successful login test
DATA-VALID-02	qa.test@example.com	QATest@2024	Alternate valid credential set

Notes:

- Replace every sample value with approved test credentials from the environment before execution.
- Ensure each account is active and valid in the target environment.

2. Invalid Credentials

Dataset ID	Username / Email	Password	Expected Result
DATA-INVALID-01	valid_user@example.com	WrongPass123!	Login fails
DATA-INVALID-02	unknown_user@example.com	ValidPass123!	Login fails
DATA-INVALID-03	empty	ValidPass123!	Validation error
DATA-INVALID-04	valid_user@example.com	empty	Validation error
DATA-INVALID-05	user@@example.com	ValidPass123!	Validation error or reject

3. Special Character and Boundary Inputs

Dataset ID	Input	Purpose
DATA-SPECIAL-01	user+test@example.com	Valid special-character email variant
DATA-SPECIAL-02	user@example.com	Leading/trailing whitespace detection
DATA-SPECIAL-03	P@ssword!123	Password with valid symbols
DATA-SPECIAL-04	Páßswørd!	Unicode password check
DATA-SPECIAL-05	A repeated 101 times	Username max-length validation
DATA-SPECIAL-06	A repeated 129 times	Password max-length validation

4. Session and Recovery Data

Dataset ID	Scenario	Expected Result
DATA-SESSION-01	Login with remember-me enabled	Session persists across browser relaunch
DATA-SESSION-02	Idle session for 5 minutes	Session expires and user is logged out
DATA-RESET-01	Password reset link clicked	Redirect or reset page is shown

5. Edge Cases

- Empty form submit
- Double-click on login button
- Browser refresh during login attempt
- Back button after successful login
- Long values beyond expected limits
- Login attempt with blocked or inactive account, if supported by environment

6. Data Governance Notes

- Do not use production credentials in QA automation.
- Keep all credentials in environment variables or secured test-management storage.
- Validate that the approval status of each dataset is documented before execution.