PROGRAM:

```
#include <stdio.h>
int main()
{
int a, b, choice, res;
printf("===== OPERATORS AND EXPRESSIONS =====\n");
printf("Enter the first number: ");
scanf("%d", &a);
printf("Enter the second number: ");
scanf("%d", &b);
printf("\n----- MENU -----\n");
printf("1. Addition\n");
printf("2. Subtraction\n");
printf("3. Multiplication\n");
printf("4. Division\n");
printf("5. Modulus\n");
printf("\nEnter your choice: ");
scanf("%d", &choice);
switch(choice)
{
   case 1:
      res = a + b;
      printf("Result = %d", res);
      break;
   case 2:
      res = a - b;
      printf("Result = %d", res);
      break;
   case 3:
```

```
        res = a * b;
        printf("Result = %d", res);
        break;
    case 4:
        if(b != 0)
        {
            res = a / b;
            printf("Result = %d", res);
        }
        else
        {
            printf("Division by zero is not possible.");
        }
        break;
    case 5:
        if(b != 0)
        {
            res = a % b;
            printf("Result = %d", res);
        }
        else
        {
            printf("Modulus by zero is not possible.");
        }
        break;
    default:
        printf("Invalid choice.");
}
    return 0;
```

```
}
```

OUTPUT:

```
===== OPERATORS AND EXPRESSIONS =====
Enter the first number: 20
Enter the second number: 10
----- MENU -----
1. Addition
2. Subtraction
3. Multiplication
4. Division
5. Modulus
Enter your choice: 1
Result = 30
```