Generated by Scopus AI, Sat Oct 10 2026

Voice message search tool

Designing a Private, Offline Audio Search System: Technologies, Algorithms, Privacy, and User Interface Strategies

Quick Reference

Key Findings Table

Theme	Key Insights	Supporting Citations
Offline STT & Timestamping	Whisper, Vosk, Silero, and Sherpa-ONNX support local, accurate, word-level timestamped transcription.	1 2 3 4
Privacy & Security	Local encryption (AES, ECC), reversible voice conversion, and adversarial obfuscation protect user privacy.	5 6 7 8
Lightweight Model Architectures	Adaptive meta-learning, model compression (LoRA), and modular pipelines enable real-time, low-latency STT.	1 9 10
Word-Level Timestamping Algorithms	DTW, forced alignment, and attention-based methods yield precise word-level timestamps.	4 11 12
UI Design for Audio Search	Synchronized text queries, spatial auditory displays, and semantic metadata enhance usability and precision.	13 14 15

Direct Answer

A viable solution for searching voice messages locally involves developing an offline, on-device system that processes stored audio files with a privacy-preserving STT engine (using models such as Whisper or Vosk), provides word-level timestamp tagging via DTW and forced-alignment algorithms, and integrates a user-friendly search bar interface that synchronizes text queries with corresponding audio segments. This system must incorporate local encryption and reversible voice conversion techniques to maintain privacy without cloud involvement [1] [2] [4] [5] [13].

Study Scope

- **Time Period:** 2019–2024 (focus on recent advances)
- **Disciplines:** Speech recognition, privacy-preserving machine learning, human-computer interaction, edge computing
- **Methods:** Meta-analysis of empirical studies, benchmarking, algorithmic innovation, UI/UX evaluation

Assumptions & Limitations

- Assumes user laptops have moderate CPU/GPU resources (e.g., Intel i5/i7, 8GB+ RAM).
- Focuses on English and major languages; low-resource language support may require further adaptation.
- Privacy frameworks are evaluated for local (not federated or distributed) use.
- UI findings are based on desktop/laptop interaction, not mobile or AR/VR.
- Some trade-offs between privacy, latency, and accuracy remain unresolved.

Suggested Further Research

- Seamless integration of robust encryption with state-of-the-art STT models without latency penalties.
- UI design optimization for multi-speaker, multilingual, and long-form audio search.
- Explainable privacy controls and user feedback mechanisms for non-technical users.
- Adaptive model selection frameworks for real-time, context-aware STT deployment.

1. Introduction

Background and Motivation

Searching voice messages with the same ease and precision as text remains a significant challenge. Unlike text, audio is inherently sequential and lacks direct indexing, making retrieval of specific content laborious. Cloud-based speech-to-text (STT) solutions offer transcription and search capabilities but introduce substantial privacy risks, as user data is transmitted and processed off-device. This is particularly problematic for sensitive or confidential information [5] [16] [17].

The demand for fully local, privacy-preserving audio search tools is growing. Such systems must:

- Transcribe audio files stored on the user's computer.

- Tag each word with precise timestamps.
- Enable text-based search that jumps directly to the relevant audio segment.
- Guarantee that all processing remains on the user's device, with no data uploaded to external servers.

Recent advances in offline STT, timestamping algorithms, privacy frameworks, and user interface design now make this vision technically feasible [4] [5] [17] [18].

2. Offline Speech-to-Text Technologies for Local Audio Search

Overview of Offline STT Models

Modern offline STT models have matured to the point where they can be deployed locally with high accuracy and reasonable resource requirements:

- **Whisper (OpenAI):** State-of-the-art accuracy, robust to noise and accents, supports word-level timestamps. Requires moderate to high computational resources but can be optimized via quantization and fine-tuning [3] [19].
- **Vosk:** Lightweight, open-source, supports customizable models and timestamping, suitable for real-time transcription on laptops [2] [17].
- **Silero:** Optimized for low-latency, interactive use on CPUs, with competitive error rates [1].
- **Sherpa-ONNX:** Delivers the lowest error rates on desktop platforms, suitable for edge deployment [1].
- **Wav2Vec2:** Excels in low-resource and multilingual settings, with transfer learning capabilities [20] [21].

Table: Comparative Features of Leading Offline STT Models

Model	Accuracy	Latency	Resource Use	Timestamp Support	Open Source	Notes
Whisper	High	Med-High	Med-High	Yes	Yes	Best for accuracy, robust
Vosk	Med-High	Low	Low	Yes	Yes	Best for real-time, low-end
Silero	Med	Low	Low	Yes	Yes	Fastest on CPUs
Sherpa-	High	Med	Med	Yes	Yes	Best error rates,

ONNX						desktop
Wav2Vec2	High	Med	Med	Yes	Yes	Best for low-resource langs

[1] [2] [3] [20]

Word-Level Timestamping Capabilities

Precise word-level timestamping is critical for searchability. Modern STT systems achieve this through:

- **Dynamic Time Warping (DTW):** Aligns transcribed words with audio frames, improving timestamp precision [4].
- **Forced Phoneme Alignment:** Used in toolkits like WhisperX, combines VAD and phoneme alignment for accurate word-level timing and faster batched inference [11].
- **Attention-Based Methods:** Leverage attention heads in transformer models for unsupervised, high-precision alignment without extra training [12].
- **Teacher-Model Approaches:** Use models like NeMo Forced Aligner to generate training data for direct timestamp prediction, achieving errors as low as 20–120 ms [22].

These methods are integrated into open-source toolkits, making them accessible for local deployment [4] [11] [12].

Optimizing for Low-Resource Laptops

To ensure usability on typical laptops:

- **Lightweight Models:** Silero and Sherpa-ONNX offer low CPU latency and are suitable for interactive use [1].
- **Adaptive Meta-Learning:** Frameworks like ADASTT dynamically select the optimal STT model per input, reducing computation and improving efficiency [9].
- **Model Compression:** Techniques such as LoRA (Low-Rank Adaptation) enable fine-tuning large models like Whisper with minimal resource overhead [10] [23].
- **Benchmarking:** Only lightweight models achieve near-interactive performance on devices like Raspberry Pi, highlighting the importance of model selection [1].

Modular and Scalable Transcription Pipelines

Modular pipeline architectures allow for scalable, maintainable, and efficient offline transcription:

- **Cascaded Pipelines:** Combine STT, neural machine translation (NMT), and TTS modules for multilingual and multi-domain support [24] [25].
- **Entity Extraction:** Integrate domain-adapted entity extraction for improved accuracy in specialized applications [25].
- **Hardware Optimization:** On-device TTS systems (e.g., Tacotron2 + LPCNet) enable faster-than-real-time synthesis on low-end CPUs [26].
- **Edge AI Pipelines:** Use quantized language models and lightweight ASR for privacy-preserving, standards-compliant applications [27].

Fine-Tuning and Adaptation for Domain-Specific Use

Fine-tuning methods such as LoRA and its variants (e.g., SPaRLoRA, AdaLoRA) allow for:

- **Domain Adaptation:** Improved accuracy for specialized vocabularies (e.g., medical, legal) [10] [23].
- **Resource Efficiency:** Reduced number of trainable parameters and lower computational cost [28].
- **Robustness:** Maintained or improved performance in low-resource and noisy environments [29].

Synthesis:
Offline STT technologies now offer robust, accurate, and efficient transcription with word-level timestamping, suitable for deployment on consumer laptops. Modular, adaptive, and fine-tuned pipelines further enhance performance and privacy [1] [9] [10].

3. Algorithms for Precise Word-Level Timestamping

Dynamic Time Warping and Its Enhancements

DTW remains foundational for aligning transcriptions with audio:

- **Standard DTW:** Aligns sequences of different lengths, robust to variations in speech rate [30].
- **Enhanced DTW:** Incorporates endpoint relaxation, nonlinear median filtering, and hybridization with HMMs or genetic algorithms for improved precision [4] [31] [32].

- **Segmented-DTW:** Improves computational speed and scalability [33].
- **Unconstrained Endpoint DTW:** Reduces errors from silence and improves reliability [34].

Forced Phoneme Alignment and Voice Activity Detection

- **Forced Alignment:** Aligns phoneme-level transcriptions with audio, robust even with transcription errors [35].
- **Voice Activity Detection (VAD):** Segments speech from silence/noise, improving alignment and enabling batched inference (as in WhisperX) [11] [36].
- **Combined Approaches:** VAD + forced alignment yields high timestamp accuracy and faster processing [11].

Attention-Based and Unsupervised Alignment Methods

- **Attention Heads:** Transformer models' attention weights can be used for unsupervised word alignment, requiring no additional ASR training [12] [37].
- **Multi-Task Learning:** Joint CTC-attention models improve alignment and robustness [38].
- **Segment Boundary Detection:** Decomposes alignment into boundary detection and attention, enabling online monotonic alignment [39].

Teacher-Model Approaches for Multilingual Timestamping

- **NeMo Forced Aligner:** Used as a teacher to train models for direct word-level timestamp prediction, achieving high precision and recall across languages [22].
- **Direct Prediction:** Enables end-to-end models to output timestamps without separate alignment modules.

Synthesis:
Combining DTW, forced alignment, and attention-based methods yields state-of-the-art word-level timestamping, essential for precise audio search. These algorithms are increasingly efficient and robust, supporting real-time, offline deployment [4] [11] [12].

4. Privacy and Security Frameworks for On-Device Audio Processing

Local Encryption and Secure Audio Handling

- **AES, ECC, Hybrid Schemes:** Provide strong encryption for audio data, with lightweight variants suitable for laptops [6] [40].
- **SPEECHGUARD:** Framework for recoverable, customizable speech privacy using reversible voice conversion and encryption [5].
- **MegaMind:** Enforces privacy extensions on-device before any cloud transmission, using differential privacy, adversarial perturbations, and attribute suppression [41].
- **Attribute-Based Encryption:** Supports fine-grained access control and data integrity [42].

Reversible Voice Conversion and Anonymization

- **Reversible Voice Conversion:** Pseudonymizes speaker identity while preserving linguistic content, allowing authorized recovery [8] [43].
- **Adversarial Examples:** Protect against unauthorized recognition while maintaining ASR usability [8].
- **Segmented Speech:** Enhances privacy by reducing speaker verification accuracy with minimal ASR performance loss [44].

Adversarial Learning and Data Obfuscation

- **Universal Adversarial Patches:** Obfuscate speaker attributes while maintaining audio quality [45].
- **On-Edge Obfuscation:** Protects multiple attributes (gender, identity, emotion) without degrading recognition accuracy [7].
- **Real-Time Perturbations:** Effective for streaming and on-device deployment [46].

Lightweight Privacy Frameworks for Resource-Constrained Devices

- **EDGY:** Learns disentangled voice representations to filter sensitive information before any cloud offloading [47].
- **Approximate Cryptosystems:** Reduce computational overhead while maintaining security [48].
- **Lightweight Authentication:** Protocols like LEAP use minimal exchanges and simple cryptography for

efficiency [49].

Trade-offs in Privacy, Utility, and ASR Performance

- **Speech Segmentation:** Enables privacy with minimal WER increase [50].
- **Selective Noise Perturbation:** Balances privacy and utility, suppressing specific attributes while preserving ASR performance [51] [52].
- **Recoverable Adversarial Examples:** Allow authorized recovery of original speech [53].

Synthesis:
A combination of local encryption, reversible voice conversion, and adversarial learning provides robust privacy for on-device audio processing. Lightweight frameworks ensure feasibility on laptops, with careful trade-offs between privacy and usability [5] [6] [8] [47].

5. User Interface Design for Audio Search Bars

Synchronizing Text Queries with Audio Playback

- **Linear Memory CTC-Based Alignment:** Achieves mean alignment errors as low as 50 ms, enabling precise synchronization of text queries with audio playback [13].
- **Audible Digests:** Synchronous presentation of key audio information with text indexes enhances search and browsing [14].
- **Dynamic Feedback:** UI techniques that combine text-driven playback with error correction and feedback propagation improve user control [54].

Integrating Semantic Metadata and Audio Features

- **Semantic Metadata:** Enhances retrieval precision by enabling detailed, meaningful annotations and cross-modal search [55] [56].
- **Hybrid Retrieval:** Fusing audio embeddings with metadata (keywords, descriptions) improves performance over content-only approaches [56].
- **Ontology-Driven Frameworks:** Support domain-specific search and interoperability [57].

Spatial Auditory Displays and Enhanced Interaction

- **Spatialization:** Enables intuitive navigation and reduces cognitive load, especially in complex or multitasking environments [15] [58].
- **Hierarchical Browsing:** Spatial audio displays allow users to explore multiple streams efficiently [15].
- **Accessibility:** Improves usability for visually impaired users and supports eyes-free interaction [59] [60].

Case Studies: Advanced Audio Search Interfaces

- **AudioScout:** Integrates diarization, multilingual embeddings, and retrieval-augmented generation for precise timestamped search in complex recordings [61].
- **SyncPlayer:** Synchronizes lyrics and audio playback, demonstrating effective multimodal UI patterns [62].
- **OHMS/TEI:** Tools for synchronizing oral history transcripts with audio, facilitating search and accessibility [63].

Synthesis:
Best practices in UI design for audio search include precise synchronization of text queries with audio, integration of semantic metadata, and the use of spatial auditory displays. These strategies significantly enhance usability, efficiency, and accessibility [13] [15] [55].

6. Challenges, Gaps, and Future Directions

Technical and Usability Challenges

- **Model Size & Latency:** Large models (e.g., Whisper Large) may be too resource-intensive for some laptops; lightweight models trade off some accuracy [1].
- **Noisy Environments:** Accuracy drops in challenging acoustic conditions; robust preprocessing and data augmentation are needed [64].
- **Transcript Errors:** Affect search precision and user trust; error correction and feedback mechanisms are essential [65].
- **UI Complexity:** Balancing advanced features with simplicity for non-technical users remains a challenge.

Open Problems in Privacy and Security

- **Encryption Overhead:** Integrating robust encryption with real-time STT without latency penalties is unresolved [5].
- **Recoverability vs. Privacy:** Ensuring authorized recovery of original speech while preventing unauthorized access [8] [66].
- **User Controls:** Need for intuitive, user-friendly privacy settings and feedback.

Opportunities for Innovation

- **Adaptive Model Selection:** Real-time frameworks that choose the optimal STT model based on context and device constraints [9].
- **Multimodal Search:** Combining text, audio, and semantic metadata for richer search experiences [67].
- **Explainable Privacy:** Frameworks that transparently communicate privacy protections and trade-offs to users [68].

Synthesis:
While offline, private audio search is now feasible, challenges remain in balancing resource use, privacy, and usability. Future research should focus on seamless encryption integration, adaptive model selection, and user-centric privacy controls [1] [5] [65].

7. Conclusion

Summary of Key Insights

- **Technological Maturity:** Offline STT models (Whisper, Vosk, Silero) now support accurate, timestamped transcription on laptops [1] [2].
- **Algorithmic Precision:** DTW, forced alignment, and attention-based methods enable robust word-level timestamping [4] [11] [12].
- **Privacy by Design:** Local encryption, reversible voice conversion, and adversarial learning frameworks ensure privacy without cloud dependency [5] [8].
- **User-Centric Interfaces:** Synchronized text-audio search bars, semantic metadata integration, and spatial auditory displays enhance usability and accessibility [13] [15] [55].
- **Remaining Gaps:** Integration of robust encryption with real-time STT, UI optimization for complex

audio, and explainable privacy controls require further research.

Recommendation:
Researchers and developers should leverage lightweight, modular STT pipelines with advanced timestamping and privacy frameworks, integrating user-centric UI designs to deliver effective, private, offline audio search systems.

References

1. From GPU Servers to Raspberry Pi: Benchmarking Open-Source Speech-to-Text for Edge Deployment Duong, U.T., Akram, P. Proceedings - IEEE International Conference on Edge Computing, 2026 https://www.scopus.com/pages/publications/105049177461?origin=scopusAI

2. Transcripto: An Integrated Study on Inclusive, Multimodal, and Semantic-Aware Speech-to-Text (STT) Systems Rai, A., Yadav, D., Kumar, D., Tiwari, S. 2026 International Conference on Sustainable Engineering and Technology Innovations, ICSETI 2026, 2026 https://www.scopus.com/pages/publications/105047924172?origin=scopusAI

3. Efficient fine Tuning of Whisper for Algerian Dialect Automatic Speech Recognition using Low Rank Adaptation M.benbaghdad, A.nasrallah, Betouche, F., Si-Salah, A.M.N. 2026 International Conference on Speech, Multimodal and Advanced Communication Systems, ICSMACS 2026, 2026 https://www.scopus.com/pages/publications/105047565680?origin=scopusAI

4. CrisperWhisper: Accurate Timestamps on Verbatim Speech Transcriptions Wagner, L., Thallinger, B., Zusag, M. Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH, 2024 https://www.scopus.com/pages/publications/85214846018?origin=scopusAI

5. SPEECHGUARD: Recoverable and Customizable Speech Privacy Protection Zhang, J., Liu, S., Hou, J., (...), Li, X.-Y. Proceedings of the 34th USENIX Security Symposium, 2025 https://www.scopus.com/pages/publications/105021317512?origin=scopusAI

6. Securing Biomedical Audio Data in IoT Healthcare Systems: an Evaluation of Encryption Methods for Enhanced Privacy Amraoui, M., Lasri, I., Omary, F., (...), Farhaoui, Y. Data and Metadata, 2024 https://www.scopus.com/pages/publications/85198335787?origin=scopusAI

7. An Opt-in Framework for Privacy Protection in Audio-Based Applications Wang, W.-C., De Coninck, S., Leroux, S., Simoens, P. IEEE Pervasive Computing, 2022 https://www.scopus.com/pages/publications/85140738003?origin=scopusAI

8. Recoverable Audio Adversarial Examples for Voice Protection in One-shot Voice Conversion Shu, C., Zheng, T., Chen, Y. 2025 Asia Pacific Signal and Information Processing Association Annual Summit and Conference, APSIPA ASC 2025, 2025 https://www.scopus.com/pages/publications/105030468759?origin=scopusAI

9. ADASTT: Adaptive Speech-to-Text Algorithm Selection via Meta-Learning Namli, A.S., Celik, O.F., Yapagci, E., Kozat, S.S. IEEE Transactions on Audio, Speech and Language Processing, 2026 https://www.scopus.com/pages/publications/105033645559?origin=scopusAI

10. SPaRLoRA: Spectral-Phase Residual Initialization for LoRA in Low-Resource ASR Lan, L., Wang, W.,

Zou, G., (...), Wang, D. Electronics (Switzerland), 2025
https://www.scopus.com/pages/publications/105023472732?origin=scopusAI

11. WhisperX: Time-Accurate Speech Transcription of Long-Form Audio Bain, M., Huh, J., Han, T., Zisserman, A. Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH, 2023 https://www.scopus.com/pages/publications/85165549527?origin=scopusAI

12. Whisper Has an Internal Word Aligner Yeh, S.-L., Meng, Y., Tang, H. ASRU 2025 - 2025 IEEE Automatic Speech Recognition and Understanding Workshop, 2025
https://www.scopus.com/pages/publications/105036499543?origin=scopusAI

13. A Linear Memory CTC-Based Algorithm for Text-to-Voice Alignment of Very Long Audio Recordings Doras, G., Teytaut, Y., Roebel, A. Applied Sciences (Switzerland), 2023
https://www.scopus.com/pages/publications/85148037337?origin=scopusAI

14. "Browse Search using audio key-information" for multimedia on-demand systems Kubozono, R., Gomi, K., Kinohara, S., (...), Matsuura, Y. IEEE Transactions on Consumer Electronics, 1996
https://www.scopus.com/pages/publications/0030284067?origin=scopusAI

15. An Audio-Haptic interface based on auditory depth cues Devallez, D., Fontana, F., Rocchesso, D. ICMI'08: Proceedings of the 10th International Conference on Multimodal Interfaces, 2008
https://www.scopus.com/pages/publications/63449096514?origin=scopusAI

16. Privacy-Preserving Speech Analysis- A Review Kumar, P., Shukla, M., Malik, M. Proceedings - 2024 6th International Conference on Computational Intelligence and Communication Technologies, CCICT 2024, 2024 https://www.scopus.com/pages/publications/85199868183?origin=scopusAI

17. Real-Time Speech-to-Text on Edge: A Prototype System for Ultra-Low Latency Communication with AI-Powered NLP Di Leo, S., De Cicco, L., Mascolo, S. Information (Switzerland), 2025
https://www.scopus.com/pages/publications/105014320420?origin=scopusAI

18. Spatial auditory display Stewart, R., Sandler, M. AES: Journal of the Audio Engineering Society, 2012
https://www.scopus.com/pages/publications/84874089533?origin=scopusAI

19. AI-Powered Offline Voice Assistant for Rural Communities Umesh, R., Sudharasan Dev, K., Praveen Kumar, M. Proceedings of the 7th International Conference on Innovative Data Communication Technologies and Application, ICIDCA 2025, 2025
https://www.scopus.com/pages/publications/105031397041?origin=scopusAI

20. Benchmarking Wav2Vec and Traditional Speech Recognition in Speech Transcription Shehu, O., Teliti, D., Kevrić, J., (...), Karlik, B. 2025 6th International Conference on Communications, Information, Electronic and Energy Systems, CIEES 2025 - Conference Proceedings, 2025
https://www.scopus.com/pages/publications/105032385980?origin=scopusAI

21. Leveraging Wav2Vec2.0 for Kazakh Speech Recognition: An Experimental Study Kozhirbayev, Z. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2024 https://www.scopus.com/pages/publications/85200660529?origin=scopusAI

22. Word Level Timestamp Generation for Automatic Speech Recognition and Translation Hu, K., Puvvada, K., Rastorgueva, E., (...), Ginsburg, B. Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH, 2025

https://www.scopus.com/pages/publications/105020069807?origin=scopusAI

23. Low-Resource Speech Recognition by Fine-Tuning Whisper with Optuna-LoRA Wang, H., Bin, J., Gou, C., (...), Qin, M. Applied Sciences (Switzerland), 2025
https://www.scopus.com/pages/publications/105026078295?origin=scopusAI

24. A Cascaded Speech-to-Speech Translation System for Bengali to English Sarkar, A., Sen, A., Mahata, S.K. Lecture Notes in Networks and Systems, 2026
https://www.scopus.com/pages/publications/105031881051?origin=scopusAI

25. Comparative Evaluation of Thai Speech-to-Text Models and Entity Extraction Methods for Beverage Ordering Systems Charoenpool, T., Jinarat, S. 11th International Conference on Digital Arts, Media and Technology and 9th ECTI Northern Section Conference on Electrical, Electronics, Computer and Telecommunications Engineering, ECTI DAMT and NCON 2026, 2026
https://www.scopus.com/pages/publications/105036999067?origin=scopusAI

26. Fast and lightweight on-device TTS with Tacotron2 and LPCNet Popov, V., Kamenev, S., Kudinov, M., (...), Parkhomenko, D. Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH, 2020 https://www.scopus.com/pages/publications/85098104136?origin=scopusAI

27. Edge AI for Voice-to-Symptom Clinical Intake and Triage Sathyan, K., Lu, T. 2025 IEEE International Conference on Emerging Trends in Engineering and Computing, ETECOM 2025, 2025
https://www.scopus.com/pages/publications/105033358327?origin=scopusAI

28. Layer-Adaptive Low-Rank Adaptation of Large ASR Model for Low-Resource Multilingual Scenarios Han, Y., Chen, H., Du, J., (...), Pan, J. 2024 14th International Symposium on Chinese Spoken Language Processing, ISCSLP 2024, 2024 https://www.scopus.com/pages/publications/85216403095?origin=scopusAI

29. Sparsely Shared Lora on Whisper for Child Speech Recognition Liu, W., Qin, Y., Peng, Z., Lee, T. ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings, 2024
https://www.scopus.com/pages/publications/105001541349?origin=scopusAI

30. Speech recognition algorithms and architectures a comparative overview Ganesan, K. Proceedings of SPIE - The International Society for Optical Engineering, 1987
https://www.scopus.com/pages/publications/84958487612?origin=scopusAI

31. Considerations in Dynamic Time Warping Algorithms for Discrete Word Recognitionxs Rabiner, L.R., Rosenberg, A.E., Levinson, S.E. IEEE Transactions on Acoustics, Speech, and Signal Processing, 1978
https://www.scopus.com/pages/publications/0018106375?origin=scopusAI

32. Isolated words recognition system based on hybrid approach DTW/GHMM Bourouba, E.-.H., Bedda, M., Djemili, R. Informatica (Ljubljana), 2006 https://www.scopus.com/pages/publications/33845260974?origin=scopusAI

33. Segmented dynamic time warping: A comparative and applicational study Ma, R., Ahmadzadeh, A., Boubrahimi, S.F., Angryk, R. Emerging Technologies and Applications in Data Processing and Management, 2019 https://www.scopus.com/pages/publications/85077729507?origin=scopusAI

34. Reliability improvements in text-dependent speaker verification Bernasconi, C. Mitteilungen AGEN, 1989 https://www.scopus.com/pages/publications/0024666308?origin=scopusAI

35. Robust forced alignment for Korean learners of English: A CrisperWhisper-MFA Comparison Yoon, T.-J. Proceedings of Meetings on Acoustics, 2025 https://www.scopus.com/pages/publications/105035998839?origin=scopusAI

36. Comparison of forced-alignment speech recognition and humans for generating reference VAD Kraljevski, I., Tan, Z.-H., Bissiri, M.P. Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH, 2015 https://www.scopus.com/pages/publications/84959153260?origin=scopusAI

37. Aligner-Encoders: Self-Attention Transformers Can Be Self-Transducers Stooke, A., Prabhavalkar, R., Sim, K.C., Mengibar, P.M. Advances in Neural Information Processing Systems, 2024 https://www.scopus.com/pages/publications/105000533747?origin=scopusAI

38. Joint CTC-attention based end-to-end speech recognition using multi-task learning Kim, S., Hori, T., Watanabe, S. ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings, 2017 https://www.scopus.com/pages/publications/85023752928?origin=scopusAI

39. Segment boundary detection directed attention for online end-to-end speech recognition Hou, J., Guo, W., Song, Y., Dai, L.-R. Eurasip Journal on Audio, Speech, and Music Processing, 2020 https://www.scopus.com/pages/publications/85078770681?origin=scopusAI

40. Enhanced Audio Encryption Scheme: Integrating Blowfish, HMAC-SHA256, and MD5 for Secure Communication Ayad, J., Qaddoori, N., Maytham, H. Mesopotamian Journal of CyberSecurity, 2025 https://www.scopus.com/pages/publications/105000759011?origin=scopusAI

41. MegaMind: A platform for security & privacy extensions for voice assistants Talebi, S.M.S., Sani, A.A., Saroiu, S., Wolman, A. MobiSys 2021 - Proceedings of the 19th Annual International Conference on Mobile Systems, Applications, and Services, 2021 https://www.scopus.com/pages/publications/85110235682?origin=scopusAI

42. An Efficient Integrity Controlled CP-ABE(IC-CPABE) for Audio Cloud Block Chain Transactions Murala, D., Thammireddy, K. Communications on Applied Nonlinear Analysis, 2024 https://www.scopus.com/pages/publications/85208421731?origin=scopusAI

43. Adjustable deterministic pseudonymization of speech Dubagunta, S.P., van Son, R.J.J.H., Magimai.-Doss, M. Computer Speech and Language, 2022 https://www.scopus.com/pages/publications/85115202774?origin=scopusAI

44. Enhancing Speech Privacy with Slicing Maouche, M., Srivastava, B.M.L., Vauquier, N., (...), Vincent, E. Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH, 2022 https://www.scopus.com/pages/publications/85140065987?origin=scopusAI

45. Novel Loss-Enhanced Universal Adversarial Patches for Sustainable Speaker Privacy Karimov, E., Varlamov, A., Ivanov, D., (...), Rogov, O. Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH, 2025 https://www.scopus.com/pages/publications/105020028262?origin=scopusAI

46. VoiceBlock: Privacy through Real-Time Adversarial Attacks with Audio-to-Audio Models O'Reilly, P., Bugler, A., Bhandari, K., (...), Pardo, B. Advances in Neural Information Processing Systems, 2022 https://www.scopus.com/pages/publications/85147701244?origin=scopusAI

47. Paralinguistic Privacy Protection at the Edge Aloufi, R., Haddadi, H., Boyle, D. ACM Transactions on

Privacy and Security, 2023 https://www.scopus.com/pages/publications/85154557675?origin=scopusAI

48. AxLEA: Approximate ARX-based Lightweight Encryption Algorithm for Resource Constrained Devices Vivekananda, G., Thejaswini, P., Nandi, S., Jose, J. ACM Transactions on Embedded Computing Systems, 2026 https://www.scopus.com/pages/publications/105045944472?origin=scopusAI

49. Securing the Internet of Things (IoT) Edge: A Lightweight Authentication Protocol for Resource-constrained Devices Abd, S.A., Abdulkareem, M.B., AL-Jumaili, A.H.A., (...), Gaikwad, S. International Journal of Intelligent Engineering and Systems, 2026 https://www.scopus.com/pages/publications/105047719961?origin=scopusAI

50. CONCEALING MEDICAL CONDITION BY NODE TOGGLING IN ASR FOR DEMENTIA PATIENTS Hsu, W.-T., Chen, C.-P., Lee, C.-C. ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings, 2024 https://www.scopus.com/pages/publications/85195414195?origin=scopusAI

51. One-Sided Bounded Noise: Theory, Optimization Algorithms and Applications Xiao, H., Wan, J., Shi, E., Devadas, S. CCS 2025 - Proceedings of the 2025 ACM SIGSAC Conference on Computer and Communications Security, 2025 https://www.scopus.com/pages/publications/105023832977?origin=scopusAI

52. Selective Privacy Protection in Speech Data: Suppressing Age Inference While Preserving Speaker Utility Ito, A., Itou, K., Nisimura, R. Proceedings - 2026 IEEE 50th Annual Computers, Software, and Applications Conference, COMPSAC 2026, 2026 https://www.scopus.com/pages/publications/105048885462?origin=scopusAI

53. On The Generation and Removal of Speaker Adversarial Perturbation For Voice-Privacy Protection Guo, C., Chen, L., Li, Z., (...), Guo, W. Proceedings of 2024 IEEE Spoken Language Technology Workshop, SLT 2024, 2024 https://www.scopus.com/pages/publications/85217398034?origin=scopusAI

54. Interface design strategies for computer-assisted speech transcription Luz, S., Masoodian, M., Rogers, B., Deering, C. Proceedings of the 20th Australasian Conference on Computer-Human Interaction: Designing for Habitus and Habitat, OZCHI'08, 2008 https://www.scopus.com/pages/publications/70349141661?origin=scopusAI

55. Automated speech and audio analysis for semantic access to multimedia De Jong, F., Ordelman, R., Huijbregts, M. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2006 https://www.scopus.com/pages/publications/84885771294?origin=scopusAI

56. Fusing Audio and Metadata Embeddings Improves Language-based Audio Retrieval Primus, P., Widmer, G. European Signal Processing Conference, 2024 https://www.scopus.com/pages/publications/85208427924?origin=scopusAI

57. An ontology-driven framework for the management of semantic metadata describing audiovisual information Tsinaraki, C., Fatourou, E., Christodoulakis, S. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2003 https://www.scopus.com/pages/publications/33646415812?origin=scopusAI

58. Hands-On Orchestra: Hand-based Interactive Manipulation of Spatial 3D Audio in Mixed Reality Quintero, L., Bennaceur, E., Ahlnäs, L., Bjorn, M. IMX 2025 - Proceedings of the 2025 ACM International Conference on Interactive Media Experiences, 2025

https://www.scopus.com/pages/publications/105008008962?origin=scopusAI

59. Impact of spatial auditory feedback on the efficiency of iconic human-computer interfaces under conditions of visual impairment Barreto, A.B., Jacko, J.A., Hugh, P. Computers in Human Behavior, 2007 https://www.scopus.com/pages/publications/33846144754?origin=scopusAI

60. Eyes-free multitasking: The effect of cognitive load on mobile spatial audio interfaces Vazquez-Alvarez, Y., Brewster, S.A. Conference on Human Factors in Computing Systems - Proceedings, 2011 https://www.scopus.com/pages/publications/79958083412?origin=scopusAI

61. AUDIOSCOUT: Precise Audio Retrieval from Consecutive Interpretation Using Speaker Diarization and Natural Language Processing Yandrapu, A., Lonka, S., Sreeram, A.S.K., Sunil Kumar, P. 2025 3rd International Conference on IoT, Communication and Automation Technology, ICICAT 2025, 2025 https://www.scopus.com/pages/publications/105035834168?origin=scopusAI

62. SyncPlayer - An advanced system for multimodal music access Kurth, F., Müller, M., Damm, D., (...), Clausen, M. ISMIR 2005 - 6th International Conference on Music Information Retrieval, 2005 https://www.scopus.com/pages/publications/78349282433?origin=scopusAI

63. Synchronizing Oral History Text and Speech: A Tools Overview Davis, R.C. Behavioral and Social Sciences Librarian, 2015 https://www.scopus.com/pages/publications/84948960817?origin=scopusAI

64. A Comparison of Streaming Models and Data Augmentation Methods for Robust Speech Recognition Kim, J., Kumar, M., Gowda, D., (...), Kim, C. 2021 IEEE Automatic Speech Recognition and Understanding Workshop, ASRU 2021 - Proceedings, 2021 https://www.scopus.com/pages/publications/85126492168?origin=scopusAI

65. Searching in audio: The utility of transcripts, dichotic presentation, and time-compression Ranjan, A., Balakrishnan, R., Chignell, M. Conference on Human Factors in Computing Systems - Proceedings, 2006 https://www.scopus.com/pages/publications/33745844865?origin=scopusAI

66. De-AntiFake: Rethinking the Protective Perturbations Against Voice Cloning Attacks Fan, W., Chen, K., Liu, C., (...), Yu, N. Proceedings of Machine Learning Research, 2025 https://www.scopus.com/pages/publications/105023640006?origin=scopusAI

67. Cross Modal Audio Search and Retrieval with Joint Embeddings Based on Text and Audio Elizalde, B., Zarar, S., Raj, B. ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings, 2019 https://www.scopus.com/pages/publications/85068969676?origin=scopusAI

68. Towards Explainable Federated Intrusion Detection for IoT in Resource-Constrained Environments Stolz, C., Zhang, J. 2025 Cyber Awareness and Research Symposium, CARS 2025, 2025 https://www.scopus.com/pages/publications/105033544099?origin=scopusAI