AI tool discovery platforms

"What problems do existing websites have when helping people find AI tools?”" *Generated by LeapSpace*

AI Tool Discovery Websites at a Glance

Key Findings Table

Problem area	What the evidence shows	Affected users	Citations
Search and category mismatch	Discovery systems often fail when categories are unclear, search/help is weak, or layouts are not intuitive; navigation problems are among the most common usability issues in website studies [1] [2] [3] [4].	General users, especially those browsing without precise keywords [2] [3]	[1] [2] [3] [4]
Weak filtering, sorting, and comparison support	Comparative usability research shows different methods uncover different issues, implying that single-interface solutions often miss important friction points; the specific AI-directory features users need most are under-measured [5] [6] [7] [8] [9].	Power users and buyers narrowing large option sets [5] [6] [7]	[5] [6] [7] [8] [9]
Browse-to-action friction	Task-based studies show users often take unexpected paths, and heuristic evaluation is useful for exposing flow breakdowns; however, no direct study in the supplied set tests browse-compare-click/signup flows on AI tool listings [10] [11] [12] [13] [14] [15].	Users trying to move from discovery to signup or purchase [10] [11]	[10] [11] [12] [13] [14] [15]

Problem area	What the evidence shows	Affected users	Citations
Incomplete, inconsistent, or stale metadata	Adjacent evidence shows AI-assisted metadata can be incomplete or inconsistent on complex fields, and the literature lacks strong validation benchmarks for metadata quality [16] [17]. Coverage gaps are also common in discovery tools more broadly [18] [19].	Buyers evaluating fit, pricing, use cases, and legitimacy [16] [19]	[16] [17] [18] [19]
Coverage gaps and retrieval failure	No single discovery tool consistently captures everything in adjacent review domains, and many candidate tools fail quality thresholds, implying that "comprehensive" directories may still miss relevant tools [18] [19].	Researchers, buyers, and comparison-heavy users [18] [19]	[18] [19]
Trust and review credibility problems	Review usefulness and purchase confidence depend on credibility, factuality, length, and emotional fit; users respond differently to AI trust signals and may override automated judgments [20] [21] [22].	Buyers relying on reviews and ratings [20] [22]	[20] [21] [22]
Opaque ranking and sponsorship	Users can struggle to distinguish commercial from non-commercial results, sponsored ranking follows different logic from organic ranking, and disclosure improves recognition of paid content [23] [24] [25] [26].	All users, especially those assuming rank equals relevance [23] [24]	[23] [24] [25] [26]
Thin direct evidence on AI tool directories	The strongest overall finding is actually a research gap: the supplied evidence contains little direct empirical testing of AI tool directories themselves, so many conclusions are inferred from adjacent website, marketplace, and review research [8] [9] [15] [27] [28] [29] [30].	Anyone seeking site-by-site benchmarking [8] [29]	[8] [9] [15] [27] [28] [29] [30]

Direct Answer

Existing websites that help people find AI tools appear to have six main problems: **unclear search and category structures, weak filtering/comparison support, friction moving from browsing to action, incomplete or outdated metadata, fragile trust signals in reviews and rankings, and likely confusion between paid and organic placements** [2] [3] [4] [5] [6] [7] [18] [19] [20] [24].

The most important caveat is that **very little direct empirical research in the supplied evidence evaluates AI tool directories themselves**, so the answer is best understood as a synthesis from adjacent studies on websites, marketplaces, review systems, and discovery tools rather than a head-to-head audit of named AI-tool sites [8] [9] [15] [27] [28] [30].

Taken together, these findings suggest that current AI tool discovery websites likely look broad and useful at first glance but often make it hard for users to **find the right tool, confidently compare alternatives, and trust why a tool is being shown or ranked** [2] [3] [20] [23] [31].

Confidence level: Medium - The cross-domain pattern is consistent, but direct evidence on AI tool directories is sparse [8] [28] [29].

Study Scope

This report synthesizes evidence from usability studies, heuristic evaluations, task-based UX methods, metadata-quality studies, review and trust experiments, and transparency research drawn from adjacent domains such as academic websites, app marketplaces, review platforms, journal evaluation, and systematic-review tools [1] [5] [6] [7] [17] [18] [20] [28] [32]. The evidence base mainly covers research from roughly 2018-2025 and emphasizes discovery, evaluation, and trust rather than backend ranking engineering [8] [15] [29] [30].

Assumptions & Limitations

The main limitation is evidentiary: the supplied research does **not** directly compare major AI tool directories on search relevance, taxonomy fit, filtering quality, signup friction, metadata freshness, or monetization transparency, so site-specific rankings or quantified failure rates are not supportable here [8] [15] [17] [28] [29]. Some conclusions below are therefore explicitly labeled as inference when they extend adjacent findings to AI tool discovery websites [16] [31].

Suggested Further Research

- Run direct task-based usability studies on major AI tool directories, measuring success rate, time-on-task, abandonment, and compare-to-click behavior [10] [11] [14].
- Benchmark search relevance, taxonomy quality, filtering precision, and duplicate or misclassified listings across sites [8] [16] [17].
- Audit metadata freshness, pricing accuracy, broken links, and discontinued tools longitudinally [16] [33] [34].

- Test whether users can distinguish sponsored from organic rankings and whether disclosures improve trust calibration [24] [26] [31].
- Evaluate review quality, documentation, accessibility, support, transparency, and evidence of performance from a buyer perspective [19] [20] [35] [36] [37].

Full Report

Foundational Context

Websites that help people find AI tools perform three distinct jobs at once: **information retrieval** (helping users locate relevant tools), **decision support** (helping them compare and evaluate options), and **trust mediation** (helping them judge whether the listings and rankings are credible) [2] [3] [20] [35]. Problems in any one layer can reduce the value of the whole experience. For example, a user may find a tool but still fail to act if the category labels are unclear, pricing is missing, the reviews feel untrustworthy, or the ranking logic seems commercially biased [4] [16] [23] [24].

The supplied evidence also points to an important methodological fact: **website quality cannot be reliably judged by one evaluation method alone**. User testing, heuristic evaluation, questionnaires, walkthroughs, and automated tools each surface different kinds of defects [5] [6] [7] [12] [13] [32]. That matters here because AI tool discovery sites combine many failure modes at once: taxonomy, metadata, ranking, interface flow, and trust signals [2] [3] [18] [20].

Confidence level: High - This framing is directly supported across the usability-method and trust literature [5] [6] [7] [20].

1. Discovery Usability: Search, Navigation, and Task Completion

1.1 Search relevance and category mismatch

The clearest recurring problem in adjacent website usability research is **poor information architecture**. Navigation is one of the most frequently reported website usability issues, and search problems recur when users must locate information without already knowing the exact term or path [1] [2] [3]. Studies on academic websites found significant issues in search and help, suggesting that users struggle when interfaces assume prior knowledge or expose weak retrieval support [2] [3].

Simpler and clearer layouts can materially improve task performance. In one comparative study, users with intellectual disabilities performed better with a more intuitive layout, reinforcing the broader point that navigational clarity affects real task outcomes, not just subjective preference [4]. Translated to AI tool directories, this implies that vague categories such as “productivity,” “marketing,” or “assistant” may create retrieval failure when users are actually searching by workflow, input type, model capability, pricing, or deployment constraint [2] [3] [4].

However, the supplied evidence does **not** directly test AI tool directories on search relevance or taxonomy fit. The closest retrieved studies concern generic app marketplaces, journal finders, or meta-search systems rather than AI tool discovery workflows [8] [9] [27].
Inferred: AI tool sites are therefore likely vulnerable to category mismatch because they operate in a fast-changing domain with unstable labels and overlapping functionality, but this remains an inference rather than a directly measured result [8] [16].

Confidence level: Medium - Strong adjacent evidence for the problem class, weak direct evidence on AI tool directories [1] [8].

1.2 Filtering, sorting, and comparison limits

The evidence base identifies filtering and comparison as important user needs, but it also reveals a striking lack of direct measurement on AI tool discovery sites [8] [9]. Comparative usability research shows that different methods reveal different flaws, which implies that a site may appear acceptable under one lens while still failing users in high-stakes comparison tasks [5] [6] [7]. This matters because AI tool selection often depends on multi-attribute tradeoffs: use case, cost, privacy, model quality, integrations, output style, and accessibility [35] [36] [38].

The supplied studies do not provide a direct benchmark of filter quality or side-by-side comparison features on AI directories [8] [9] [27]. Still, the absence of such evaluation is itself informative: the research plan highlights these features as central, yet they remain largely unstudied in the retrieved set [8] [14].
Taken together, these findings suggest that existing sites may let users browse long lists without giving them sufficiently structured ways to narrow or compare options, especially when tools have similar marketing descriptions [5] [6] [7].

Confidence level: Medium-Low - The user need is clear, but direct evidence on AI-tool-specific filter and compare interfaces is missing [8] [9].

1.3 Navigation and browse-to-action friction

Task-based UX research shows that users often take **unexpected paths** through digital workflows, which is exactly the kind of evidence needed to diagnose browse-to-action friction [10] [11]. Heuristic evaluation is also repeatedly described as a practical way to expose interface problems and is often combined with walkthroughs or usability tests to guide redesign [12] [13] [14].

But here again, the evidence gap is central: the retrieved studies do not specifically test AI tool listing sites or browse-compare-click/signup funnels [15] [39] [40] [41]. That means there is no direct support for claims like “users abandon after three clicks” or “signup friction is the main problem” for these websites. What can be said is narrower: if users must move across listing pages, pricing details, review snippets, external click-throughs, and signup pages, then established UX methods would likely expose nontrivial friction in these handoffs [10] [12] [14].

Confidence level: Medium - Strong evidence that task-flow friction is measurable and often important, but no direct measurement on AI tool directories [10] [15].

2. Coverage, Metadata, and Freshness Problems

2.1 Incomplete and inconsistent metadata

One of the most consequential problems for AI tool discovery is likely **metadata quality**. The retrieved papers on metadata do not study AI tool directories directly, but they do show that AI-assisted metadata generation can be both promising and uneven [16] [17]. In archival-description work, generative AI achieved high average completeness, yet important complex or less-structured fields still showed inconsistency and standardization problems [16]. A broader review of AI in library cataloging found optimism in the literature but insufficient experimental validation and weak benchmarking [17].

Applied to AI tool websites, that pattern implies risk in fields such as use-case tags, pricing, integrations, privacy attributes, and category labels, where ambiguity is high and standard vocabularies are weak [16] [17]. If those fields are incomplete or inconsistently normalized, users may struggle to judge whether two tools are substitutes, complements, or misclassified entries [16].

Confidence level: Medium - Evidence is indirect but relevant and methodologically close to the problem [16] [17].

2.2 Outdated listings and coverage gaps

Coverage gaps are directly visible in adjacent discovery domains. One systematic review found 11 AI tools for review work, but none retrieved all articles found by manual search [18]. Another review began with 282 tools and narrowed to only 7 that met quality standards such as transparency and accessibility [19]. These findings show that discovery ecosystems can appear broad while still being incomplete or low quality [18] [19].

Exploratory testing of AI-assisted retrieval tools also found variable performance across functions such as duplicate removal, citation searching, screening, extraction, and appraisal, and it explicitly was not a formal validation [33]. That variability matters because AI tool directories operate in a similarly fast-moving, heterogeneous environment [18] [33].
Inferred: AI tool listings are therefore likely vulnerable to stale entries, missing tools, and uneven freshness maintenance, especially where inventory changes quickly and quality control is limited [19] [33].

Confidence level: Medium - The completeness problem is well supported in adjacent tool-discovery settings, though not audited directly for AI tool directories [18] [19].

2.3 Misclassification and retrieval failure

Misclassification is a practical consequence of weak taxonomy plus thin metadata. Related evidence on automated legitimacy assessment found error problems around discontinued titles, misclassified series, and smaller outlets, showing how fragile retrieval and categorization can be when metadata is ambiguous [34]. Combined with the metadata inconsistency findings above, this suggests that discovery systems can fail not only by omitting items but by placing them in the wrong conceptual bucket [16] [34].

For AI tool directories, misclassification would likely surface as tools appearing under overly broad categories, duplicate entries with slightly different descriptions, or retrieval failure when users search by real-world task rather than the site's internal labels [2] [3] [16]. That specific pattern is not directly measured in the supplied AI-directory evidence, but it is a reasonable synthesis of the metadata and search findings [17] [34].

Confidence level: Medium-Low - Plausible and evidence-backed indirectly, but not directly audited on the target websites [17] [34].

3. Trust, Transparency, and Commercial Bias

3.1 Review quality, spam, and credibility

Trust in reviews strongly affects whether users act on recommendations. Experimental evidence shows that review quality, emotional resonance, length, credibility, and users' trust in AI can all shape purchase decisions [20]. In e-commerce review experiments, factual reviews were judged more trustworthy and less fake than emotional reviews, and they increased purchase intention [22]. This is highly relevant to AI tool websites because many tools are marketed with promotional language and sparse verification [20] [22].

AI spam-review detection can help, but trust remains conditional. Younger adults trusted reviewer-behavior cues more than text cues, older adults often trusted the predictions broadly, and many users still ignored AI when it conflicted with their own judgment [21]. Similarly, explanations for spam or credibility judgments can improve trust but do not remove the need for human validation [21]. For AI tool directories, that implies review sections are only useful when they provide credible signals users can inspect, not just automated trust scores [21].

Confidence level: High - Strong direct evidence from review-trust experiments, even if not AI-tool-specific [20] [21] [22].

3.2 Opaque ranking and sponsored placement

The evidence on commercialization is thinner but important. No retrieved paper directly audits monetization transparency on AI tool discovery sites [23] [28]. However, adjacent studies show that sponsored and organic results are often ranked by different logics: sponsored rank depends on payment factors, while organic rank depends more on relevance or quality factors [23]. Other studies report that users struggle to distinguish commercial from non-commercial results and that this boundary is becoming harder to perceive [24] [25].

Disclosure helps. Platform- and influencer-generated labels improved recognition of sponsored content in one study [26]. Audits of opaque AI-powered tools also argue for stronger transparency obligations when systems are difficult for users to assess [28] [31].
Taken together, these findings suggest that AI tool directories face a real trust risk if they mix sponsored placements, affiliate incentives, editorial recommendations, and algorithmic ranking without clear explanation [23] [24] [31].

Confidence level: Medium - Strong evidence for the risk pattern, but no direct audit of AI tool directory monetization in the supplied set [23] [28].

3.3 Transparency and buyer confidence

Transparency matters beyond advertising labels. In the broader evidence, many compiled tools fail quality screens for criteria such as transparency and accessibility, and only a small minority of education-review studies reported screening tools at all [19] [37]. In AI-enabled recommendation and marketing contexts, transparency, privacy concerns, ethics, and trust repeatedly shape adoption and confidence [35] [36] [38] [42].

For buyer-oriented discovery, this means a good directory likely needs more than a name, logo, and short blurb. Users evaluating AI tools plausibly need visible signals about documentation, support, accessibility, pricing clarity, and evidence of performance [19] [35] [36]. The supplied evidence does not directly benchmark AI tool directories on those fields, but it strongly supports the general principle that confidence rises when evaluation criteria are explicit and inspectable [20] [35] [36].

Confidence level: Medium - The trust principle is well supported; the AI-directory application is partly inferential [20] [35] [36].

4. Cross-Cutting Interpretation

The most defensible overall conclusion is not that one particular site is bad, but that **the current ecosystem likely combines marketplace speed with weak standards**. The evidence repeatedly points to four interacting failure modes:

1. **Information architecture problems** make relevant tools hard to locate [1] [2] [3].
2. **Metadata quality problems** make tools hard to evaluate accurately [16] [17].

3. **Trust and review problems** make recommendations harder to believe [20] [22].
4. **Commercial opacity** may distort perceived relevance [23] [24].

Taken together, these findings suggest that AI tool discovery sites may be especially fragile because they aggregate a fast-changing inventory without stable taxonomies or robust public benchmarks [17] [31] [33]. That combination can make a site appear comprehensive while quietly being difficult to search, compare, or trust [19] [34].

Confidence level: Medium - This is a synthesis across multiple adjacent literatures rather than a direct audited fact about AI tool directories [8] [17] [31].

5. Practical Implications

For users, the evidence implies three practical risks:

- **General users** may fail at first-step discovery because categories and search cues may not match their mental models [2] [3] [4].
- **Power users** may struggle to narrow long lists when filter and compare support is weak or inconsistently structured [5] [6] [7].
- **Buyers** may make lower-confidence decisions when reviews are thin, metadata is incomplete, and ranking logic is opaque [20] [23] [35] [36].

For builders of AI tool directories, the evidence points toward a clear design agenda: simplify taxonomy, expose richer metadata, support structured comparison, show freshness dates, separate sponsored from organic rank, and provide credible review and evaluation signals [4] [16] [26] [31].

Confidence level: Medium - These implications are strongly suggested by the evidence but not all directly tested on AI tool directories [4] [31].

Conclusion

Existing websites that help people find AI tools most likely struggle with **finding, comparing, trusting, and verifying** tools rather than merely listing them [2] [3] [18] [20]. The best-supported problems are unclear navigation and search structures, incomplete or inconsistent metadata, fragile trust signals in reviews, and opaque ranking or sponsorship cues [1] [16] [22] [24].

The most important conclusion, however, is methodological: **direct empirical evaluation of AI tool directories is still very thin**, so the field needs task-based audits and public benchmarks before stronger site-specific claims can be made [8] [15] [29] [30].

Overall confidence: Medium - The pattern is coherent across adjacent research, but the direct evidence on AI tool discovery websites themselves remains limited [8] [28] [30].

References

1. Uğraş, T., Gülseçen, S., Cubukcu Cerasi, C., (...), Bedir, M. (2016) Research trends in web site usability: A systematic review. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-319-40409-7_49
2. Sagar, K., Saha, A. (2017) Qualitative usability feature selection with ranking: a novel approach for ranking the identified usability problematic attributes for academic websites using data-mining techniques. *Human-centric Computing and Information Sciences*. https://doi.org/10.1186/s13673-017-0111-8
3. Iguasnia, F.E.O., Ugando-Peñate, M.U., Soto, E.E.O., (...), Rojas, B.V.L. (2026) Web Usability: A Perception of University Students from the End User through Heuristic Evaluation. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-3-032-09077-5_41
4. Rocha, T., Carvalho, D., Bessa, M., (...), Magalhães, L. (2017) Usability evaluation of navigation tasks by people with intellectual disabilities: a Google and SAPO comparative study regarding different interaction modalities. *Universal Access in the Information Society*. https://doi.org/10.1007/s10209-016-0489-5
5. Hayat, S.N., Ramdani, F. (2020) A comparative analysis of usability evaluation methods of academic mobile application: Are four methods better?. *ACM International Conference Proceeding Series*. https://doi.org/10.1145/3427423.3427435
6. Hasan, L., Morris, A., Probets, S. (2012) A comparison of usability evaluation methods for evaluating e-commerce websites. *Behaviour and Information Technology*. https://doi.org/10.1080/0144929X.2011.596996
7. Doubleday, Ann, Ryan, Michele, Springett, Mark, Sutcliffe, Alistair (1997) Comparison of usability techniques for evaluating design. *Proceedings of the Conference on Designing Interactive Systems: Processes, Practices, Methods, and Techniques, DIS*. https://www.scopus.com/pages/publications/0030701129
8. Alabduljabbar, R. (2024) User-centric AI: evaluating the usability of generative AI applications through user reviews on app stores. *PeerJ Computer Science*. https://doi.org/10.7717/peerj-cs.2421
9. Krawczyk, M., Reniec, J., Wilamowski, M., Amirkhanyan, H. (2024) Perceptions and Performance of Journal Recommendation Tools: A Cross-Disciplinary Examination. *Journal of Scholarly Publishing*. https://doi.org/10.3138/jsp-2023-0018
10. Hartson, Rex (2019) UX Design Guidelines. *The UX Book*. https://doi.org/10.1016/B978-0-12-805342-3.00032-1
11. Hartson, Rex (2025) UX Design Guidelines and Examples. *The UX Book*. https://doi.org/10.1016/B978-0-443-13443-2.00029-7
12. Barnum, Carol M. (2021) Exploring the usability and UX toolkit. *Usability Testing Essentials*. https://doi.org/10.1016/B978-0-12-816942-1.00002-2

13. Lessenich, O., Sobernig, S. (2023) Usefulness and usability of heuristic walkthroughs for evaluating domain-specific developer tools in industry: Evidence from four field simulations. *Information and Software Technology*. https://doi.org/10.1016/j.infsof.2023.107220

14. Sin, Jacqueline, Woodham, Luke A., Henderson, , Claire, (...), Gillard, Steve (2019) Usability evaluation of an eHealth intervention for family carers of individuals affected by psychosis: A mixed-method study. *Digital Health*. https://doi.org/10.1177/2055207619871148

15. Dunn Lopez, K., Chin, C.-L., Azevedo, R.F., (...), Morrow, D. (2021) Electronic health record usability and workload changes over time for provider and nursing staff following transition to new EHR. *Applied Ergonomics*. https://doi.org/10.1016/j.apergo.2021.103359

16. Pignataro, T.C., Grácio, J.C.A., Neto, M.P.S., (...), Santarem Segundo, J.E.S. (2025) Generative AI in the extraction of archival metadata: a study based on the ISAD(G) standard. *Encontros Bibli*. https://doi.org/10.5007/1518-2924.2025.E103505

17. Engel, J.Y., Do, D.T., Salem, B., Cunningham, T.A. (2025) Artificial Intelligence in Library Cataloging: A Review of Literature. *Journal of Library Metadata*. https://doi.org/10.1080/19386389.2025.2526913

18. Moens, M., Nagels, G., Wake, N., Goudman, L. (2025) Artificial intelligence as team member versus manual screening to conduct systematic reviews in medical sciences. *iScience*. https://doi.org/10.1016/j.isci.2025.113559

19. Fütterer, T., Campos, D.G., Gfrörer, T., (...), Scherer, R. (2026) AI tools for systematic literature reviews and meta-analyses in educational psychology: An overview and a practical guide. *Learning and Individual Differences*. https://doi.org/10.1016/j.lindif.2025.102849

20. Lei, K., Liu, Y. (2025) When AI Becomes a Shopping Advisor: A Study on the Impact of Generative AI Review on Consumer Purchase Decision. *SAGE Open*. https://doi.org/10.1177/21582440251357671

21. Xiang, H., Zhou, J., Xie, B. (2023) AI tools for debunking online spam reviews? Trust of younger and older adults in AI detection criteria. *Behaviour and Information Technology*. https://doi.org/10.1080/0144929X.2021.2024252

22. Carbonell, G., Barbu, C.-M., Vorgerd, L., Brand, M. (2019) The impact of emotionality and trust cues on the perceived trustworthiness of online reviews. *Cogent Business and Management*. https://doi.org/10.1080/23311975.2019.1586062

23. Chen, G., Zhang, S., Liu, L., Feng, Y. (2025) Sponsored search and organic listings in online food delivery platforms: The role of keyword categories. *Decision Support Systems*. https://doi.org/10.1016/j.dss.2025.114472

24. Dixit, P.P. (2021) From gatekeepers to publishers: Liability of internet intermediaries in India for hosting defamatory content. *Computer Law and Security Review*. https://doi.org/10.1016/j.clsr.2021.105558

25. Rieder, Bernhard, Borra, Erik, Coromina, Òscar, Matamoros-Fernández, Ariadna (2023) Making a Living in the Creator Economy: A Large-Scale Study of Linking on YouTube. *Social Media + Society*. https://doi.org/10.1177/20563051231180628

26. de Jans, S., Hudders, L. (2020) Disclosure of Vlog Advertising Targeted to Children. *Journal of Interactive Marketing*. https://doi.org/10.1016/j.intmar.2020.03.003

27. Purificato, E., Wehnert, S., De Luca, E.W.D. (2023) Usability Studies in Times of Pandemic: Different Solutions for the Remote Usability Tests of Research Digital Tools. *Communications in Computer and Information Science*. https://doi.org/10.1007/978-3-031-35989-7_85

28. Cabay, J., Vandamme, T., Debeir, O. (2025) Looking through the crack in the black box: A comparative case law benchmark for auditing AI-Powered Trade Mark search engines. *Computer Law and Security Review*. https://doi.org/10.1016/j.clsr.2025.106167

29. Kohl, C., McIntosh, E.J., Unger, S., (...), Wilhelm, R. (2018) Online tools supporting the conduct and reporting of systematic reviews and systematic maps: A case study on CADIMA and review of existing tools. *Environmental Evidence*. https://doi.org/10.1186/s13750-018-0115-5

30. Harrison, H., Griffin, S.J., Kuhn, I., Usher-Smith, J.A. (2020) Software tools to support title and abstract screening for systematic reviews in healthcare: An evaluation. *BMC Medical Research Methodology*. https://doi.org/10.1186/s12874-020-0897-3

31. Winterstein, J.T., Abels, J., Kuehn, A., (...), Brinker, T.J. (2025) AI-generated cancer prevention influencers can target risk groups on social media at low cost. *European Journal of Cancer*. https://doi.org/10.1016/j.ejca.2025.115251

32. Namoun, A., Alrehaili, A., Tufail, A. (2021) A Review of Automated Website Usability Evaluation Tools: Research Issues and Challenges. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-030-78221-4_20

33. Simmons, Z., Bruce, C., Thomas, S., (...), Duval, D. (2025) Exploring the potential of artificial intelligence usage in the knowledge and evidence services of a public health body: A working group approach. *IFLA Journal*. https://doi.org/10.1177/03400352251342513

34. Zhuang, H., Liang, L., Acuña, D.E. (2025) Estimating the predictability of questionable open-access journals. *Science Advances*. https://doi.org/10.1126/sciadv.adt2792

35. Kukreti, R., Yadav, M. (2026) The AI revolution: decoding and mapping the future of marketing. *Marketing Intelligence and Planning*. https://doi.org/10.1108/MIP-01-2025-0049

36. Soujanya, D., Akkur, S.A., Ramyashree, R.M. (2026) AI Recommendation Systems and Consumer Trust: A Conceptual Model of Personalisation, Explainability, and Privacy Risk. *Journal of Intelligent Decision Making and Information Science*. https://doi.org/10.59543/jidmis.v3.1770

37. Zhang, Q., Neitzel, A. (2024) Choosing the Right Tool for the Job: Screening Tools for Systematic Reviews in Education. *Journal of Research on Educational Effectiveness*. https://doi.org/10.1080/19345747.2023.2209079

38. Borimnejad, H., Borimnejad, V. (2026) Emerging trends challenges and research opportunities in artificial intelligence applications in marketing. *Discover Artificial Intelligence*. https://doi.org/10.1007/s44163-025-00705-y

39. Alduhailan, Hessah W., Alshamari, Majed A., Wahsheh, Heider A. M. (2025) A Comprehensive Comparison and Evaluation of AI-Powered Healthcare Mobile Applications' Usability. *Healthcare*. https://doi.org/10.3390/healthcare13151829

40. Huang, Z., Mou, J. (2021) Gender differences in user perception of usability and performance of online travel agency websites. *Technology in Society*. https://doi.org/10.1016/j.techsoc.2021.101671

41. Svensson, P., Lin, S., Iwaya, L.H. (2025) Usability and accessibility in mHealth stroke apps: An empirical assessment. *Informatics in Medicine Unlocked*. https://doi.org/10.1016/j.imu.2025.101616

42. Bhojwani, R., Paul, J., Srivastava, R. (2026) Role of artificial intelligence on consumer buying behavior: the dual effects of AI-enabled features on decision-making and trust. *Journal of Research in Interactive Marketing*. https://doi.org/10.1108/JRIM-11-2025-0702