Assessment

Dashboard

Users

Question Bank

Quiz

Result

Study Material

Setting

Support

Landing Page

First Name	Devi Kalyani
Last Name	Devadi
Email	Devika14devadi@gmail.com
Quiz Name	T-SQL (4-6 years) Automatic to deliver 10 Questions
Attempt Time	2025-02-07 15:00:07
Time Spent (Approx.)	56:46
Percentage	70%
Percentile	87.95%
Score	7
Status	Pass

Share result on Social Network

Answer Sheet

1

Write a query to find the department with no employees.

Employee Table:

EMPID	DeptID
1	10
2	20
3	20
4	30
5	40
6	10
7	10

Departmen Table:

DeptID
20
30
40
50
10

Answer

Word counts: 19

```
select   DeptID from departmen d
left join Employee e on d.DeptID=e.DeptID
where e.EMPID is null
```

2

What is wrong with this SQL query? Correct it so it executes properly.

Note: Use the below Audits table for reference

AuditID	Property	Value	Readable	AuditUserID	AuditTime	ObjectID
1				-2	2016-03-31 18:40:29,100	3
2		PasswordExpires|12/31/9999 11:59:59 PM		-2	2016-03-31 18:40:29,100	3
3				-2	2016-03-31 18:40:29,133	4
4				-2	2016-03-31 18:40:29,133	4
5				-2	2016-03-31 18:40:29,133	4
6		InitialSiteGroup|1		-2	2016-03-31 18:40:29,133	4
7		FristName|Rave		-2	2016-03-31 18:40:29,133	4
8		LastName|Import		-2	2016-03-31 18:40:29,133	4
9		Login|RaveImport1		-2	2016-03-31 18:40:29,133	4
10		PasswordExpires|3/31/2017 6:40:29PM		-2	2016-03-31 18:40:29,133	4

SQL Query:

```
SELECT AuditID, YEAR(AuditTime) AuditYear

FROM Audits

WHERE AuditTime >= 2024
```

Answer

Word counts: 10

```
SELECT AuditID, YEAR(AuditTime) AuditYear
FROM Audits
WHERE year(AuditTime) >= 2024
```

3

Analyze and provide the number of records count for

Inner Join

Left join

Right Join

Full outer join

Self join for both Table 1 & 2

Table 1		Table 2
ID		ID
1		1
1		2
1		1
1		1
1		0

Answer

Word counts: 11

inner join 15
Right join 17
left Join 15
full outer join 17
self join 15

4

Write the SQL to produce the following report on the vital signs data. Order by patient number and visit number to fill the below table columns.

PatientNo	VisitNo	VisitDate	Systolic	Diastolic

Note: refer below listed Patient, Visit, & Vitals tables.

Patients:

PatientID	PatientNo	Initials
1	1	ABC
2	3	DEF
3	4	HIJ
4	5	Xyz
5	6	KLM

Visits:			
VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00
7	3	2	8/2/2018 0:00
8	4	1	8/2/2018 0:00

Vitals:		
VisitID	Systolic	Diastolic
1	120	80
2	110	80
3	100	90
4	140	80
5	125	90
8	130	90

Answer

Word counts: 39

```
Select p.PatientNo,v.VisitNo, v.VisitDate,Vi.Systolic,vi.Diastolic from Patients p
Inner Join Visits v on p.patientid=v.patientid
left join Vitals vi on v.visitID=vi.visitID
order by p.PatientNo, V.VisitNo desc
```

5

What would be the output of the below SQL query?

```
IF EXISTS (SELECT 1 FROM tempdb.dbo.sysobjects WHERE id =
Object_ID(N'tempdb.dbo.#Temptable') AND type = 'U')

DROP TABLE #Temptable

CREATE TABLE #Temptable (String NVARCHAR(2000), Code
NVARCHAR(2000))

IF EXISTS (SELECT 1 FROM tempdb.dbo.sysobjects WHERE id =
Object_ID(N'tempdb.dbo.#Temptable') AND type = 'U')

DROP TABLE #Temptable

CREATE TABLE #Temptable (ID INT IDENTITY, String NVARCHAR(2000),
Code NVARCHAR(2000))
```

Answer

Word counts: 1

Error

6

Produce the following report, showing each adverse event and the details of the medication taken for that adverse event. Include all adverse events, even those for which no medication was taken. Output must be in the given format.

PatientNo	AE	Med	MedDate

Note: Refer the below tables to code

PatientID	PatientNo	Initials
1	1	ABC
2	3	DEF
3	4	HIJ
4	5	Xyz
5	6	KLM

AE Table:

VisitID	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Medications:

VisitID	Medication	MedDate	TakenFor
1	ASPIRIN	11-Jan-05	
2	Tylenol	26-Jan-05	
4	ASPIRIN	1-Feb-05	
5	Norvasc	1-Feb-05	
6	ASPIRIN	11-Jan-05	

Visits:

VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00
7	3	2	8/2/2018 0:00
8	4	1	8/2/2018 0:00

Answer

Word counts: 38

```
select p.PatientNo,AE.AE,M.Med,AE.MedDate from Patient p
inner join Visits v on p.patientid=v.patientid
inner join AE on AE.visitid=v.visitid
left join Medications m on m.Medication=AE.med
```

7

Analyze and provide the output of the below-stored procedure

Table: Subjects

SubjectName	SubjectID
ABCD	1

```
Create Proc SP_getData(@ID INT)

As

Begin

Declare @Name nvarchar(100),

@SubjectID int

Select @Name = SubjectName, @SubjectID = SubjectID

from Subjects

where SubjectID = @ID

Select @Name + @SubjectID as SubjectDetails

End

go

Exec SP_getData @ID = 1
```

Answer

Word counts: 3

ABCD 1

SubjectDetails
ABCD1

8

Write the query to display the values in the Project Name after Underscore (_). An example for A011_20130279 should display only 20130279.

ProjectID	ProjectName	ProjectActive
205	A011_20130279	1
37	A145678_20120136	1
30	A827_20120103	0
141	A102_20120142	1

Answer
Word counts: 7

```
select substring (projectname,(charindex('_',Projectname)+1),50)
```

9

Write a query to get the position of the second occurrence of the letter 'a' from the end of a string.

Ex String - ‘Vijay Kumar Goud’

Answer
Word counts: 7

```
select Locate('a',reverse('Vijay Kumar Goud'))
```

10

Write a SQL query to create a clustered index on the table below.

Create table #temp_Audits(AuditID int identity primary key, StudyID INT, Text nvarchar(4000))

Insert into #temp_Audits(StudyID, Text)

Select 10,'Study Created'

Answer

Word counts: 8

```
create Index CLU_Ind on #temp_Audits (StudyID)
```

1 2 3 4 5 6 7 8 9 10 View All

Powered by TechKshetra Info