Assessment

Dashboard

Users

Question Bank

Quiz

Result

Study Material

Setting

Support

Landing Page

First Name	Siva Sankar Reddy Bhumareddy
Last Name	
Email	sankarreddy.bhuma910@gmail.com
Quiz Name	T-SQL (4-6 years) Automatic to deliver 10 Questions
Attempt Time	2025-02-12 11:01:37
Time Spent (Approx.)	62:00
Percentage	80%
Percentile	95.2%
Score	8
Status	Pass

Share result on Social Network

Answer Sheet

1

Write the query to display the values in the Project Name after Underscore (_). An example for A011_20130279 should display only 20130279.

ProjectID	ProjectName	ProjectActive
205	A011_20130279	1
37	A145678_20120136	1
30	A827_20120103	0
141	A102_20120142	1

Answer

Word counts: 13

```
select substring(projectname, (char('-', projectname) +1), len(projectname)) as projectname
from dbo.PROJECT
```

2

Produce the following report, showing each adverse event and the details of the medication taken for that adverse event. Include all adverse events, even those for which no medication was taken. Output must be in the given format.

PatientNo	AE	Med	MedDate

Note: Refer the below tables to code

PatientID	PatientNo	Initials
1	1	ABC
2	3	DEF
3	4	HIJ
4	5	Xyz
5	6	KLM

AE Table:

VisitID	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Medications:

VisitID	Medication	MedDate	TakenFor
1	ASPIRIN	11-Jan-05	
2	Tylenol	26-Jan-05	
4	ASPIRIN	1-Feb-05	
5	Norvasc	1-Feb-05	
6	ASPIRIN	11-Jan-05	

Visits:

VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00
7	3	2	8/2/2018 0:00
8	4	1	8/2/2018 0:00

Answer

Word counts: 45

```
select p.patientno, a.AE, a.med, m.meddate
from dbo.AE_TABLE a
left join dbo.VISITS_TABLE v on a.visitid = v.visitid
left join dbo.PATIENT p on p.patientid = v.patientid
left join dbo.MEDICATIONS m on m.visitid = v.visitid
```

3

Write a query to find the department with no employees.

Employee Table:

EMPID	DeptID
1	10
2	20
3	20
4	30
5	40
6	10
7	10

Departmen Table:

DeptID
20
30
40
50
10

Answer

Word counts: 24

```
select d.deptid
from dbo.DEPARTMENT_TABLE d
left join dbo.EMPLOYEE_TABLE e on d.deptid = e.deptid
where e.deptid is null
```

4

Write a SQL query to pull the records that have integer related data only in the table below for the Data column.

ID	SubjectName	Data	Flag
1	New Subject	9001	0
2	New Subject	9002	0
152	_001-005	_001	0
153	_001-005	005	0
154	_001-005	SRI	0
155	_001-005	_001-005	1
1215	003-00001	003	0
1216	003-00001	00001	0
1217	003-00001	JR	0
1218	003-00001	003-00001	1
1219	003-00001	Y	0

Answer

Word counts: 13

```
select *
from dbo.SUBJECT_TABLE s
where patindex(s.data, '%[0-9]%') > 0
```

5

List the patient number and initials for every patient who has never had a headache.

Note: Refer the below tables

AE Table:

Patientid	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Patients:

PatientID	PatientNo	Initials
1	1	ABC
2	3	DEF
3	4	HIJ
4	5	Xyz
5	6	KLM

Answer

Word counts: 25

```
select p.patientno, p.initials
from dbo.PATIENT_TABLE p
inner join dbo.AE_TABLE a on p.patientid = a.patientid
where a.AE <> 'Headache'
```

6

Debug and explain the below code with output.

```
CREATE TABLE OrdersData (
    OrderID INT PRIMARY KEY,
    ProductName NVARCHAR(50),
    Quantity INT
);
-- Insert initial data
INSERT INTO OrdersData (OrderID, ProductName, Quantity) VALUES (1, 'Product A', 10);
INSERT INTO OrdersData (OrderID, ProductName, Quantity) VALUES (2, 'Product B', 20);
GO
BEGIN TRANSACTION;
BEGIN TRY
```

```
INSERT INTO OrdersData (OrderID, ProductName, Quantity) VALUES (3, 'Product C', 30);

INSERT INTO OrdersData (OrderID, ProductName, Quantity) VALUES (4, 'Product D', 40);

INSERT INTO OrdersData (OrderID, ProductName, Quantity) VALUES (1, 'Product E', 50);

COMMIT TRANSACTION;

END TRY

BEGIN CATCH

 ROLLBACK TRANSACTION;

SELECT ERROR_NUMBER() AS ErrorNumber, ERROR_MESSAGE() AS ErrorMessage;

END CATCH;
```

Answer

Word counts: 22

Returns the output like:

Transaction is rolledback due to error

errornumber errormessage
1234 unable to insert the duplicate's into ORDERID Primary Key column.

7

Write a query to display details of patients who never visited using the above tables.

Patients:

PatientID	PatientNo	Initials	Systolic	Diastolic
1	1	ABC		
2	3	DEF		
3	4	HIJ		
4	5	Xyz		
5	6	KLM		

Visits:

VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00

7	3	2	8/2/2018 0:00
8	4	1	8/2/2018 0:00

Vitals:

VisitID	Systolic	Diastolic
1	120	80
2	110	80
3	100	90
4	140	80
5	125	90
8	130	90

AE Table:

VisitID	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Medications:

VisitID	Medication	MedDate	TakenFor
1	ASPIRIN	11-Jan-05	
2	Tylenol	26-Jan-05	
4	ASPIRIN	1-Feb-05	
5	Norvasc	1-Feb-05	
6	ASPIRIN	11-Jan-05	

Answer

Word counts: 32

```
select p.patientid, p.ppatientno, p.initiaals, p.systolic, p.diastolic
from dbo.PATIENTS_TABLE p
left join dbo.VISITS_TABLE v on p.patientid = v.patientid
where v.patientid is null
```

8

Write an SQL query to get the maximum AuditID for each AuditSubCategoryID.

AuditSubCategoryID:

AuditSubCategoryID	Name
1	EnteredEmpty
2	Entered
3	EnteredNonConfomant
4	EnteredByDdeAutoReconcile

7	CommentAdd
8	CommentEdit
9	QueryOpen
10	QueryAnswer
11	QueryCancel
12	QueryClose
13	ReviewRequired

Audits:

AuditID	Property	Value	Readable	AuditUserID	AuditTime	ObjectID	Guid	Ser
1				-2	2016-03-31 18:40:29,100	3	7f67686f080-4c46-8549-6a8f8baa064f	19 00
2		PasswordExpires|12/31/9999 11:59:59 PM		-2	2016-03-31 18:40:29,100	3	7f67686f080-4c46-8549-6a8f8baa064f	19 00
3				-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-6a8f8baa064f	19 00
4				-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-6a8f8baa064f	19 00
5				-2	2016-03-31 18:40:29,133	4	7f67686f080-1561-4dff-a-179-6a8f8baa064f	19 00
6		InitialSiteGroup|1		-2	2016-03-31 18:40:29,133	4	7f67686f080-1561-4dff-a-179-6a8f8baa064f	19 00
7		FristName|Rave		-2	2016-03-31 18:40:29,133	4	7f67686f080-1561-4dff-a-179-6a8f8baa064f	19 00
8		LastName|Import		-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-6a8f8baa064f	19 00
9		Login|RaveImport1		-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-525172a147e7	19 00
10		PasswordExpires|3/31/2017 6:40:29PM		-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-9923a0f3bc08	19 00

Answer

Word counts: 31

```
select asc.AuditSubCategoryID, max(a.AuditID) as max_AuditID
from dbo.AUDITSUBCATEGORY_TABLE AS asc
inner join dbo.AUDIT_TABLE AS a on asc.AuditSubCategoryID =
a.AuditSubCategoryID
group by asc.AuditSubCategoryID
```

9

Analyze and provide the output of the below-stored procedure

Table: Subjects

SubjectName	SubjectID
ABCD	1

```
Create Proc SP_getData(@ID INT)

As

Begin

Declare @Name nvarchar(100),

@SubjectID int

Select @Name = SubjectName, @SubjectID = SubjectID

from Subjects

where SubjectID = @ID

Select @Name + @SubjectID as SubjectDetails

End

go

Exec SP_getData @ID = 1
```

Answer

Word counts: 22

It willl through an Error like below: It's because concating nvarchar with int

Conversion failed. Unable to convert @subjectid intiger to nvarchar

10

Analyze and provide the number of records count for

Inner Join

Left join

Right Join

Full outer join

Self join for both Table 1 & 2

Table 1		Table 2
ID		ID
1		1
1		2
1		1
1		1
1		0

Answer

Word counts: 30

Out put for: Table 1

Inner Join: 15

Left join: 15

Right Join: 17

Full outer join: 17

Self join: 25

Out put for: Table 2

1 2 3 4 5 6 7 8 9 10 View All

Powered by TechKshetra Info