Assessment

Dashboard

Users

Question Bank

Quiz

Result

Study Material

Setting

Support

Landing Page

First Name	Lingala
Last Name	Madhu
Email	L.madhu9000@gmail.com
Quiz Name	T-SQL (4-6 years) Automatic to deliver 10 Questions
Attempt Time	2025-04-24 16:05:29
Time Spent (Approx.)	39:55
Percentage	70%
Percentile	88.54%
Score	7
Status	Pass

Share result on Social Network

Answer Sheet

1

Write the query to display the values in the Project Name after Underscore (_). An example for A011_20130279 should display only 20130279.

ProjectID	ProjectName	ProjectActive
205	A011_20130279	1
37	A145678_20120136	1
30	A827_20120103	0
141	A102_20120142	1

Answer

Word counts: 16

```
SELECT PROJECTID, PROJECTNAME, PROJECTACTIVE,
SUBSTRING(PROJECTNAME, CHARINDEX('_',PROJECTNAME)+1,
LEN(PROJECTNAME)) AS PROJECTCODE FROM TABLE_1
```

2

Write a SQL query to pull the records that have integer related data only in the table below for the Data column.

ID	SubjectName	Data	Flag
1	New Subject	9001	0
2	New Subject	9002	0
152	_001-005	_001	0
153	_001-005	005	0
154	_001-005	SRI	0
155	_001-005	_001-005	1
1215	003-00001	003	0
1216	003-00001	00001	0
1217	003-00001	JR	0
1218	003-00001	003-00001	1
1219	003-00001	Y	0

Answer

Word counts: 24

```
SELECT ID, SUBJECTNAME, DATA, FLAG FROM TABLE_A
WHERE ISNUMERIC(DATA) =1
AND DATA NOT LIKE '%.%' AND DATA NOT LIKE '%[^0-9]%'
```

3

Write a query to display details of patients who never visited using the above tables.

Patients:

PatientID	PatientNo	Initials	Systolic	Diastolic
1	1	ABC		
2	3	DEF		
3	4	HIJ		
4	5	Xyz		
5	6	KLM		

Visits:

VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00
7	3	2	8/2/2018 0:00

8	4	1	8/2/2018 0:00

Vitals:

VisitID	Systolic	Diastolic
1	120	80
2	110	80
3	100	90
4	140	80
5	125	90
8	130	90

AE Table:

VisitID	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Medications:

VisitID	Medication	MedDate	TakenFor
1	ASPIRIN	11-Jan-05	
2	Tylenol	26-Jan-05	
4	ASPIRIN	1-Feb-05	
5	Norvasc	1-Feb-05	
6	ASPIRIN	11-Jan-05	

Answer

Word counts: 21

```
SELECT P.*
FROM PATIENTS AS P LEFT JOIN VISITS AS V
ON P.PATIENTID = V.PATIENTID
WHERE V.PATIENTID IS NULL
```

4

Analyze and provide the number of records count for

Inner Join

Left join

Right Join

Full outer join

Self join for both Table 1 & 2

Table 1		Table 2
ID		ID
1		1
1		2
1		1
1		1
1		0

Answer

Word counts: 14

INNER JOIN=15
LEFT JOIN=15
RIGHT JOIN=17
FULL JOIN -17
SELF JOIN FOR TABLE_1 & TABLE_2 =25

5

Write the SQL to produce the following report on the vital signs data. Order by patient number and visit number to fill the below table columns.

PatientNo	VisitNo	VisitDate	Systolic	Diastolic

Note: refer below listed Patient, Visit, & Vitals tables.

Patients:

PatientID	PatientNo	Initials
1	1	ABC
2	3	DEF
3	4	HIJ
4	5	Xyz
5	6	KLM

Visits:			
VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00

7	3	2	8/2/2018 0:00
8	4	1	8/2/2018 0:00

Vitals:

VisitID	Systolic	Diastolic
1	120	80
2	110	80
3	100	90
4	140	80
5	125	90
8	130	90

Answer

Word counts: 42

```
SELECT
  P.PATIENTNO,
  V.VISITNO,
  V.VISITDATE,
  VT.SYSTOLIC,
   VT.DIASTOLIC
FROM PATIENTS P
JOIN VISIT AS V ON P.PATIENTID = V.PATIENTID
JOIN VITALS VT ON P.PATIENTID = VT.PATIENTID AND V.VISITNO =
VT.VISITNO
ORDER BY P.PATIENTNO, V.VISITNO
```

6

List the patient number and initials for every patient who has never had a headache.

Note: Refer the below tables

AE Table:

Patientid	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Patients:

PatientID	PatientNo	Initials
1	1	ABC
2	3	DEF
3	4	HIJ
4	5	Xyz
5	6	KLM

Answer

Word counts: 25

```
SELECT P.PATIENTNO, P.INITIALS
FROM PATIENTS P
WHERE NOT EXISTS (SELECT 1 FROM AE  AS A WHERE A.PATIENTID =
P.PATIENTID AND A.AE = 'HEADACHE')
```

7

Using a while loop, Write a query to print the ProjectID, ProjectName, and ProjectActive from the below Projects Table.

ProjectID	ProjectName	ProjectActive
205	A011_20130279	1
37	A145678_20120136	1
30	A827_20120103	0
141	A102_20120142	1

Answer

Word counts: 42

```
DECLARE @PROJECTID INT
DECLARE @MAXPROJECTID INT

SELECT @PROJECTID = MIN(PROJECTID), @MAXPROJECTID
=MAX(PROJECTID)
FROM PROJECTS

WHILE @PROJECTID <= @MAXPROJECTID
BEGIN
  IF EXISTS (SELECT 1 FROM PROJECTS WHERE PROJECTID =
@PROJECTIID )
  BEGIN
    SELECT PROJECTID, PROJECTNAME, PROJECTACTIVE FROM PROJECTS
    WHERE PROJECTID = @PROJECTID
```

8

Write an SQL query to get the maximum AuditID for each AuditSubCategoryID.

AuditSubCategoryID:

AuditSubCategoryID	Name
1	EnteredEmpty
2	Entered
3	EnteredNonConfomant
4	EnteredByDdeAutoReconcile
7	CommentAdd
8	CommentEdit
9	QueryOpen

10	QueryAnswer
11	QueryCancel
12	QueryClose
13	ReviewRequired

Audits:

AuditID	Property	Value	Readable	AuditUserID	AuditTime	ObjectID	Guid	Ser
1				-2	2016-03-31 18:40:29,100	3	7f67686f080-4c46-8549-6a8f8baa064f	1 00
2		PasswordExpires|12/31/9999 11:59:59 PM		-2	2016-03-31 18:40:29,100	3	7f67686f080-4c46-8549-6a8f8baa064f	1 00
3				-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-6a8f8baa064f	1 00
4				-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-6a8f8baa064f	1 00
5				-2	2016-03-31 18:40:29,133	4	7f67686f080-1561-4dff-a-179-6a8f8baa064f	1 00
6		InitialSiteGroup|1		-2	2016-03-31 18:40:29,133	4	7f67686f080-1561-4dff-a-179-6a8f8baa064f	1 00
7		FristName|Rave		-2	2016-03-31 18:40:29,133	4	7f67686f080-1561-4dff-a-179-6a8f8baa064f	1 00
8		LastName|Import		-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-6a8f8baa064f	1 00
9		Login|RaveImport1		-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-525172a147e7	1 00
10		PasswordExpires|3/31/2017 6:40:29PM		-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-9923a0f3bc08	1 00

Answer

Word counts: 11

```
SELECT  AUDITSUBCATEGORYID, MAX(AUDITID)  AS MAXAUDITID
FROM AUDIT
GROUP BY AUDITSUBCATEGORYID
```

9

Produce the following report, showing each adverse event and the details of the medication taken for that adverse event. Include all adverse events, even those for which no medication was taken. Output must be in the given format.

PatientNo	AE	Med	MedDate

Note: Refer the below tables to code

PatientID	PatientNo	Initials
1	1	ABC
2	3	DEF
3	4	HIJ
4	5	Xyz
5	6	KLM

AE Table:

VisitID	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Medications:

VisitID	Medication	MedDate	TakenFor
1	ASPIRIN	11-Jan-05	
2	Tylenol	26-Jan-05	
4	ASPIRIN	1-Feb-05	
5	Norvasc	1-Feb-05	
6	ASPIRIN	11-Jan-05	

Visits:

VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00

7	3	2	8/2/2018 0:00
8	4	1	8/2/2018 0:00

Answer

Word counts: 26

```
SELECT
   AE.PATIENTNO,
   ae. AE,
   M.Med,
   m.MedDate
FROM ADVERSEVENTS AE
LEFT JOIN MEDICATIONS M
ON AE.PATIENTNO = M.PATIENTNO AND ae.AE = m.AE
```

10

Write a query to get the position of the second occurrence of the letter 'a' from the end of a string.

Ex String - ‘Vijay Kumar Goud’

Answer

Word counts: 31

```
Declare @str varchar(100) = 'Vijay kumar goud'
Declare @RevStr varchar(100) = REVERSE(@STR)

Declare @FirstPosition int =  Charindex ('a', @revstr)

Declare @Secondpos int  = Charindex ('a', @revstr, @firstposition+1)

Select LEN(@str) - @Secondpos+1 as Positionfromend
```

1 2 3 4 5 6 7 8 9 10 View All

Powered by TechKshetra Info