Assessment

Dashboard

Users

Question Bank

Quiz

Result

Study Material

Setting

Support

Landing Page

First Name	Raviteja
Last Name	Gopavaram
Email	ravi984459@gmail.com
Quiz Name	T-SQL (4-6 years) Automatic to deliver 10 Questions
Attempt Time	2025-06-06 13:07:49
Time Spent (Approx.)	31:15
Percentage	80%
Percentile	95.54%
Score	8
Status	Pass

Share result on Social Network

Answer Sheet

1

List the patient number and initials for every patient who has never had a headache.

Note: Refer the below tables

AE Table:

Patientid	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Patients:

PatientID	PatientNo	Initials
1	1	ABC
2	3	DEF
3	4	HIJ
4	5	Xyz
5	6	KLM

Answer

Word counts: 28

```
select   pt.patientno,pt.initials
  from  patients pt
left join  (select  patientid    from AE  where  AE='Headache'   ) AE
on pt.patientid=AE.patientid
where  AE.patintid  is null
```

2

What is wrong with this SQL query? Correct it so it executes properly.

Note: Use the below Audits table for reference

AuditID	Property	Value	Readable	AuditUserID	AuditTime	ObjectID
1				-2	2016-03-31 18:40:29,100	3
2		PasswordExpires|12/31/9999 11:59:59 PM		-2	2016-03-31 18:40:29,100	3
3				-2	2016-03-31 18:40:29,133	4
4				-2	2016-03-31 18:40:29,133	4
5				-2	2016-03-31 18:40:29,133	4
6		InitialSiteGroup|1		-2	2016-03-31 18:40:29,133	4
7		FristName|Rave		-2	2016-03-31 18:40:29,133	4
8		LastName|Import		-2	2016-03-31 18:40:29,133	4
9		Login|RaveImport1		-2	2016-03-31 18:40:29,133	4
10		PasswordExpires|3/31/2017 6:40:29PM		-2	2016-03-31 18:40:29,133	4

SQL Query:

```
SELECT AuditID, YEAR(AuditTime) AuditYear

FROM Audits

WHERE AuditTime >= 2024
```

Answer

Word counts: 17

```
SELECT AuditID, YEAR(AuditTime) AuditYear
FROM Audits
WHERE Year( AuditTime) >= 2024      ----filter condition need to apply year
(audittime)>=2024
```

3

Write a query to mask(XXXX) the date only in the VisitDate column in the below Visits table.

VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00
7	3	2	8/2/2018 0:00
8	4	1	8/2/2018 0:00

Answer

Word counts: 18

```
select ( case when convert(varchar(100),visitdat,110) is not null  then vistidate
else 'xxxx'  end    as varchar(100))   from visits
```

4

Using a while loop, Write a query to print the ProjectID, ProjectName, and ProjectActive from the below Projects Table.

ProjectID	ProjectName	ProjectActive
205	A011_20130279	1
37	A145678_20120136	1
30	A827_20120103	0

141	A102_20120142	1

Answer

Word counts: 49

```
declare   @start  int ,@end int
set @start=1
set @end= (select count(*)  as cnt  from projects )
while @start <=@end
begin

select  projectid,projectname,projectactive
from
(select projectid,projectname,projectactive, row_number()over(order by projectid
) as rid    from projects )sub_qry  where sub_qry.rid=@start

set @start=@start+1
end
```

5

Write a query to find the department with no employees.

Employee Table:

EMPID	DeptID
1	10
2	20
3	20
4	30
5	40
6	10
7	10

Departmen Table:

DeptID
20
30
40
50
10

Answer

Word counts: 20

```
select       dept.deptid                    from   department dept
left join employee emp
on  dept.deptid=emp.deptid
 where  emp.deptid is null
```

6

Write a query to get the position of the second occurrence of the letter 'a' from the end of a string.

Ex String - ‘Vijay Kumar Goud’

Answer

Word counts: 20

```
declare   @input varchar(100)
set  @input= ‘Vijay Kumar Goud’

select   charindex('a',@input,  charindex('a',@input)+1     ) as second_a_position
```

7

Write the query to display the values in the Project Name after Underscore (_). An example for A011_20130279 should display only 20130279.

ProjectID	ProjectName	ProjectActive
205	A011_20130279	1
37	A145678_20120136	1
30	A827_20120103	0
141	A102_20120142	1

Answer

Word counts: 12

select stuff(projectname ,1, charindex('_',projectname),'') as projectname from projects

8

What would be the output of the below SQL query?

```
IF EXISTS (SELECT 1 FROM tempdb.dbo.sysobjects WHERE id =
Object_ID(N'tempdb.dbo.#Temptable') AND type = 'U')

DROP TABLE #Temptable

CREATE TABLE #Temptable (String NVARCHAR(2000), Code
NVARCHAR(2000))

IF EXISTS (SELECT 1 FROM tempdb.dbo.sysobjects WHERE id =
Object_ID(N'tempdb.dbo.#Temptable') AND type = 'U')

DROP TABLE #Temptable

CREATE TABLE #Temptable (ID INT IDENTITY, String NVARCHAR(2000),
Code NVARCHAR(2000))
```

Answer

Word counts: 10

There is an already object named #temptable error will come

9

Write a SQL query to pull the records that have integer related data only in the table below for the Data column.

ID	SubjectName	Data	Flag

1	New Subject	9001	0
2	New Subject	9002	0
152	_001-005	_001	0
153	_001-005	005	0
154	_001-005	SRI	0
155	_001-005	_001-005	1
1215	003-00001	003	0
1216	003-00001	00001	0
1217	003-00001	JR	0
1218	003-00001	003-00001	1
1219	003-00001	Y	0

Answer

Word counts: 6

```
select * from tbl  where isnumeric(data)=1
```

10

Write a query to display details of patients who never visited using the above tables.

Patients:

PatientID	PatientNo	Initials	Systolic	Diastolic
1	1	ABC		
2	3	DEF		
3	4	HIJ		
4	5	Xyz		
5	6	KLM		

Visits:

VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00
7	3	2	8/2/2018 0:00
8	4	1	8/2/2018 0:00

Vitals:

VisitID	Systolic	Diastolic
1	120	80

2	110	80
3	100	90
4	140	80
5	125	90
8	130	90

AE Table:

VisitID	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Medications:

VisitID	Medication	MedDate	TakenFor
1	ASPIRIN	11-Jan-05	
2	Tylenol	26-Jan-05	
4	ASPIRIN	1-Feb-05	
5	Norvasc	1-Feb-05	
6	ASPIRIN	11-Jan-05	

Answer

Word counts: 19

```
select     pat.*                    from patients  pat
left join visits vis
on pat.patientid=vis.patientid
where  vis.patientid is  null
```

1 2 3 4 5 6 7 8 9 10 View All

Powered by TechKshetra Info