Assessment

Dashboard

Users

Question Bank

Quiz

Result

Study Material

Setting

Support

Landing Page

First Name	Bakkannagari
Last Name	Rajashekar Reddy
Email	rajashekar.sandy97@gmail.com
Quiz Name	T-SQL (4-6 years) Automatic to deliver 10 Questions
Attempt Time	2025-06-17 13:14:11
Time Spent (Approx.)	68:03
Percentage	90%
Percentile	98.07%
Score	9
Status	Pass

Share result on Social Network

Answer Sheet

1

Write a query to get the position of the second occurrence of the letter 'a' from the end of a string.

Ex String - 'Vijay Kumar Goud'

Answer

Word counts: 45

```
DECLARE @input NVARCHAR(100) = 'Vijay Kumar Goud';
DECLARE @reversed NVARCHAR(100) = REVERSE(@input);
DECLARE @first_pose INT = CHARINDEX('a', @reversed);
DECLARE @second_pose INT = CHARINDEX('a', @reversed, @first_pose + 1);
DECLARE @actual_pose INT = LEN(@input) - @second_pose + 1;
SELECT @actual_pose AS [Second 'a' Position from End];
```

2

What would be the output of the below SQL query?

IF EXISTS (SELECT 1 FROM tempdb.dbo.sysobjects WHERE id = Object_ID(N'tempdb.dbo.#Temptable') AND type = 'U')

DROP TABLE #Temptable

CREATE TABLE #Temptable (String NVARCHAR(2000), Code NVARCHAR(2000))

IF EXISTS (SELECT 1 FROM tempdb.dbo.sysobjects WHERE id = Object_ID(N'tempdb.dbo.#Temptable') AND type = 'U')

DROP TABLE #Temptable

CREATE TABLE #Temptable (ID INT IDENTITY, String NVARCHAR(2000), Code NVARCHAR(2000))

Answer

Word counts: 30

```
IF EXISTS (
SELECT 1 FROM tempdb.dbo.sysobjects
WHERE id  = OBJECT_ID(N'tempdb.dbo.#Temptable') AND type = 'U'
)
DROP TABLE #Temptable;

CREATE TABLE #Temptable (
ID INT IDENTITY,
String NVARCHAR(2000),
Code NVARCHAR(2000)
);
```

3

Write an SQL query to generate the “ByPassNumber” column data for the ID column in the table below.

Table 1: DuplicatePatient		Table 2:	
ID		ID	ByPassNumber
1		1	1
2		2	1
3		3	2
4		4	2
5		5	3
6		6	3
7		7	4
8		8	4
9		9	5
10		10	5

Answer

Word counts: 40

```
CREATE TABLE #T1 (ID INT)
INSERT INTO #T1 (ID)
SELECT TOP 10 ROW_NUMBER() OVER (ORDER BY (SELECT NULL))
FROM sys.all_objects;

SELECT ID,
CEILING(ROW_NUMBER() OVER (ORDER BY ID) * 1.0 / 2) AS ByPassNumber
INTO #T2
FROM #T1;

SELECT * FROM #T2;
```

4

Analyze and provide the number of records count for

Inner Join

Left join

Right Join

Full outer join

Self join for both Table 1 & 2

Table 1		Table 2
ID		ID
1		1
1		2
1		1
1		1
1		0

Answer

Word counts: 45

Inner join - 15 records - 15 times 1
Left join - 15 records - 15 times 1
Right join - 17 records - 15 times 1, 2, 0
Full outer join - 17 records - 15 times 1, 2, 0
Self join -
For Table - 1 - 5x5 = 25 number of rows all values will be 1
For Table - 2 - 11 Rows

5

Write an SQL query to get the maximum AuditID for each AuditSubCategoryID.

AuditSubCategoryID:

AuditSubCategoryID	Name
1	EnteredEmpty
2	Entered
3	EnteredNonConfomant
4	EnteredByDdeAutoReconcile
7	CommentAdd
8	CommentEdit
9	QueryOpen
10	QueryAnswer
11	QueryCancel
12	QueryClose
13	ReviewRequired

Audits:

AuditID	Property	Value	Readable	AuditUserID	AuditTime	ObjectID	Guid	Ser
1				-2	2016-03-31 18:40:29,100	3	7f67686f080-4c46-8549-6a8f8baa064f	1 00
2		PasswordExpires|12/31/9999 11:59:59 PM		-2	2016-03-31 18:40:29,100	3	7f67686f080-4c46-8549-6a8f8baa064f	1 00
3				-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-6a8f8baa064f	1 00
4				-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-6a8f8baa064f	1 00
5				-2	2016-03-31 18:40:29,133	4	7f67686f080-1561-4dff-a-179-6a8f8baa064f	1 00
6		InitialSiteGroup|1		-2	2016-03-31 18:40:29,133	4	7f67686f080-1561-4dff-a-179-6a8f8baa064f	1 00
7		FristName|Rave		-2	2016-03-31 18:40:29,133	4	7f67686f080-1561-4dff-a-179-6a8f8baa064f	1 00
8		LastName|Import		-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-6a8f8baa064f	1 00
9		Login|RaveImport1		-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-525172a147e7	1 00
10		PasswordExpires|3/31/2017 6:40:29PM		-2	2016-03-31 18:40:29,133	4	7f67686f080-4c46-8549-9923a0f3bc08	1 00

Answer

Word counts: 11

```
SELECT
AuditSubCategoryID,
MAX(AuditID) AS MaxAuditID
FROM
Audit
GROUP BY AuditSubCategoryID;
```

6

Produce the following report, showing each adverse event and the details of the medication taken for that adverse event. Include all adverse events, even those for which no medication was taken. Output must be in the given format.

PatientNo	AE	Med	MedDate

Note: Refer the below tables to code

PatientID	PatientNo	Initials
1	1	ABC
2	3	DEF
3	4	HIJ
4	5	Xyz
5	6	KLM

AE Table:

VisitID	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Medications:

VisitID	Medication	MedDate	TakenFor
1	ASPIRIN	11-Jan-05	
2	Tylenol	26-Jan-05	
4	ASPIRIN	1-Feb-05	
5	Norvasc	1-Feb-05	
6	ASPIRIN	11-Jan-05	

Visits:

VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00
7	3	2	8/2/2018 0:00
8	4	1	8/2/2018 0:00

Answer

Word counts: 55

```
SELECT
P.PatientNo, AE.AE, M.Medication AS Med, CONVERT(VARCHAR, M.MedDate,
106) AS MedDate
FROM AE
LEFT JOIN Visits V ON AE.VisitID = V.VisitID
LEFT JOIN Patients P ON V.PatientID = P.PatientID
LEFT JOIN Medication M
ON AE.VisitID = M.VisitID
AND AE.Med = M.Medication
ORDER BY P.PatientNO, AE.AE;
```

7

Write the SQL to produce the following report on the vital signs data. Order by patient number and visit number to fill the below table columns.

PatientNo	VisitNo	VisitDate	Systolic	Diastolic

Note: refer below listed Patient, Visit, & Vitals tables.

Patients:

PatientID	PatientNo	Initials
1	1	ABC
2	3	DEF
3	4	HIJ
4	5	Xyz
5	6	KLM

Visits:			
VisitID	Patientid	Visitno	VisitDate
1	1	1	12/1/2018 0:00
2	1	2	23-01-2018 00:00
3	1	3	28-01-2018 00:00
4	2	1	1/2/2018 0:00
5	2	2	8/2/2018 0:00
6	3	1	3/2/2018 0:00
7	3	2	8/2/2018 0:00
8	4	1	8/2/2018 0:00

Vitals:		
VisitID	Systolic	Diastolic
1	120	80
2	110	80
3	100	90
4	140	80
5	125	90
8	130	90

Answer

Word counts: 37

```
SELECT
P.PatientNo,
V.VisitNo,
V.VisitDate,
T.Systolic,
T.Diastolic
FROM Visits V
JOIN Patients P ON V.PatientID = P.PatientID
LEFT JOIN Vitals T ON V.VisitID = T.VisitID
ORDER BY P.PatientNo, V.VisitNo;
```

8

Write a SQL query to pull the records that have integer related data only in the table below for the Data column.

ID	SubjectName	Data	Flag
1	New Subject	9001	0
2	New Subject	9002	0
152	_001-005	_001	0
153	_001-005	005	0
154	_001-005	SRI	0
155	_001-005	_001-005	1
1215	003-00001	003	0
1216	003-00001	00001	0
1217	003-00001	JR	0
1218	003-00001	003-00001	1

1219	003-00001	Y	0

Answer

Word counts: 15

```
SELECT *
FROM Table
WHERE ISNUMERIC(Data) = 1
AND TRY_CAST(Data AS INT) IS NOT NULL;
```

9

Using a while loop, Write a query to print the ProjectID, ProjectName, and ProjectActive from the below Projects Table.

ProjectID	ProjectName	ProjectActive
205	A011_20130279	1
37	A145678_20120136	1
30	A827_20120103	0
141	A102_20120142	1

Answer

Word counts: 34

```
DECLARE @ProjectID INT;
SELECT @ProjectID = MIN(ProjectID) FROM Projects;
WHILE @ProjectID IS NOT NULL
BEGIN
SELECT
ProjectID, ProjectName, ProjectActive
FROM Projects
WHERE
ProjectID  = @ProjectID  ;

SELECT @ProjectID = MIN(ProjectID)
FROM Projects
WHERE ProjectID  > @ProjectID ;
END;
```

10

Update the Medications table to populate the “TakenFor” column with the corresponding adverse event (AE) from the AES table.

Medication:

VisitID	Medication	MedDate	TakenFor
1	ASPIRIN	11-Jan-05	
2	Tylenol	26-Jan-05	

4	ASPIRIN	1-Feb-05	
5	Norvasc	1-Feb-05	
6	ASPIRIN	11-Jan-05	

AE Table:

VisitID	AE	Med
1	Headache	Aspirin
1	Nausea	
3	Headache	Tylenol
4	High BP	
4	Heart bum	Zantac
7	High BP	Norvas

Answer

Word counts: 24

```
UPDATE M
SET M.TakenFor = AE.AE
FROM Medications M
JOIN AE ON M.VisitID = AE.VisitID AND LOWER(M.Medication) =
LOWER(AE.Med);
```

1 2 3 4 5 6 7 8 9 10 View All

Powered by TechKshetra Info