24/10/26 DATE: PAGE:

3 HLOOKUP

Looks for a values in the top row of a table or array of values and returns the values in the same column from a row you specify It searches for a value in the first row of a table

Syntax: =HLOOKUP (lookup_value, table_array, row_index_num, [range_lookup])

		A	B	C	D
11	Ex:	Emp code	1	3	8
12		Emp Name	JP Kumar	Priya Agarwal	Manisha
13		City	Mumbai	0	Kolkata
14		Basic	10000	11250	6275

=HLOOKUP (B$11, $B$1:$U$7, MATCH ($A12, $A$1:$A$7, 0), 0)

B$11 = (1) searches for emp ID in the first row of the selected range

B1:U7 = Selects the whole horizontal table

$A12 = contains emp name headings

A1:A7 = it include all the heading columns

Scanned with OKEN Scanner

DATE: PAGE:

Disadvantage

- It searches only in the first row of the selected table
- It returns values only from rows below the lookup row
- Inserting or deleting row can affect the row index number
- It returns only the first matching results when duplicate exist

4 XLOOKUP

Used to search for a value in one row or column and returns the corresponding value from another row or column
It can search both vertically and horizontally and it can return results from either the left or right side of the lookup column

Syntax: =XLOOKUP (lookup_value, lookup_array, return_array, [if_not_found], [match_mode], [search_mode])

lookup_array: Lookup value's whole row or column

return_array: The row or column containing

DATE: PAGE:

the result we want
if_not_found : optional message or value if no match is found
match_mode : specifies exact match or other matching options
search_mode : specifies the direction or method of searching

Ex: =XLOOKUP($J2, $A$2:$A$21, $B$2:$D$21, "NF", 0)

A2:A21 = J2's entier row
B2:D21 = this column is selected because these 3 column ans is required as result

5 INDEX MATCH
It is a combination of two excel functions used to find and return a specific value from a dataset
Index returns a value from a specified position in a range
Match finds the position of a particular value in a row or column
Together, they help us find information such as employee name, cities, &

Scanned with OKEN Scanner

DATE: PAGE:

salaries using emp ID

Syntax : = INDEX (array, row-num [column-num])
= MATCH (lookup_value, lookup-array, match_type).

Ex : = INDEX ($A$1:$G:$21, MATCH ($J7, $A$1:$A$21, 0), MATCH (K$5, $A$1:$G$1,0)

1st match is used to find row-num
2nd match is used to find column-num

emp code	emp name	city	department
1	JP Kumar	Mumbai	training
4	P Vasu	Chennai	R$D
9	Arjun Jain	Mumbai	training

Scanned with OKEN Scanner