


Windows System Reconnaissance

Objective: Identify your user context, system information, and existing local users/groups

Deliverable: Screenshot showing the output of all the above commands. Flag:

GS{WIN_RECON_MASTER}



The screenshot shows a Windows PowerShell terminal window titled "Administrator: Windows PowerShell" running several commands to gather system information. The commands and their outputs are as follows:

```
PS C:\Windows\system32> whoami
windows\chai

PS C:\Windows\system32> $env:COMPUTERNAME
WINDOWS

PS C:\Windows\system32> systeminfo | Select-String "OS Name","OS Version","System Type"

OS Name:                Microsoft Windows 10 Home
OS Version:              10.0.19045 N/A Build 19045
System Type:              x64-based PC
BIOS Version:             innotek GmbH VirtualBox, 12/1/2006

PS C:\Windows\system32> Get-LocalUser

Name                Enabled Description
-----
Administrator       False  Built-in account for administering the computer/domain
Chai                 True   A user account managed by the system.
DefaultAccount       False  A user account managed by the system.
Guest                False  Built-in account for guest access to the computer/domain
WDAGUtilityAccount   False  A user account managed and used by the system for Windows Defender Application Guard scen...

PS C:\Windows\system32> Get-LocalGroup

Name                Description
-----
Administrators       Administrators have complete and unrestricted access to the computer/domain
Device Owners        Members of this group can change system-wide settings.
Distributed COM Users Members are allowed to launch, activate and use Distributed COM objects on this machine.
Event Log Readers    Members of this group can read event logs from local machine
Guests               Guests have the same access as members of the Users group by default, except for the G...
Hyper-V Administrators Members of this group have complete and unrestricted access to all features of Hyper-V.
IIS_IUSRS            Built-in group used by Internet Information Services.
Performance Log Users Members of this group may schedule logging of performance counters, enable trace provi...
Performance Monitor Users Members of this group can access performance counter data locally and remotely
Remote Management Users Members of this group can access WMI resources over management protocols (such as WS-M...
System Managed Accounts Group Members of this group are managed by the system.
Users                Users are prevented from making accidental or intentional system-wide changes and can ...


PS C:\Windows\system32>
```

User Account Management

Objective: Create a new local user and add it to the Administrators group

Deliverable: Screenshot showing user creation and group membership verification.

GS{WIN_USER_ADMIN_ALICE}




Process and Service Intelligence

Objective: Investigate running processes and control a service.

Deliverable: Screenshot showing process list and service status changes. Flag:

GS{PROCESS_SERVICE_CONTROL}



Which process consumed the most CPU?

=>svc host is the process consumed most CPU.

What was the status of the Spooler service after you disabled it?


=>Status was Stopped.

Windows Event Log Analysis

Objective: Interrogate the Security log for authentication events (Event IDs 4624 – success, 4625 failure).

Deliverable: Screenshot showing event details with these fields highlighted.

GS{EVT_4624_4625_MASTER}



```
Windows [Running] - Oracle VirtualBox
File Machine View Input Devices Help

Administrator: Windows PowerShell
PS C:\Windows\system32> $event = Get-WinEvent -FilterHashtable @{LogName='Security'; ID=4625} -MaxEvents 1
>>
>> $message = $event.Message
>>
>> $patterns = @(
>> "Security ID:",
>> "Account Name:",
>> "Account Domain:",
>> "Logon ID:",
>> "Logon Type:",
>> "Failure Reason:",
>> "Status:",
>> "Sub Status:",
>> "Caller Process Name:",
>> "Workstation Name:",
>> "Source Network Address:"
>> )
>>
>> Write-Output "TimeCreated : $($event.TimeCreated)"
>> Write-Output "Message : An account failed to log on."
>>
>> foreach ($line in $message -split "`n") {
>>     foreach ($pattern in $patterns) {
>>         if ($line.Trim() -like "$pattern*") {
>>             Write-Output $line
>>         }
>>     }
>> }
>>
TimeCreated : 05/07/2026 16:48:19
Message : An account failed to log on.
Security ID: S-1-5-18
Account Name: WINDOWS$
Account Domain: WORKGROUP
Logon ID: 0x3E7
Logon Type: 2
Security ID: S-1-5-21-277470493-1193438803-3990097386-1000
Account Name: Chai
Account Domain: WINDOWS
Logon ID: 0x37DAD2
Linked Logon ID: 0x37DAB1
Network Account Name: -
Network Account Domain: -
Workstation Name: WINDOWS
Source Network Address: 127.0.0.1
PS C:\Windows\system32>
```

Account Name – Chai

Logon Type – 2 = interactive


Source Network Address – 127.0.0.1

Create Automated Event Collector

Objective: Write a PowerShell script that collects recent security events (4624/4625) and exports them to a timestamped CSV.

Deliverable: The script file and a screenshot showing its execution with output. Flag:

GS{AUTOMATED_EVENT_COLLECTOR}



Create Custom Event

Objective: Generate a custom application event to test logging

Deliverable: Screenshot showing the custom event in Event Viewer (or from the PowerShell output). Flag: GS{CUSTOM_EVENT_GENERATION}

