Example Intent Map (Synthetic)

Author: Lakshmi Sagar

Data Safety Disclaimer

> *This is a fully synthetic example created solely to demonstrate the Intent Mapping for Risk Detection framework.*

- *No real customer data*
- *No real transactions*
- *No real thresholds*
- *No proprietary systems*

Case Context (Abstracted)

- *Case Type: Suspicious Account Behaviour Review*
- *Review Trigger: Manual review based on behavioural sequence*
- *Analysis Period: ~18 months (synthetic timeline)*
- *Overall Risk Assessment: High*

Intent Map (Phase-wise)

Phase	*Time Window*	*Behavioural Flags*	*Summary*	*Inferred Intent*	*Risk Assessment*	*Likely Next Action*
Phase 1	*Month 0-6*	*None*	*Account opened and remained inactive*	*Staging / Account Preparation*	*Low*	*Reactivation after a cooling period*
Phase 2	*Month 7-8*	*DormancyBreak, Self FIFO*	*Low-value self-loops following inactivity*	*Testing detection boundaries*	*Medium*	*Scale testing or pause*
Phase 3	*Month 9-11*	*Inactivity Patch*	*Minimal activity to preserve the account*	*Cooling-off / Risk reset*	*Low*	*Re-entry with external parties*
Phase 4	*Month 12-14*	*Device Change, Unknown P2P Spike*	*Small inflows from unfamiliar senders*	*Pilot mule operations*	*High*	*Expand counterparties*
Phase 5	*Month 15*	*Inactivity Patch*	*Reduced activity post-pilot*	*Evasion / Wait mode*	*Medium*	*Burst execution*
Phase 6	*Month 16*	*Burst Credits, Self FIFO*	*Consolidation of multiple inflows*	*Execution / Fund Aggregation*	*Very High*	*Cash-out or abandonment*
Phase 7	*Month 17-18*	*Inactivity Patch*	*Minimal residual activity*	*Post-execution dormancy*	*Medium*	*Possible reuse*

Detection Opportunity

- *Early signal: Dormancy Break + Self FIFO (Phase 2)*
- *Stronger escalation: Device Change + Unknown P2P Spike (Phase 4)*

Late-stage detection: Burst Credits + FIFO (Phase 6)

Primary gap identified: *Lack of behavioural sequencing across inactivity, testing, and execution phases.*

Rule / Hypothesis Output

Detection Hypothesis: If an account shows a dormancy break followed by repeated self-routing, and later introduces unknown counterparties after a cooling period, it may indicate structured mule preparation.

Rule Definition (Abstracted)

Objective: Detect staged mule behaviour before execution

Applicable Behaviour / Persona: Prepared mule/aggregator

Core Logic:

Dormancy Break

Self FIFO

Subsequent Unknown P2P Spike

Expected Detection Behaviour: Early escalation before burst execution

False Positive Risk: Medium (requires sequencing validation)