OUTPUT

TASK 1:

1.Retrieve all posts along with the username of the author.

```sql
SELECT
    p.post_id,
    u.username,
    p.content,
    p.post_date
FROM Posts p
JOIN Users u ON p.user_id = u.user_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

post_id	username	content	post_date
11	andrew79	Different without hear western save operation.	2025-01-20 14:54:56
21	andrew79	Address charge approach without near stock all...	2024-11-19 17:10:52
19	brandy78	Behavior cultural question who as sister among ...	2025-05-02 08:47:23
26	briancoleman	Voice PM step series indicate detail success cou...	2024-11-03 19:44:43
34	briancoleman	Democratic rock six force about person may bo...	2024-12-03 21:18:08
6	emily15	Middle off argue star appear action son every p...	2024-11-30 08:25:37
25	emily15	Prevent class behind option foreign sport differ...	2024-12-04 21:34:39
27	emily15	Example PM your Congress more begin econom...	2025-07-20 08:10:29
20	emorse	Organization call method water serious then sur...	2025-09-17 00:49:25
3	glenn83	Human hundred hot race owner member becaus...	2025-05-21 09:41:05
10	glenn83	Always contain available require box number pe...	2024-11-10 21:34:51
12	jameswhite	Part almost event will second single billion Congr...	2025-06-10 18:28:26

2. Find all comments on each post along with the commenter's username.

```sql
SELECT
    c.comment_id,
    p.post_id,
    u.username,
    c.comment_text,
    c.comment_date
FROM Comments c
JOIN Users u ON c.user_id = u.user_id
JOIN Posts p ON c.post_id = p.post_id;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

comment_id	post_id	username	comment_text	comment_date
50	16	jeffrey99	Moment fill degree check.	2025-06-13 08:14:52

Task 2:

3.Find the top 3 users with the most posts.



```
SELECT
    u.user_id,
    u.username,
    COUNT(p.post_id) AS total_posts
FROM Users u
JOIN Posts p ON u.user_id = p.user_id
GROUP BY u.user_id, u.username
ORDER BY total_posts DESC
LIMIT 3;
```


user_id	username	total_posts
9	timothycooper	4
2	mathewschase	3
7	zstokes	3

4.Retrieve posts that have more likes than the **average number of likes per post**.

Code:

```
SELECT
  p.post_id,
  COUNT(l.like_id) AS like_count,
  (
    SELECT AVG(like_count)
    FROM (
      SELECT COUNT(*) AS like_count
      FROM Likes
      GROUP BY post_id
    ) t
  ) AS avg_likes
FROM Posts p
LEFT JOIN Likes l ON p.post_id = l.post_id
GROUP BY p.post_id;
```

Result Grid | Filter Rows:

post_id	like_count	avg_likes
1	0	1.0000
2	0	1.0000
3	0	1.0000
4	0	1.0000
5	0	1.0000
6	0	1.0000
7	0	1.0000
8	0	1.0000
9	0	1.0000
10	0	1.0000
11	0	1.0000
12	0	1.0000

5.Find users who have never posted anything but have liked posts.

```
SELECT u.user_id, u.username
FROM Users u
LEFT JOIN Posts p ON u.user_id = p.user_id
WHERE p.user_id IS NULL
AND u.user_id IN (SELECT user_id FROM Likes);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

user_id	username

No users satisfy the condition — all users who liked posts have also created posts.

Task 4:

8.Create a stored procedure Get User Activity (user Id) that returns:

```
CALL GetUserActivity(5);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

total_posts	total_likes_given	total_likes_received	total_comments
2	0	0	0

Find the **most influential user** (the user whose posts have the highest total likes + comments).

```
SELECT
  u.user_id,
  u.username,
  COUNT(DISTINCT l.like_id) + COUNT(DISTINCT c.comment_id) AS influence_score
FROM Users u
JOIN Posts p ON u.user_id = p.user_id
LEFT JOIN Likes l ON p.post_id = l.post_id
LEFT JOIN Comments c ON p.post_id = c.post_id
GROUP BY u.user_id, u.username
ORDER BY influence_score DESC
LIMIT 1;
```

Result Grid | Filter Rows: | Exp

user_id	username	influence_score
6	yray	1