

OUTPUT

Level 1: Basic Filtering

1. Show all customers from **Bangalore**

```
20 • SELECT * FROM customers WHERE city = 'Bangalore';
```

	customer_id	customer_name	city	age	total_spent	number_of_orders
▶	1	Amit	Bangalore	25	12000.00	5
	4	Sneha	Bangalore	28	60000.00	15
	7	Arjun	Bangalore	40	70000.00	20

2. Display customers with **total_spent > 20000**

```
21 • SELECT * FROM customers WHERE total_spent > '20000';
```

	customer_id	customer_name	city	age	total_spent	number_of_ord
▶	2	Neha	Mumbai	30	45000.00	12
	4	Sneha	Bangalore	28	60000.00	15
	7	Arjun	Bangalore	40	70000.00	20

3. List customers aged between **25 and 35**

```
22 • SELECT * FROM customers WHERE age BETWEEN 25 AND 35;
```

	customer_id	customer_name	city	age	total_spent	number_of_o
▶	1	Amit	Bangalore	25	12000.00	5
	2	Neha	Mumbai	30	45000.00	12
	4	Sneha	Bangalore	28	60000.00	15
	5	Karan	Mumbai	35	20000.00	7
	6	Pooja	Delhi	27	15000.00	6

Level 2: Sorting & Aggregation

4. Show all customers sorted by **total_spent (highest first)**

```
23 • SELECT * FROM customers ORDER BY total_spent DESC;
```

	customer_id	customer_name	city	age	total_spent	number_of_orders
▶	7	Arjun	Bangalore	40	70000.00	20
	4	Sneha	Bangalore	28	60000.00	15
	2	Neha	Mumbai	30	45000.00	12
	5	Karan	Mumbai	35	20000.00	7
	6	Pooja	Delhi	27	15000.00	6
	1	Amit	Bangalore	25	12000.00	5
	3	Raj	Delhi	22	8000.00	3
	8	Meera	Mumbai	23	5000.00	2

5. Find the **total revenue** generated

```
24 • SELECT SUM(total_spent) AS total_revenue FROM customers;
```

Result Grid			Filter Rows:		Export:		Wrap Cell Content:	
	total_revenue							
▶	235000.00							

6. Find the **average spending per customer**

```
25 • SELECT AVG(total_spent) AS avg_spending FROM customers;
```

Result Grid			Filter Rows:		Export:		Wrap Cell Content:	
	avg_spending							
▶	29375.000000							

Level 3: Grouping

7. Find total spending per **city**

```
26 • SELECT city, SUM(total_spent) AS total_spending FROM customers GROUP BY city;
```

Result Grid			Filter Rows:		Export:		Wrap Cell Content:	
	city	total_spending						
▶	Bangalore	142000.00						
	Mumbai	70000.00						
	Delhi	23000.00						

8. Count number of customers in each **city**

```
27 • SELECT city, COUNT(*) AS customer_count FROM customers GROUP BY city;
```

Result Grid			Filter Rows:		Export:		Wrap Cell Content:	
	city	customer_count						
▶	Bangalore	3						
	Mumbai	3						
	Delhi	2						

Level 4: Customer Segmentation (CORE TASK)

9. Count how many customers fall into each segment

Result Grid			Filter Rows:	
	segment	customer_count		
▶	Medium	4		
	Low	2		
	High	2		

Level 5: Advanced Basic (HAVING)

10. Show cities where total spending is **greater than 50000**

```
37 • SELECT city, SUM(total_spent) AS total_spending
38 FROM customers
39 GROUP BY city
40 HAVING SUM(total_spent) > 50000;
```

Result Grid   Filter Rows: Export:  Wrap Ce

	city	total_spending
▶	Bangalore	142000.00
	Mumbai	70000.00