

## TOTAL CODE OUTPUT

```
CREATE DATABASE College;

USE College;

CREATE TABLE students (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(50),
    gender VARCHAR(10),
    city VARCHAR(50),
    join_year INT
);

CREATE TABLE courses (
    course_id INT PRIMARY KEY,
    course_name VARCHAR(100),
    department VARCHAR(50)
);

CREATE TABLE marks (
    mark_id INT PRIMARY KEY,
    student_id INT,
    course_id INT,
    marks INT,
    FOREIGN KEY (student_id) REFERENCES students(student_id),
    FOREIGN KEY (course_id) REFERENCES courses(course_id)
);

INSERT INTO students (student_id, student_name, gender, city, join_year) VALUES
(1, 'Anu', 'F', 'Tumakuru', 2024),
(2, 'Ravi', 'M', 'Bengaluru', 2023),
(3, 'Kiran', 'M', 'Tumakuru', 2024),
(4, 'Sneha', 'F', 'Mysuru', 2023),
```

```
(5, 'Manu', 'M', 'Tumakuru', 2022);

INSERT INTO courses (course_id, course_name, department) VALUES
(101, 'SQL Basics', 'Computer Science'),
(102, 'Excel for Analysts', 'Commerce'),
(103, 'Statistics', 'Mathematics');

INSERT INTO marks (mark_id, student_id, course_id, marks) VALUES
(1, 1, 101, 85),
(2, 2, 101, 72),
(3, 3, 101, 90),
(4, 4, 102, 88),
(5, 5, 103, 67),
(6, 1, 103, 79),
(7, 2, 102, 81);

-- 1.Display all students

SELECT * FROM students;

SELECT student_name , city FROM students;

SELECT * FROM courses;

SELECT * FROM students where city = 'Tumakuru';

SELECT * FROM students where join_year = '2024';

SELECT * FROM students where gender = 'F';

SELECT * FROM marks where marks > '80';

SELECT * FROM courses where department = 'Commerce';

SELECT * FROM students where city != 'Bengaluru';

SELECT * FROM marks where marks BETWEEN 70 AND 90;

SELECT * FROM students ORDER BY student_name ASC;

SELECT * FROM marks ORDER BY MARKS DESC;

SELECT * FROM students ORDER BY join_year DESC;

SELECT COUNT(*) AS total_students FROM students;
```

```
SELECT AVG(marks) AS avg_marks FROM marks;
```

```
SELECT MAX(marks) AS max_marks FROM marks;
```

```
SELECT MIN(marks) AS min_marks FROM marks;
```

```
SELECT SUM(marks) AS total_marks FROM marks;
```