Cucumber Report

| Start : Apr 23, 11:48:02.092 AM	End : Apr 23, 11:48:05.661 AM	Duration : 3.569 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 9

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to SauceDemo Application	*3.569 s*	*1*	*0*	*1*	*0*	*15*	*5*	*1*	*9*

#	Feature Name	T	P	F	S	Duration
1	Login to SauceDemo Application	1	0	1	0	3.569 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to SauceDemo Application	Sucessfull login with valid credentials	15	5	1	9	3.563 s

Login to SauceDemo Application

FAILED	DURATION - 3.569 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 11:48:02.092 AM // 11:48:05.661 AM /		Pass - 0		Pass - 5	
		Fail - 1	**1**	Fail - 1	**15**
		Skip - 0		Skip - 9	

Sucessfull login with valid credentials

FAILED	DURATION - 3.563 s		Steps	
/ 11:48:02.098 AM // 11:48:05.661 AM /			Total - 15	
			Pass - 5	
Login to SauceDemo Application			Fail - 1	**15**
			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given the user launches the sauceDemo website	PASSED	0.111 s
2	And the user enters the "standard_user"	PASSED	0.137 s
3	And the user enters the password as "secret_sauce"	PASSED	0.105 s
4	And user click on the sign button	PASSED	0.117 s
5	And the user click on the red shirt	PASSED	0.103 s
6	And the user click on the cartbutton	FAILED	0.029 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"button[id='add-to-cart-test.allthethings()-t-shirt-(red)']"} (Session info: MicrosoftEdge=124.0.2478.51) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [635df12d221db0d33fe88bc03dbdeb63, findElement {using=css selector, value=button[id='add-to-cart-test.allthethings()-t-shirt-(red)']}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 124.0.2478.51, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:11846}, msedge: {msedgedriverVersion: 124.0.2478.51 (e23a9b7d0a14..., userDataDir: C:\Users\LAKSHM~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:11846/devtoo..., se:cdpVersion: 124.0.2478.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 635df12d221db0d33fe88bc03dbdeb63		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source) at com.utils.UtilFunctions.clickElement(UtilFunctions.java:207) at com.pagefactory.CartPage.addToCartBtn(CartPage.java:19) at com.stepdefinitions.LoginPageSteps.the_user_click_on_the_cartbutton(LoginPageSteps.java:49) at ?.the user click on the cartbutton(file:///C:/Users/LakshmiBoini-Kairos/Downloads/CucumberDemoAmazon%20(1)/CucumberDemoAmazon/./Features/login.feature:9) * Not displayable characters are replaced by '?'.		
7	And the user click on the checkoutbutton	SKIPPED	0.002 s
8	And the user enters the firstname "abc"	SKIPPED	0.000 s
9	And the user enters the secondname "xyz"	SKIPPED	0.002 s
10	And the user enters the zipcode "abcdee"	SKIPPED	0.000 s
11	And the user clicks the continue	SKIPPED	0.001 s
12	And the user click the finish	SKIPPED	0.000 s
13	And the user click on backtohome	SKIPPED	0.000 s
14	Then user click on the menubutton	SKIPPED	0.001 s
15	And the user click on logoutbutton	SKIPPED	0.000 s