


Feature			Scer	cenario			Step			
Name	Duration	T	P	F	S	T	P	F	S	
Login to SauceDemo Application	3.682 s	1	0	1	0	15	1	1	13	

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Login to SauceDemo Application	1	0	1	0	3.682 s


SCENARIOS SUMMARY




#	# Feature Name	Scenario Name	T	P	F	S	Duration
2	Login to SauceDemo Application	Sucessfull login with valid credentials	15	1	1	13	3.678 s

DETAILED SECTION -- 5 --

Login to SauceDemo Application



Sucessfull login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given the user launches the sauceDemo website	PASSED	0.059 s
2	And the user enters the "standard_user"	FAILED	0.010 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this. searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy24.sendKeys(Unknown Source) at com.utils.UtilFunctions.sendText(UtilFunctions.java:211) at com.pagefactory.LoginPage.enterusername(LoginPage.java:26) at com.stepdefinitions.LoginPageSteps.the_user_enters_the(LoginPageSteps.java:18) at ?.the user enters the "standard_user"(file:///C:/Users/LakshmiBoini-Kairos/Downloads/ CucumberDemoAmazon%20(1)/CucumberDemoAmazon/./Features/login.feature:5) * Not displayable characters are replaced by '?'.		
3	And the user enters the password as "secret_sauce"	SKIPPED	0.001 s
4	And user click on the sign button	SKIPPED	0.000 s
5	And the user click on the red shirt	SKIPPED	0.000 s
6	And the user click on the cartbutton	SKIPPED	0.000 s

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
7	And the user click on the checkoutbutton	SKIPPED	0.001 s
8	And the user enters the firstname "abc"	SKIPPED	0.002 s
9	And the user enters the secondname "xyz"	SKIPPED	0.001 s
10	And the user enters the zipcode "abcdee"	SKIPPED	0.001 s
11	And the user clicks the continue	SKIPPED	0.000 s
12	And the user click the finish	SKIPPED	0.001 s
13	And the user click on backtohome	SKIPPED	0.000 s
14	Then user click on the menubutton	SKIPPED	0.001 s
15	And the user click on logoutbutton	SKIPPED	0.000 s