Start: Apr 17, 2:22:12.161 PM **Duration: 1.971 s** End: Apr 17, 2:22:14.132 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 15 15 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to SauceDemo Application	1.971 s	1	0	1	0	15	0	0	15

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Login to SauceDemo Application	1	0	1	0	1.971 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to SauceDemo Application	Sucessfull login with valid credentials	15	0	0	15	1.967 s

DETAILED SECTION -- 5 --

Login to SauceDemo Application

5
· 🕖
5

Sucessfull login with valid credentials



#	Step / Hook Details	Status	Duration
	BEFORE - com.hooks.Hooks.setUp()	FAILED	1.940 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.124 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: "KAIROSHW0415', ip: '192.168.1.45' Build info: version: '48.83', revision: 'e5e76298c3' System info: os.name: "Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:165) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	PAILED	1.940 5
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:157)</init>		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:101)</init>		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52) at com.hooks.Hooks.setUp(Hooks.java:19)</init></init></init>		
1	Given the user launches the sauceDemo website	SKIPPED	0.002 s
2	And the user enters the "standard_user"	SKIPPED	0.001 s
3	And the user enters the password as "secret_sauce"	SKIPPED	0.000 s
4	And user click on the sign button	SKIPPED	0.001 s
5	And the user click on the red shirt	SKIPPED	0.000 s
6	And the user click on the cartbutton	SKIPPED	0.000 s
7	And the user click on the checkoutbutton	SKIPPED	0.001 s
8	And the user enters the firstname "abc"	SKIPPED	0.001 s
9	And the user enters the secondname "xyz"	SKIPPED	0.001 s
10	And the user enters the zipcode "abcdee"	SKIPPED	0.001 s
11	And the user clicks the continue	SKIPPED	0.000 s
12	And the user click the finish	SKIPPED	0.001 s
13	And the user click on backtohome	SKIPPED	0.000 s
14	Then user click on the menubutton	SKIPPED	0.000 s
15	And the user click on logoutbutton	SKIPPED	0.001 s
	AFTER - com.hooks.Hooks.tearDown()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at com.hooks.Hooks.tearDown(Hooks.java:37)		