

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to SauceDemo Application	3.693 s	1	0	1	0	15	5	1	9

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Login to SauceDemo Application	1	0	1	0	3.693 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to SauceDemo Application	Sucessfull login with valid credentials	15	5	1	9	3.687 s

DETAILED SECTION -- 5 --

## **Login to SauceDemo Application**



## **Sucessfull login with valid credentials**



#	Step / Hook Details	Status	Duration
1	Given the user launches the sauceDemo website	PASSED	0.139 s
2	And the user enters the "standard_user"	PASSED	0.163 s
3	And the user enters the password as "secret_sauce"	PASSED	0.093 s
4	And user click on the sign button	PASSED	0.131 s
5	And the user click on the red shirt	PASSED	0.088 s
6	And the user click on the cartbutton	FAILED	0.031 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector";"button[id='add-to-cart-test.allthethings()-t-shirt-(red)']"} (Session info: MicrosoftEdge=124.0.2478.51) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [7e30930e6ce79c698cb92c4dcc024ffd, findElement {using=css selector, value=button[id='add-to-cart-test.allthethings()-t-shirt-(red)']}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 124.0.2478.51, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:11802}, msedge: {msedgedriverVersion: 124.0.2478.51 (e23a9b7d0a14, userDataDir: C:\Users\LAKSHM~\lAppData\L}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:11802/devtoo, se:cdpVersion: 124.0.2478.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7e30930e6ce79c698cb92c4dcc024ffd		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openga.selenium.support.pagefactory.berauttelementLocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at org.openqa.selenium.support.pageractory.internal.cocatingElementnandier.invoke(cocatingElementnandier.java.se) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source)		
	at com.utils.UtilFunctions.clickElement(UtilFunctions.java:207)		
	at com.pagefactory.CartPage.addToCartBtn(CartPage.java:19)		
	at com.stepdefinitions.LoginPageSteps.the_user_click_on_the_cartbutton(LoginPageSteps.java:49)		
	at ?.the user click on the cartbutton(file:///C:/Users/LakshmiBoini-Kairos/Downloads/		
	CucumberDemoAmazon%20(1)/CucumberDemoAmazon/./Features/login.feature:9)		
	* Not displayable characters are replaced by '?'.		
7	And the user click on the checkoutbutton	SKIPPED	0.002 s
8	And the user enters the firstname "abc"	SKIPPED	0.001 s
9	And the user enters the secondname "xyz"	SKIPPED	0.001 s
10	And the user enters the zipcode "abcdee"	SKIPPED	0.000 s
11	And the user clicks the continue	SKIPPED	0.001 s
12	And the user click the finish	SKIPPED	0.000 s
13	And the user click on backtohome	SKIPPED	0.001 s
14	Then user click on the menubutton	SKIPPED	0.001 s
15	And the user click on logoutbutton	SKIPPED	0.000 s