


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Login to SauceDemo Application	8.437 s	1	0	1	0	15	0	0	15

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Login to SauceDemo Application	1	0	1	0	8.437 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	Login to SauceDemo Application	Sucessfull login with valid credentials	15	0	0	15	8.432 s	

DETAILED SECTION -- 5 --

Login to SauceDemo Application

FAILED	DURATION - 8.437 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 10:50:03.912 AM /	// 10:50:12.349 AM /	Pass - 0	1	Pass - 0	15
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 15	

Sucessfull login with valid credentials



#	Step / Hook Details	Status	Duration
	BEFORE - com.hooks.Hooks.setUp()	FAILED	8.407 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.124 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'KAIROSHW0415', ip: '172.17.121.187' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)	PAILED	8.407 5
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:343) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:157)</init>		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:101)</init>		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52) at com.hooks.Hooks.setUp(Hooks.java:19)</init></init></init>		
1	Given the user launches the sauceDemo website	SKIPPED	0.002 s
2	And the user enters the "standard_user"	SKIPPED	0.001 s
3	And the user enters the password as "secret_sauce"	SKIPPED	0.001 s
4	And user click on the sign button	SKIPPED	0.000 s
5	And the user click on the red shirt	SKIPPED	0.001 s
6	And the user click on the cartbutton	SKIPPED	0.000 s
7	And the user click on the checkoutbutton	SKIPPED	0.001 s
8	And the user enters the firstname "abc"	SKIPPED	0.001 s
9	And the user enters the secondname "xyz"	SKIPPED	0.000 s
10	And the user enters the zipcode "abcdee"	SKIPPED	0.001 s
11	And the user clicks the continue	SKIPPED	0.000 s
12	And the user click the finish	SKIPPED	0.000 s
13	And the user click on backtohome	SKIPPED	0.000 s
14	Then user click on the menubutton	SKIPPED	0.001 s
15	And the user click on logoutbutton	SKIPPED	0.000 s
	AFTER - com.hooks.Hooks.tearDown()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at com.hooks.Hooks.tearDown(Hooks.java:37)		