



SUREN NETWORK
PLAY WITH TECHNOLOGIES

SNCNA

SUREN NETWORK CERTIFIED NETWORK ASSOCIATE

PING ERROR TEST

Explain proper scenario for following ping errors ?

Destination host unreachable

This above alert arises when we try to ping from source pc to destination pc
packet send

PC1 does not have route infm - the packet is not going out of the pc itself

we can try ping 127.0.0.1 - we will get request timed out
that means pc have no route infm

Request timed out

Request timed out error arises when source pc itself lacks infm (no infm) of route infm -
packets is not sent to the destination itself- due to wrong destination ip address,
ip address in both pcs may be of diff (10.0.0.1 -pc2 192,168.1.2)

to know in cmd - type "route print"

Reply from some ip destination host unreachable

two pcs - try to ping - from pc1 to pc2

source pc will be successfully working as packets are rightly sending to itself,

source pc - route infm is know, it may be able to ping 127.0.0.1

source pc - route print details must be correct,

destination IP details not known by source pc

may be the destination ip not in source pc or destination pc might be powered off,

it may be due to No IP in destination machine

TTL expired

time to live expired - timing noted when ever we try to ping 2 devices

TTL - VARIES AS PER OS - Windows - 128,

linus/android/unix- 64, cisco routers - 255, mac os - 64

my pc - windows os - TTL - 128, WHEN I TRY TO PING it showed me

102 - that means -128 -102 =26 hops - TTL shows the time limit

for souce and destination to connect all these infm will be stored and

once ttl becomes 0 - refreshes and again packet is sent across network