

QUESTIONS 8 / 8 completed

+ OR -

+ OR -

C program to Check Whether a Number is Positive or Negative.

Problem Description
The program takes the given integer and checks whether the integer is positive or negative.

Testcases:
-5
0
65
41
8

PROGRAM EDITOR

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int num;
5
6     printf("Enter a number: ");
7     scanf("%d", &num);
8
9     if (num > 0) {
10        printf("The number is positive.\n");
11    } else if (num < 0) {
12        printf("The number is negative.\n");
13    } else {
14        printf("The number is zero.\n");
15    }
16
17    return 0;
18 }
```

OUTPUT

Enter a number: The number is positive..

INPUT

23

QUESTIONS 8 / 8 completed

Greatest ▾

GREATEST

Write a program that takes two numbers as input and determines which one is larger.

PROGRAM EDITOR

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int num1, num2;
5
6     printf("Enter two numbers: ");
7     scanf("%d %d", &num1, &num2);
8
9     if (num1 > num2) {
10         printf("%d is larger\n", num1);
11     } else if (num2 > num1) {
12         printf("%d is larger\n", num2);
13     } else {
14         printf("Both numbers are equal\n");
15     }
16
17     return 0;
18 }
```

OUTPUT

```
Enter two numbers: 6 is larger
```

INPUT

5 6

QUESTIONS 8 / 8 completed

Character

CHARACTER

Write a program that takes a character as input and determines whether it is a vowel or a consonant.

PROGRAM EDITOR

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     char ch;
5
6     printf("Enter a character: ");
7     scanf(" %c", &ch); // space before %c to avoid input issues
8
9     if ((ch >= 'a' && ch <= 'z') || (ch >= 'A' && ch <= 'Z')) {
10         if (ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch == 'u' ||
11             ch == 'A' || ch == 'E' || ch == 'I' || ch == 'O' || ch == 'U') {
12             printf("%c is a Vowel\n", ch);
13         } else {
14             printf("%c is a Consonant\n", ch);
15         }
16     } else {
17         printf("Not an alphabet character\n");
18     }
19
20     return 0;
21 }
```

OUTPUT

Enter a character: a is a Vowel

INPUT

a

QUESTIONS 8 / 8 completed

Age

AGE

Write a program that takes an age as input and determines whether the person is a child, teenager, adult, or senior citizen.

PROGRAM EDITOR

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int age;
5
6     printf("Enter age: ");
7     scanf("%d", &age);
8
9     if (age < 0) {
10        printf("Invalid age\n");
11    }
12    else if (age <= 12) {
13        printf("Child\n");
14    }
15    else if (age <= 19) {
16        printf("Teenager\n");
17    }
18    else if (age <= 59) {
19        printf("Adult\n");
20    }
21    else {
```

OUTPUT

Enter age: Adult

INPUT

25

QUESTIONS 8 / 8 completed

Temperature ▾

TEMPERATURE

Write a program that takes a temperature as input and determines whether it is hot, warm, or cold.

PROGRAM EDITOR

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     float temp;
5
6     printf("Enter temperature: ");
7     scanf("%f", &temp);
8
9     if (temp < 0) {
10        printf("Freezing Cold\n");
11    }
12    else if (temp < 20) {
13        printf("Cold\n");
14    }
15    else if (temp < 30) {
16        printf("Warm\n");
17    }
18    else {
19        printf("Hot\n");
20    }
21 }
```

OUTPUT

Enter temperature: Hot

INPUT

67

QUESTIONS 8 / 8 completed

Ups-Lows

UPS-LOWS

Write a program that takes a character as input and determines whether it is uppercase or lowercase.

PROGRAM EDITOR

Run Save

```
1 #include <stdio.h>
2
3 int main() {
4     char ch;
5
6     printf("Enter a character: ");
7     scanf("%c", &ch);
8
9     if (ch >= 'A' && ch <= 'Z') {
10         printf("%c is Uppercase\n", ch);
11     }
12     else if (ch >= 'a' && ch <= 'z') {
13         printf("%c is Lowercase\n", ch);
14     }
15     else {
16         printf("Not an alphabet character\n");
17     }
18
19     return 0;
20 }
```

OUTPUT

```
Enter a character: l is Lowercase
```

INPUT

l

QUESTIONS 8 / 8 completed

Multiple

MULTIPLE

Write a program that takes a number as input and determines whether it is a multiple of 3 or 5.

PROGRAM EDITOR

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int num;
5
6     printf("Enter a number: ");
7     scanf("%d", &num);
8
9     if (num % 3 == 0 && num % 5 == 0) {
10         printf("%d is a multiple of both 3 and 5\n", num);
11     }
12     else if (num % 3 == 0) {
13         printf("%d is a multiple of 3\n", num);
14     }
15     else if (num % 5 == 0) {
16         printf("%d is a multiple of 5\n", num);
17     }
18     else {
19         printf("%d is not a multiple of 3 or 5\n", num);
20     }
21 }
```

OUTPUT

Compilation Error:

INPUT

45

QUESTIONS 8 / 8 completed

Grade

GRADE

Write a program that takes a grade as input and determines the corresponding letter grade (A, B, C, D, or F).

PROGRAM EDITOR

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int marks;
5
6     printf("Enter marks (0-100): ");
7     scanf("%d", &marks);
8
9     if (marks < 0 || marks > 100) {
10        printf("Invalid marks\n");
11    }
12    else if (marks >= 90) {
13        printf("Grade: A\n");
14    }
15    else if (marks >= 80) {
16        printf("Grade: B\n");
17    }
18    else if (marks >= 70) {
19        printf("Grade: C\n");
20    }
21    else if (marks >= 60) {
```

OUTPUT

```
Enter marks (0-100): Grade: A
```

INPUT

97