Proactive Routing

Table-Driven Protocol - Routes maintained continuously



- Routes always available - zero delay
- Quick data transmission
- Continuous routing overhead
- Higher bandwidth consumption

Examples:

DSDV OLSR

Run Demo

Proactive Routing

Table-Driven Protocol - Routes maintained continuously



- Routes always available - zero delay
- Quick data transmission
- Continuous routing overhead
- Higher bandwidth consumption

Examples:

DSDV OLSR

Running Demo...

Reactive Routing

On-Demand Protocol - Routes discovered when needed



- Lower routing overhead when idle
- Efficient for sparse traffic
- Initial delay for route discovery
- Latency before first transmission

Examples:

AODV DSR

Run Demo

Reactive Routing

On-Demand Protocol - Routes discovered when needed



- Lower routing overhead when idle
- Efficient for sparse traffic
- Initial delay for route discovery
- Latency before first transmission

Examples:

AODV DSR

Running Demo...

Key Differences

Aspect	Proactive	Reactive
Route Availability	Always available	On-demand only
Routing Overhead	Continuous (periodic updates)	On-demand (when needed)
Initial Latency	None (routes pre-computed)	Route discovery delay
Bandwidth Usage	Higher (constant updates)	Lower (idle periods)
Best Use Case	Frequent communication	Sparse traffic patterns
Scalability	Limited (large routing tables)	Better (only active routes)

Mobile IP Routing Protocols

Proactive vs Reactive Routing Comparison

Proactive Routing

Table-Driven Protocol - Routes maintained continuously



- Routes always available - zero delay
- Quick data transmission
- Continuous routing overhead
- Higher bandwidth consumption

Examples:

DSDV OLSR

Run Demo

Reactive Routing

On-Demand Protocol - Routes discovered when needed



- Lower routing overhead when idle
- Efficient for sparse traffic
- Initial delay for route discovery
- Latency before first transmission

Examples:

AODV DSR

Run Demo

Key Differences

Aspect	Proactive	Reactive
Route Availability	Always available	On-demand only
Routing Overhead	Continuous (periodic updates)	On-demand (when needed)
Initial Latency	None (routes pre-computed)	Route discovery delay
Bandwidth Usage	Higher (constant updates)	Lower (idle periods)
Best Use Case	Frequent communication	Sparse traffic patterns
Scalability	Limited (large routing tables)	Better (only active routes)