

Day : 6

Page No.
 Date: 1/10/26

Employee Data

	A	B	C	D	E	F	G
	Emp Code	Employee name	Address	City	Regi- on	Depart- ment	Basic
2	1	JP Kumar	Andheri (W)	Mumbai	N	Training	10,000
3	2	Anjali Thakur	Gauindpur	Delhi	N	Account	12,000
4	3	Priya Agarwal	Sector 9	Mumbai	N	Marketing	11,250.00
5	4	R. Vashu	Egmore	Ahmednagar	S	R&D	12,000.00
6	5	Sanjay Gupta	Gauindpur	Delhi	N	Training	16,250.00
7	6	J. Vasna	Link Road	Cuttack	E	Account	16,400.00
8	7	Manisha Gupta	Elgin Road	Kolkata	E	Marketing	4,500.00
9	8	Arijun Sain	Ali Pore	Kolkata	E	R&D	6,275.00
10	9	Abhisek	M.G. Road	Mumbai	N	Marketing	6,250.00
11	10	Arijun Kapoor	Mumbai	Bangalore	S	Training	8,750.00

1) Total Basic Salary

Syntax : $=\text{SUM}(\text{number1}, [\text{number2}], \dots)$

Example :- $=\text{SUM}(G2:G10)$
 $= \text{SUM}(G2:G10)$
 $= ₹84,925.00$

2) Average Salary

Syntax : $=\text{AVERAGE}(\text{number1}, [\text{number2}], \dots)$

Example :- $=\text{AVERAGE}(G2:G10)$
 $= ₹9,436.11$

3) Maximum Salary

Syntax : $=\text{MAX}(\text{number1}, [\text{number2}], \dots)$

Example :- $=\text{MAX}(G2:G10)$
 $= ₹16,250.00$

4) minimum salary

Syntax: $= \text{MIN}(\text{number1}, [\text{number2}], \dots)$

Example:

$= \text{MIN}(G2:G10)$

$= ₹ 4,500.00$

5) Count number of salary

Syntax: $= \text{COUNT}(\text{value1}, [\text{value2}], \dots)$

Example: $= \text{COUNT}(G2:G10)$

$= 9$

6) Count number of Employee by name

Syntax: $= \text{COUNTA}(\text{value1}, [\text{value2}], \dots)$

Example: $= \text{COUNTA}(B2:B10)$

$= 2$

7) LARGE

Syntax: $= \text{LARGE}(\text{array}, k)$

$= \text{UNIQUE}(\text{array}, [\text{by col}], [\text{exactly once}])$

Example: $= \text{LARGE}(\text{UNIQUE}(G2:G10), 3)$

$= 11250$

8) Find 2 max salary

Example:

$= \text{LARGE}(\text{UNIQUE}(G2:G10), 2)$

$= 12000$

9) Find 3rd minimum salary
Syntax: = SMALL(array, k)

Example: = SMALL(UNIQUE(G2:G10), 3)
= 6275

10) Find total salary of marketing team
Syntax: = SUMIF(range, criteria, [sum_range])

Example: = SUMIF(F2:F10, F4, G2:G10)
= 15750

12) Find total salary of employee who are all earning
-g 10000

Example:

= SUMIF(G2:G10, G2, G2)
= 10,000

13) Find total salary of employee who are all
earning above 10000

Example:

= SUMIF(G2:G10, ">10000", G2:G10)
= 51500

14) Find average salary of west region employees
Syntax: = AVERAGEIF(range, criteria, [average_range])

Example:

= AVERAGEIF(E2:E10, E2, G2:G10)
= 8125