

PROJECT DOCUMENTAION

TITLE:SWIFT SHIP TRACKER

TEAM ID:SWTID-2026-8054

project done by a team of four members

Team leader: Lakshmipraja.v

Team member:Sharmila.T

Team member:Sowdeeswari.S

Team member:Keerathana.S

submitted by...

Team Leader:V.Lakshmipraja

Reg no:920123104025

NM id:09D0990746B152BA65E483593A143473

1. Project Overview

SwiftShipTracker—centralizedparcelmanagement and tracking on Salesforce.

The SwiftShip Tracker is designed to provide a centralized Salesforce-based parcel management solution that enables customers to book parcels, track delivery status and manage shipments. The project combines custom Salesforce objects, relationships, Flows, Apex, Email Alerts, Experience Cloud,AgentForce A I, Prompt Builder, security controls and reporting.

Reference Details

Area	Purpose / outcome
Centralized data	Parcel and delivery information stored in one Salesforce environment.
Booking	Simplify parcel booking and tracking.
Visibility	Provide real-time shipment visibility.
Automation	Automate delivery updates and customer notifications.
Conversational AI	Enable parcel tracking through AgentForce AI and Prompt Builder.
Operations	Improve agent efficiency through Flows and dashboards.
Security	Provide role-based access for customers,support and administrators.
Component	Source-defined role
Parcel__c	Core parcel details and shipment status.
Delivery__c	Current location, estimated delivery and delivery status.
Sender__c / Receiver__c	Communication and shipment-party information.
Flows / Apex	Automated parcel and delivery operations.
AgentForce / Prompt Builder	Conversational parcel tracking.
Reports / Dashboards	Operational monitoring and performance visibility.

Additional Source Detail

The source describes the project as a Salesforce CRM solution supporting the complete parcel lifecycle from booking and dispatch through tracking and delivery confirmation. Its stated purpose is to centralize parcel and delivery information, simplify booking and tracking, provide real-time shipment visibility, and automate delivery updates and customer notifications.

Section Checklist

- Centralized parcel information
- Customer tracking
- Automation
- AI assistance
- Reporting

2. Project Objectives



The project objectives focus on improving parcel operations and customer communication through Salesforce. The solution is intended to centralize shipment information, reduce manual work and provide conversational access to parcel tracking.

Key Points

- Enable conversational parcel tracking using AgentForce AI and Prompt Builder.
- Improve agent efficiency through Salesforce Flows and dashboards.
- Provide secure, role-based access to customers, agents and support staff.
- Provide real-time shipment visibility and timely customer notifications
- Support reports and dashboards for operational monitoring.

Reference Details

Problem ID	Customer problem
PS-1	Customer / Sender: booking requires support assistance or multiple applications; operations are not centralized; customer feels frustrated.
PS-2	Customer / Sender: no simple real-time tracking experience; shipment information is difficult to access; customer feels confused.
PS-3	Delivery Agent: status updates require manual handling; centralized operational tracking is needed; agent is concerned.
PS-4	Customer: notifications may not be available at every delivery stage; communication needs automation; customer feels uncertain.
PS-5	Admin: parcel flow and delivery performance are difficult to monitor; operational data needs centralized reporting.

Additional Source Detail


The problem template identifies five concrete situations: difficult booking, difficult access to real-time tracking, manual status handling, incomplete delivery notifications, and limited centralized operational monitoring. These problems establish the need for a unified parcel-management environment.

Section Checklist

- Customer visibility
- Agent efficiency
- Secure access
- Notifications
- Operational monitoring

3. Problem Statement

Problems identified for customers, agents and administrators.



The source identifies difficult and inefficient parcel booking and tracking as the central problem. Customers may lack simple tracking visibility, while agents and administrators need a more centralized way to manage shipment information and delivery performance.

Reference Details

User	Need / problem
Customer / Sender	Book a parcel; booking may be difficult or inefficient.
Customer / Sender	Track a parcel; lack of simple real-time tracking creates confusion.
Delivery Agent	Update parcel status; manual handling creates concern.
Customer	Receive updates; incomplete notification coverage creates uncertainty.
Admin	Monitor operations; parcel flow and delivery performance need centralized reporting.

Additional Source Detail

The empathy map identifies convenience, transparency and timely information as important to the customer experience. These findings support later requirements for self-service tracking and automated notifications.

Section Checklist

- Think & Feel
- Hear
- See
- Say & Do
- Pain
- Gain

4. Empathy Map



The empathy map describes the customer's expectations and difficulties throughout parcel booking and delivery. The customer wants convenient booking, clear shipment visibility and timely communication without repeatedly depending on support.

Key Points

- **Think & Feel:** Wants a simple way to book and track parcels.
- **Hear:** Receives delivery information and status updates.
- **See:** Parcel details, tracking status and estimated delivery information. **Say & Do:** Books parcels, checks tracking and asks for delivery updates. **Pain:** Delays, confusion, limited tracking and dependence on support.
- **Gain:** Real-time visibility, self-service tracking, convenient booking and timely .


Additional Source Detail

The source prioritizes automation through Flows, real-time tracking visibility, conversational AI, secure role-based access and reports / dashboards. The selected approach therefore addresses both customer and operational needs.

Section Checklist

- Manual registers
- Spreadsheet tracking
- Standalone portal
- Salesforce + AgentForce AI

5. Brainstorming & Idea Prioritization



The source considers several approaches before prioritizing the Salesforce-based solution.

The selected direction combines centralized parcel data with automation, conversational AI and reporting rather than relying on manual registers or spreadsheets.

Key Points

- Parcel booking parcel record sender + receiver information delivery record. Parcel
- status update current location + estimated delivery automated notifications.
- Customer tracking / AgentForce AI reports and dashboards.
- PromptBuilder retrieves Parcel ID, Status, Weight and Estimated Delivery for the conversational response.

Additional Source Detail

The source sequence links the functional requirements to the later implementation: parcel booking creates the record, sender and receiver information are associated, delivery information is recorded, status and location are updated, notifications are automated, and the customer or agent can use tracking / AgentForce AI. Reports and dashboards provide the monitoring layer.

Section Checklist

- Booking
- Parcel record
- Sender / Receiver
- Delivery
- Status
- Location / ETA
- Notifications
- Tracking
- Reporting

6. Customer Journey Map

The customer journey connects the business process with the Salesforce information flow. Each stage contributes to the final tracking and communication experience.

Reference Details

Stage	Activity
Parcel Booking	Customer initiates the parcel request.
Parcel Record	Shipment information is stored in Salesforce.
Sender + Receiver	Customer and delivery information are associated.
Delivery Record	Delivery information is created.
Status Update	Parcel status changes during shipment.
Location + ETA	Current location and estimated delivery are updated.
Notifications	Automated customer updates are sent.
Tracking / AgentForce	Customer or agent obtains shipment information.
Reports & Dashboards	Operational information is monitored.
NFR	Description
NFR-1	Usability — intuitive Salesforce and customer-facing interface.
NFR-2	Security — role-based and field-level access control.
NFR-3	Reliability — accurate parcel status and delivery information.
NFR-4	Performance — timely Flow and AgentForce responses.
NFR-5	Availability — Salesforce cloud-based access.
NFR-6	Scalability — support growing parcel and delivery operations.
NFR-7	Data Integrity — controlled and related shipment records.
NFR-8	Maintainability — Flows, prompts and configurations can be updated.

Additional Source Detail

The source planning section uses Agile methodology, epics, stories and story points to organize implementation. The backlog and sprint schedule translate the requirements into executable development work.

Section Checklist

- FR-1 Booking
- FR-2 Status
- FR-3 Weight
- FR-4 Estimated delivery
- FR-5 Sender
- FR-6 Receiver
- FR-7 Location
- FR-8 Agent update

7. Functional Requirements

The **functional** requirements define the capabilities expected from the Salesforce parcel-management solution.

Reference Details

FR	Requirement
FR-1	Parcel booking and record creation
FR-2	Parcel status tracking
FR-3	Weight management
FR-4	Estimated delivery date management
FR-5	Sender information management
FR-6	Receiver information management
FR-7	Delivery and current-location tracking
FR-8	Agent parcel status updates
FR-9	Automated customer notifications
FR-10	AI-powered parcel tracking
FR-11	Reports and dashboards
FR-12	Customer access through Experience Cloud


Additional Source Detail

The functional requirements are complemented by non-functional requirements for usability, security, reliability, performance, availability, scalability, data integrity and maintainability.

Section Checklist

- Usability
- Security
- Reliability
- Performance
- Availability
- Scalability
- Data integrity
- Maintainability

8. Non-Functional Requirements & Data Flow



The source also defines non-functional expectations such as usability, security, reliability, performance,availability, scalability, data integrity and maintainability.The information flow starts with parcel booking and record creation, continues through delivery and status updates,and ends with tracking, notifications and reporting.

Reference Details

Step	Information flow
1	Parcel Record
2	Parcel Booking
3	Sender + Receiver Information
4	Delivery Record
5	Parcel Status Update
6	Customer Tracking / AgentForce AI
7	Automated Notifications
8	Current Location + Estimated Delivery
9	Reports & Dashboards

Additional Source Detail

The source shows the parcel sequence as Booking Parcel Record Sender + Receiver Delivery Record Status Update Location / Estimated Delivery Notifications Tracking / AgentForce Reports & Dashboards.

Section Checklist

- Booking
- Parcel record
- Delivery
- Status
- Location / ETA
- Notifications
- AgentForce
- Reporting

9. Technology Stack

The technology stack separates the user interface, data model, business logic, automation, AI, security and analytics responsibilities.

Reference Details

Layer	Technology
Platform	Salesforce Developer Edition
UI	Lightning App Page, Lightning Record Pages, Experience Cloud
Database	Salesforce Custom & Standard Objects
Business Logic	Salesforce Flows and Apex Classes
Automation	Record-Triggered, Auto-Launched, Approval and Scheduled Flows
AI	AgentForce AI, Prompt Builder, Parcel Tracking Agent
Notifications	Email Alerts and Email Templates
Security	Profiles, Permission Sets, Roles, Sharing Rules, Field-Level Security
Reporting	Reports & Dashboards

Additional Source Detail

The technology stack keeps the Salesforce platform at the center of the project, with Flows and Apex for business logic and AgentForce / Prompt Builder for AI.

Section Checklist

- Platform
- UI
- Database
- Business logic
- Automation
- AI
- Security
- Reporting

10. Problem–Solution Fit

The **source** connects the main business problems with specific Salesforce capabilities and expected benefits.

Reference Details

Problem	Solution	Benefit
Difficult booking / tracking	Salesforce parcel management	Centralized process
Tracking requires support	AgentForce AI + Prompt Builder	Self-service tracking
Manual status updates	Salesforce Flows	Automated processes
Communication gaps	Email Alerts	Timely notifications
Scattered information	Parcel, Delivery, Sender & Receiver objects	Structured data
Difficult monitoring	Reports & Dashboards	Operational visibility
Access differences	Profiles, Roles, Permission Sets	Controlled access
Complex operations	Integrated Salesforce platform	Single management environment
Parameter	Source description	
Problem	Difficult and inefficient parcel booking and tracking.	
Solution	Salesforce-based Parcel Management System.	
Innovation	AgentForce AI + Prompt Builder for conversational self-service tracking.	
Technology	Salesforce CRM, custom objects, Flows, Apex, Email Alerts, Experience Cloud and reporting.	
Outcome	Centralized parcel information, automation, tracking visibility and customer communication.	
Architecture layer	Source components	
Users	Customer, Delivery Agent, Support Staff and Admin.	
Platform / UI	Salesforce Lightning and Experience Cloud.	
Data	Parcel, Delivery, Sender and Receiver.	
Automation	Flows, Approval Processes, Apex, Batch Apex and Email Alerts.	
AI	AgentForce AI, Prompt Builder and Parcel Tracking Agent.	
Security	Profiles, Roles, Permission Sets, Sharing Rules and Field-Level Security.	
Analytics	Reports and Dashboards.	

Additional Source Detail

The proposed architecture is layered around users, Salesforce platform / UI, data, automation, AI, security and analytics. The project innovation is the combination of AgentForce AI and Prompt Builder with the Salesforce parcel-management data and Flow automation.

Section Checklist

- Problem
- Solution
- Benefit

11. Proposed Solution & Architecture

The proposed solution is a Salesforce-based Parcel Management System. The project identifies AgentForce AI and Prompt Builder as the innovation for conversational self-service tracking, supported by automated Salesforce processes.

Key Points

- Users interact through Lightning / Experience Cloud.
- Custom objects store parcel and delivery information.
- Flows, Apex and Email Alerts automate operational processes.
- AgentForce AI and Prompt Builder provide conversational parcel tracking.
- Security controls restrict access by user role.
- Reports anddashboards provide operational visibility.

Reference Details

Layer	Components
Users	Customer, Delivery Agent, Support Staff and Admin
Platform / UI	Salesforce Lightning and Experience Cloud
Data	Parcel, Delivery, Sender and Receiver
Automation	Flows, Approval Processes, Apex, Batch Apex and Email Alerts
AI	AgentForce AI, Prompt Builder and Parcel Tracking Agent
Security	Profiles, Roles, Permission Sets, Sharing Rules and Field-Level Security
Analytics	Reports and Dashboards


Additional Source Detail

The project innovation identified in the source is AgentForce AI + Prompt Builder for conversational self-service tracking and automated operational support.

Section Checklist

- Users
- Platform
- Data
- Automation
- AI
- Security
- Analytics

12. Project Planning



The project uses Agile methodology with epics, user stories and story points. Sprint-based execution and velocity calculation are used for estimation and progress planning.

Key Points

- Agile methodology
- Epics Stories Story Points
- Sprint-based execution
- Velocity calculation for estimation

Additional Source Detail

The source schedule uses six-day sprints and assigns 20 total story points to each planned sprint. The sequence progresses from setup and data modeling to automation, Apex, reporting and AI.

Section Checklist

- Agile
- Epics
- Stories
- Story points
- Sprints
- Velocity

13. Product Backlog

The **backlog** converts the requirements into implementation tasks and user stories.

Reference Details

Sprint	User Story	Points	Priority
Sprint-1	Create and configure the Salesforce environment	3	High
Sprint-2	Create Parcel, Delivery, Sender and Receiver objects with	5	High
Sprint-2	Create dedicated tabs and Lightning App (USN-3).	5	High
Sprint-3	Validate parcel details, mandatory fields and booking	3	High
Sprint-3	Automate parcel status and delivery updates using Flows	3	High
Sprint-4	Use Apex triggers and classes for critical parcel / delivery	5	High
Sprint-4	Use Batch Apex for periodic parcel / delivery processing	5	High
Sprint-5	Create reports for status, delivery performance and	4	High
Sprint-6	Create dashboards and AgentForce tracking assistance	4	Medium

Additional Source Detail

The backlog turns the requirements into user stories covering Salesforce setup, data modeling, navigation, validation, automation, Apex, Batch Apex, reports, dashboards and AgentForce. Story points and priority are recorded for each story in the source.

Section Checklist

- Setup
- Data modeling
- Automation
- Apex
- Reports
- Dashboards
- AgentForce

14. Sprint Schedule

The Source schedule assigns 20 story points to each sprint and plans a six-day duration for each sprint.

Key Points

- Sprint planning uses 20 total story points and a six-day duration for each sprint.
- Sprint-1 completed 20 points and had an actual release date of 29 Oct 2022.
- The remaining sprint rows in the source provide planned start and end dates for the project sequence.
- The same planning section introduces requirement analysis and defines the system scope and user personas.

Reference Details

Sprint	Points	Start	Planned End
Sprint-1	20	24 Oct 2022	29 Oct 2022
Sprint-2	20	31 Oct 2022	05 Nov 2022
Sprint-3	20	07 Nov 2022	12 Nov 2022
Sprint-4	20	14 Nov 2022	19 Nov 2022
Sprint-5	20	21 Nov 2022	26 Nov 2022
Sprint-6	20	28 Nov 2022	03 Dec 2022

Additional Source Detail

The development phase begins with requirement analysis and planning. The source identifies customers, delivery agents and administrators as key personas and defines the end-to-end parcel lifecycle, data model, automation, AI and reporting scope.

Section Checklist

- Sprint 1
- Sprint 2
- Sprint 3
- Sprint 4
- Sprint 5
- Sprint 6

15. Project Scope & Objectives

The source defines a scalable CRM solution for parcel delivery businesses covering booking, dispatch, tracking and delivery confirmation. The project also includes data modeling, automation, AI prompts, dashboards, role-based access, security and operational visibility.

Key Points

- Build a scalable CRM solution for parcel delivery businesses.
- Support parcel booking dispatch tracking delivery confirmation.
- Use Salesforce Flows, Apex, Email Alerts, Prompt Builder and AgentForce AI.
- Provide role-based access and secure shipment information.
- Improve shipment visibility and agent efficiency.

Reference Details

User / stakeholder	Key need
Customer / Sender	Book parcels, track deliveries and receive real-time updates.
Delivery Agent	Manage assigned parcels, update status and ensure timely handover.
Customer Support Team	Handle delivery issues, queries and communication.
Admin Team	Configure Salesforce, manage roles, security and operational performance.
SystemIntegrator / Developer	Implement automation, AI agent setup and backend integrations.

Additional Source Detail

The source identifies both business users and implementation tools. The planned Salesforce features include custom and standardobjects,several Flow types, Apex, Lightning and Experience Cloud, AgentForce AI, Email Alerts and security controls.

Section Checklist

- Booking
- Dispatch
- Tracking
- Delivery confirmation
- Security
- Reporting

16. Users & Tools

Stakeholders and tools identified in the source.

The project identifies customers / senders, delivery agents, customer support, administrators and the system integrator / developer as key users or stakeholders.

Key Points

- Customers / Senders: book parcels, track deliveries and receive updates.
- Delivery Agents: manage assigned parcels and update delivery status.
- Customer Support: handle delivery issues and queries.
- Admin Team: configure Salesforce, manage roles and monitor performance.
- System Integrator / Developer: implement automation and AI setup.

Reference Details

Tool / feature	Use in the project
Salesforce Developer Org	Configuration, development and testing.
Prompt Builder / AgentForce AI	Intelligent parcel tracking prompts and responses.
Salesforce Flow Builder	Automate booking, tracking and delivery updates.
Google Sheets / Docs	Initial data planning, requirements documentation and system mapping.
Custom Objects	Parcel__c, Delivery__c, Sender__c, Receiver__c.
Standard Objects	Account, Contact, Case, Task, EmailMessage, User.
Apex	Apex Classes and Batch Apex for automated parcel operations.
UI	Lightning App, Dynamic Forms, Lightning Record Pages and Experience Cloud.
Security	Profiles, Permission Sets, Role Hierarchies, Field-Level Security and Sharing Rules.
Security control	Source design
Role hierarchy	Administrator Delivery Manager Agent Customer.
Admin profile	Full access to objects and records.
Delivery Agent profile	Read/Edit access to Parcel, Delivery, Sender and Receiver.
Customer profile	Read-only access to own parcel details via Experience Cloud.
Support Staff profile	Access to Cases and Parcel details for issue resolution.
Record-level security	Sharing Rules for Parcel__c and Delivery__c.
Field-level security	Sensitive email, contact and location fields restricted to Admin / Agent.

Additional Source Detail

The selected tools in the source include Salesforce Developer Org, Salesforce Flows, Prompt Builder and AgentForce AI. These tools support configuration, automation, AI setup and testing.

Section Checklist

- Customer
- Delivery Agent
- Support
- Admin
- Developer

17. Custom Objects & Relationships

Field Name	API Name	Data Type	Description
Current Location	Current_Location__c	Geolocation	Location in terms of longitude and latitude.
Estimated Delivery	Estimated_Delivery_Date__c	Date	Expected Delivery Date
Sender	Sender__c	Lookup Relationship	Gets Details from Sender
Parcel	Parcel__c	Lookup Relationship	Gets Details from Parcel

The source creates Parcel, Delivery, Sender and Receiver custom objects and links them through relationships.

Reference Details

Object	Purpose
Parcel__c	Core parcel record including Parcel ID, Status, Weight and Estimated Delivery Date.
Delivery__c	Delivery information including current location and estimated delivery.
Sender__c	Sender address, contact and email information.
Receiver__c	Receiver address, contact and email information; linked with Sender and Parcel.



Additional Source Detail

The object relationships allow the system to associate both ends of a shipment and connect delivery information with the parcel. This structure supports tracking and communication throughout the shipment lifecycle.

Section Checklist

- Parcel
- Delivery
- Sender
- Receiver
- Relationships

18. Salesforce Developer Account



The source begins implementation by creating a Salesforce Developer account and verifying the account before entering Salesforce Setup.

Key Points

- Enter first name and last name.
- Enter a valid email address.
- Select Developer as the job title.
- Enter the college name as the company. Select India as the country.
- Verify the account, set a password and security question, then open
- Salesforce Setup.


Additional Source Detail

After account verification, the source directs the user to Salesforce Setup, where the remaining milestones are configured.

Section Checklist

- Sign up
- Verify
- Password
- Security question
- Setup

19. Custom Object Creation



The source uses Setup Object Manager Create Custom Object for the custom objects used by SwiftShip Tracker. The objects are configured with labels, plural labels, record names and settings such as search and field-history tracking where specified.

Reference Details

Object	Creation focus
Parcel	Core parcel management object
Delivery	Delivery tracking object
Sender	Sender information object
Receiver	Receiver information object


Additional Source Detail

The source configures object settings such as Allow Search and Track Field History where required. The four custom objects form the data foundation for the application.

Section Checklist

- Parcel
- Delivery
- Sender
- Receiver

20. Tabs & Application Navigation



The source creates custom tabs for Parcel, Delivery, Sender and Receiver and adds the required modules to the application navigation.

Key Points

- Open Setup and search for Tabs.
- Create a Custom Object Tab for Parcel.
- Repeat the process for Delivery, Sender and Receiver
- Add the tabs to the Swift Ship application.


Additional Source Detail

The custom tabs are then used in the Swift Ship application so users can access Parcel, Delivery, Sender and Receiver records from the navigation.

Section Checklist

- Parcel tab
- Delivery tab
- Sender tab
- Receiver tab
- Application navigation

21. Fields & Relationships



The source creates fields and relationships for the four custom objects. Parcel fields include Parcel ID, Status, Weight and Estimated Delivery; Delivery includes Current Location and related delivery information. Sender and Receiver use address, contact and email fields. Geolocation is specified for address/location fields where required.

Reference Details

Object	Representative fields
Parcel	Parcel ID, Status, Weight, Estimated Delivery, Sender, Receiver
Delivery	Current Location, Estimated Delivery, Sender, Parcel
Sender	Sender Address, Sender Contact, Sender Email
Receiver	Receiver Address, Receiver Contact, Receiver Email

Additional Source Detail

Geolocation is used for Current Location and address fields where specified in the source. Relationships connect Sender and Receiver information to the Parcel and Delivery records.

Section Checklist

- Parcel fields
- Delivery fields
- Sender fields
- Receiver fields
- Relationships

22. Prompt Builder

Designing the prompt used for parcel tracking.

Field Name	API Name	Data Type	Description
Receiver Address	Receiver_Address__c	Geolocation	Location in terms of longitude and latitude.
Receiver Contact	Receiver_Contact__c	Phone	To contact the Receiver
Receiver Email	Receiver_Email__c	Email	To send email Notification.
Sender	Sender__c	Lookup Relationship	Gets Details from Sender
Parcel	Parcel__c	Lookup Relationship	Gets Details from Parcel

The source creates a Prompt Builder configuration named Retrieve Parcel Details. The prompt retrieves parcel details where Parcel_ID matches the user input and prepares a tracking response.

Key Points

- Label: Retrieve Parcel Details
- API Name: Retrieve_Parcel_Details
- Purpose: Retrieves parcel details where Parcel_ID matches the user input.
- Tracking output: Parcel Name, Parcel ID, Status, Weight and Estimated Delivery Date
- Test query: “Track parcel P-12345”


Additional Source Detail

The Prompt Builder configuration is tested from the Agent preview with a query such as “Track parcel P-12345”. The expected response is taken from the matching Parcel record.

Section Checklist

- Prompt label
- API name
- Prompt content
- Agent preview
- Tracking response

23. Salesforce Flow — Parcel Details



The source creates an Auto-Launched Flow with an input variable for the parcel identifier and an output variable for the response.

Key Points

- Get Parcel Records where Parcel_ID__c equals the input ids.
- Run the Retrieve Parcel Details / Parcel Updates action.
- Assign the Prompt Response to the Output variable. Connect
- Start Get Records Action Assignment End.
- Save the Flow as Parcel Details and activate it.
- ConfigureFlow UserAccess.


Additional Source Detail

The Flow is saved as Parcel Details, activated and given Flow User Access. This creates the controlled connection between the AgentForce request andSalesforce parcel data.

Section Checklist

- Input variable
- Get Records
- Action
- Assignment
- End
- Activation

24. AgentForce Configuration & Testing



The AgentForce phase configures permissions, enables AgentForce services, creates the Parcel Updates subagent and connects the parcel Flow as an Agent Action. The agent is renamed SwiftShip Tracker and activated after the Flow action is assigned.

Key Points

- Create the SwiftShip permission set with Einstein Agent license.
- Grant required Read, Create and Edit access to Parcel, Delivery, Sender and Receiver.
- Enable AgentForce and the default AgentForce agent.
- Create the Parcel Updates subagent.
- Add the recently created Flow as an Agent Action.
- Assign the action to the subagent, rename the agent and activate it.


Additional Source Detail

The AgentForce setup includes permissions, default-agent services, the Parcel Updates subagent, Flow action assignment and activation. The source then moves into testing and security validation.

Section Checklist

- Permission set
- AgentForce services
- Subagent
- Flow action
- Activation
- Testing

25. Testing, Advantages, Limitations & Future Scope



Testing validates topic recognition, Flow execution, parcel data retrieval, status handling, permissions and the resulting Salesforce record. The source states that the project is implemented in a Salesforce Developer Org for learning purposes. Advantages include centralized parcel and customer information, better booking and tracking visibility, automation through Flows, conversational AgentForce support, timely notifications and reporting.

Reference Details

Limitations	Future scope
Depends on accurate Salesforce data and configuration.	Enhance real-time delivery tracking.
AgentForce responses depend on prompts and available data.	Extend AgentForce for more parcel-management queries.
External logistics integrations may increase complexity.	Expand Experience Cloud self-service and analytics.
Flow and automation logic require maintenance.	Improve AI prompts and integrate additional logistics systems.
Initial implementation can require significant effort.	Introduce enterprise sandbox / CI-CD deployment and expand automation.

Additional Source Detail

The source identifies limitations including dependence on accurate data, Salesforce configuration and prompts, external integration complexity and ongoing Flow maintenance. Future scope includes broader AgentForce queries, real-time tracking, Experience Cloud self-service, analytics, logistics integrations and enterprise sandbox / CI-CD deployment.

Section Checklist

- Advantages
- Limitations
- Maintenance
- Future scope
- Enterprise deployment