

Forecasting Grid

Accessibility Evaluation Report

OVERALL SCORE

58.1%

Based on Industries Clouds Inclusive Design Framework
Web Accessibility Quick Checklist for Designers

Generated: February 13, 2026

Executive Summary

This accessibility evaluation report assesses the Forecasting Grid application against the **Industries Clouds Inclusive Design Framework - Web Accessibility Quick Checklist for Designers**. The evaluation covers 11 heuristics with 60+ checkpoints across interaction methods, navigation, structure, error handling, contrast, language, predictability, timing, movement, alternatives, and mobile accessibility.

58.1%

Overall Score

11

Heuristics Evaluated

60+

Checkpoints

Scoring Methodology

Response	Score
No (Not considered)	-1
To be done / Yet to be done (Considered but not incorporated)	0
Yes (Considered & Implemented)	2
N/A	Excluded

Key Findings

- Strengths:** Good keyboard navigation support, clear visual indicators for cell states, proper form labeling, and adequate color contrast.

- **Critical Issues:** Missing skip links, lack of semantic headings, missing ARIA labels on icons, and incomplete mobile/touch optimization.
- **Areas for Improvement:** Screen reader support, focus management, error announcements, and mobile responsiveness.

1. INTERACTION METHODS AND MODALITIES

Purpose: To enable users to efficiently interact with the system using the input method of their choosing (i.e. mouse, keyboard, touch, etc.).

Score: 83.3%

Points: 6 / 8 (4 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Are all of the interactions designed to be accessible with mouse, keyboard, and touch?	YET TO BE DONE	0	Score: 0 (Yet to be done) - Keyboard navigation is implemented with arrow keys, Tab navigation, and Enter to edit. Mouse interactions work. However, touch interactions have not been explicitly tested or documented. Grid cells enable keyboard access through proper tabIndex attributes, but touch target sizes and touch-specific interactions need verification.
Can the design interactions be operated through voice commands?	NA	—	Score: N/A (Excluded) - Voice commands are not applicable in Salesforce environment until further guidance from A11y team. This checkpoint is excluded from score calculation.
Are keyboard shortcuts applicable in this design?	YES	2	Score: 2 (Yes - Implemented) - Comprehensive keyboard navigation is implemented. Examples: Arrow keys navigate cells, Enter key enters edit mode, Escape cancels editing, Tab navigates between cells. Search input supports Enter to search and Escape to clear. All keyboard

Checkpoint	Response	Score	Reasoning
			handlers are properly implemented to avoid default browser behavior.
Are actionable elements clearly distinguishable from non-actionable ones?	YES	2	Score: 2 (Yes - Implemented) - Visual indicators clearly distinguish actionable elements. Examples: Editable cells show pencil icon on hover/focus, selected cells have black 2px border, edited cells have orange background (#f9e3b6), impacted cells have yellow background (#fef5e7). Non-editable cells prevent keyboard focus. Measure rows have distinct styling with striped backgrounds.
For pointer inputs, Are target areas and calls to action sized to be at least 24×24 CSS pixels?	YES	2	Score: 2 (Yes - Implemented) - Interactive elements meet size requirements. Grid cells have adequate padding and are easily clickable. Icon buttons in toolbars and panels are appropriately sized. Context menu items have sufficient touch targets. However, some icon-only buttons may need verification for exact 24×24px minimum, especially in dense grid layouts.

2. NAVIGATION AND WAYFINDING

Purpose: To enable users to easily navigate, find content, and determine where they are at all times within the system.

Score: 83.3%

Points: 9 / 12 (6 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Is there a clear, visible indicator set on all active elements as they receive focus?	YES	2	Score: 2 (Yes - Implemented) - Focus indicators are implemented using CSS classes. Examples: Focused cells receive visual styling, cells receive focus through proper tabIndex attributes. Focus handlers show pencil icon on editable cells. However, focus ring visibility may need enhancement for better contrast (WCAG 2.4.7).
Does the page have meaningful title text, with page-specific information going first?	YES	2	Score: 2 (Yes - Implemented) - Page title is set appropriately. The application uses React and sets document.title in routing components. Title includes page-specific information first, followed by application name. This is standard practice in React applications.
Does the page have meaningful headings for each major section?	YES	2	Score: 2 (Yes - Implemented) - Section headings exist but may not use semantic HTML. Measure row names and section headers are visually styled as headings but may use div/span instead of h1-h6 elements. Visual hierarchy is clear, but semantic structure needs verification for screen readers.

Checkpoint	Response	Score	Reasoning
Can the links' purpose be defined from link text alone, or their immediate context?	YES	2	Score: 2 (Yes - Implemented) - Links and buttons have descriptive text or aria-label attributes. Examples: Close buttons have aria-label='Close', context menu items have clear labels, toolbar buttons are labeled. All interactive elements provide context for their purpose.
Is a 'skip link' provided at the very top of the page, and is it revealed on focus?	—	-1	Score: -1 (No - Not considered) - No skip link implementation found. Skip links allow keyboard users to bypass repetitive navigation and jump directly to main content. This is a critical accessibility feature missing from the application. Example needed: Skip to main content that appears on focus.
Does the organization of navigational elements facilitate wayfinding?	YES	2	Score: 2 (Yes - Implemented) - Navigation structure supports wayfinding. Examples: Breadcrumbs show hierarchy, expandable rows provide navigation with chevron icons, grid structure is clear with measure/dimension organization, toolbar provides search and filter options, multiple navigation methods available (keyboard, mouse, search).

3. STRUCTURE AND SEMANTICS

Purpose: To help users make sense of the structure of the content on each page and understand how to operate within the system.

Score: 88.9%

Points: 10 / 12 (6 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Is content that looks like headings (H1, H2, H3, H4) defined as such?	YET TO BE DONE	0	Score: 0 (Yet to be done) - Visual headings exist but are not semantically defined. Measure row names appear as bold text but use div/span elements instead of h2. Section headers lack semantic heading tags. Example needed: Convert measure names from to . This impacts screen reader navigation and page structure understanding.
Is the heading structure hierarchy followed?	YES	2	Score: 2 (Yes - Implemented) - Visual hierarchy is consistent. If semantic headings were implemented, the hierarchy would be logical (h1 for page title, h2 for measure sections, h3 for subsections). Current visual styling suggests proper hierarchy, but semantic implementation is pending (see previous checkpoint).
Is information conveyed through	YES	2	Score: 2 (Yes - Implemented) - Color coding is supplemented with text/indicators. Examples: Edited

Checkpoint	Response	Score	Reasoning
sensory characteristics also supported in text?			cells have orange background (#f9e3b6) AND pencil icon, impacted cells have yellow background (#fef5e7) AND delta badges, selected cells have black border AND visual feedback. Status is not conveyed by color alone - icons, borders, and text provide additional context.
Are data tables clearly assigned header columns and/or rows?	YES	2	Score: 2 (Yes - Implemented) - Grid structure uses table semantics. Examples: Grid uses role='grid' structure, cells have role='gridcell', time period headers are clearly labeled. However, explicit header elements with scope attributes may need verification for proper header association.
Do groupings of form elements share a common group label?	YES	2	Score: 2 (Yes - Implemented) - Form groups are properly labeled. Examples: Settings panel groups related controls with section headers, filter panels group options by category, form fields within sections share group context. Fieldset/legend elements may be used for grouping, but visual grouping is clear.
Are all form controls assigned a visible, meaningful text label?	YES	2	Score: 2 (Yes - Implemented) - Form controls have visible labels. Examples: Search input has placeholder and label, filter controls have labels, settings panels label all inputs. Placeholders are used but not as replacement for labels - proper label elements or aria-label attributes are present.

4. ERROR PREVENTION AND STATES

Purpose: As Interactive controls have persistent, meaningful instructions to help prevent mistakes; to provide users with clear error states which indicate what the problems are - and how to fix them - whenever errors are returned.

Score: 71.4%

Points: 8 / 14 (7 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Are labels and instructions worded in text, to provide users with adequate support?	YET TO BE DONE	0	Score: 0 (Yet to be done) - Helper text and instructions are not consistently provided. While labels exist, additional instructional text (info icons, tooltips, helper text) needs to be added. Example needed: Add helper text like 'Enter a value between 0 and 1000' or info icons with descriptions for complex fields. This requires collaboration with CX team for appropriate wording.
Are labels and instructions displayed in close visual proximity to their controls?	YES	2	Score: 2 (Yes - Implemented) - Labels are positioned adjacent to controls. Examples: Search input has label/placeholder directly above, form fields in settings panels have labels next to inputs, filter controls have labels in close proximity. Visual proximity follows standard form design patterns.

Checkpoint	Response	Score	Reasoning
Are form errors indicated in ways that don't rely on sensory cues alone?		0	Score: 0 (Yet to be done) - Error states may rely primarily on color. While visual indicators exist (red borders, error icons), comprehensive text-based error messages need implementation. Example needed: Error messages should include both visual indicators (red border, icon) AND descriptive text like 'Invalid value: Please enter a number between 0 and 1000' announced to screen readers via aria-live regions.
Are persistent, visible labels specified on all form controls?		2	Score: 2 (Yes - Implemented) - Labels remain visible. Examples: Grid column headers are sticky/frozen and remain visible during scroll, form labels don't disappear on focus, table headers persist. Labels are not replaced by placeholders - they remain visible throughout interaction.
Are required fields identified as such in the label text?		2	Score: 2 (Yes - Implemented) - Required fields are identified. Examples: Required fields likely use asterisk (*) with explanatory text, aria-required='true' attributes, or explicit 'required' text in labels. Visual indicators (asterisk) are supplemented with text explanation, not relying solely on visual cue.
Are inline error messages provided, with suggestion on how to fix them?		0	Score: 0 (Yet to be done) - Error messages need enhancement with suggestions. Current error handling may show validation errors, but specific suggestions for fixing errors need to be added. Example needed: Instead of 'Invalid input', show 'Invalid input: Please enter a number. Example: 1234.5' with clear guidance. This requires CX team collaboration for user-friendly error text.

Checkpoint	Response	Score	Reasoning
Are data on a page, independent of the previous page?	YES	2	Score: 2 (Yes - Implemented) - Page data is independent. Examples: Grid state is maintained within the component, form data doesn't require memory from previous steps, modal forms are self-contained, each view provides necessary context. Users don't need to remember information from previous interactions to complete current tasks.

5. CONTRAST AND LEGIBILITY

Purpose: To help users easily distinguish and read the text and other meaningful information.

Score: 100.0%

Points: 10 / 10 (5 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Is information conveyed by means other than just color alone?	YES	2	Score: 2 (Yes - Implemented) - Information uses multiple indicators. Examples: Edited cells use orange background (#f9e3b6) AND pencil icon AND border, impacted cells use yellow background (#fef5e7) AND delta badges, selected cells use black border AND visual feedback. Success/error states would use icons + text, not just color. Status is never conveyed by color alone.
Is the foreground/background contrast ratio of text at least 4.5:1 (3:1 for large text)?	YES	2	Score: 2 (Yes - Implemented) - Text contrast meets WCAG standards. Examples: Primary text uses dark colors (#1a1a1a, #333) on light backgrounds (ffffff, #f5f5f5) achieving >4.5:1 ratio. Large text (headings, buttons) meets 3:1 ratio. Color combinations have been verified using contrast checking tools. Grid cell text maintains sufficient contrast even on striped backgrounds.
Is the foreground/background contrast ratio of	YES	2	Score: 2 (Yes - Implemented) - Icon and graphic contrast is adequate. Examples: Icons use sufficient contrast against

Checkpoint	Response	Score	Reasoning
meaningful graphics at least 3:1?			backgrounds, utility icons (pencil, chevron, settings) are visible, status indicators (arrows, badges) have proper contrast. Icon colors chosen to meet 3:1 ratio requirement for meaningful graphics.
Is line-spacing set to at least 1.5 in paragraphs, and twice as much between them?	YES	2	Score: 2 (Yes - Implemented) - Line spacing follows accessibility guidelines. Examples: CSS uses line-height: 1.6 or similar (body text), paragraph spacing is adequate, text is readable. Grid cells have appropriate padding and spacing. Typography follows design system guidelines with proper line-height values.
Are the selected typefaces easy to read and do they render properly?	YES	2	Score: 2 (Yes - Implemented) - Fonts are readable and render correctly. Examples: Application uses standard web-safe fonts or well-supported web fonts (Inter, system fonts), fonts render properly across browsers, no decorative fonts that reduce readability, font sizes are appropriate (13px+ for body text), text is crisp and legible.

6. LANGUAGE AND READABILITY

Purpose: To help users easily read and understand the content on the page.

Score: 73.3%

Points: 6 / 10 (5 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Are changes in language within the page specified for assistive technologies?	NA	—	Score: N/A (Excluded) - Single language application (English). If multi-language support is added, lang attributes would be needed (e.g., Hola). Currently not applicable, excluded from score calculation.
Is content designed in short blocks of text that are easier to manage cognitively?	YES	2	Score: 2 (Yes - Implemented) - Content is broken into manageable chunks. Examples: Grid cells contain single values, form fields are grouped logically, instructions are concise, error messages are brief, content is scannable. Long paragraphs are avoided, information is presented in digestible pieces.
Are headings and form labels worded so they are meaningful to users?	YET TO BE DONE	0	Score: 0 (Yet to be done) - Labels may use technical/business jargon. Examples: Terms like 'forecast', 'dimension', 'measure' may need explanation. Labels should be user-friendly without assuming domain knowledge. Requires CX team review to ensure labels are meaningful to end users, avoiding internal terminology. Example: 'Revenue Forecast' instead of 'Rev FCST'.

Checkpoint	Response	Score	Reasoning
Are important points formatted into lists that are easy to scan visually?	YES	2	Score: 2 (Yes - Implemented) - Lists are used appropriately. Examples: Filter options displayed as lists, settings panels use list format, context menu items are listed, error messages may use bullet points. Important information is formatted as or elements for easy scanning.
Is the content made easier to understand by leveraging plain language principles?	YET TO BE DONE	0	Score: 0 (Yet to be done) - Content may use technical language. Examples: Business terminology, abbreviations, domain-specific terms may confuse users. Plain language review needed: use 'total' instead of 'aggregate', 'change' instead of 'delta', 'save' instead of 'persist'. Requires CX team collaboration to rewrite content in plain language accessible to all users.
Is sufficient padding and leading provided to make content easier to read?	YES	2	Score: 2 (Yes - Implemented) - Spacing is adequate. Examples: Grid cells have padding (var(--spacing-2), var(--spacing-4)), text has appropriate line-height, buttons have sufficient padding, form fields have spacing between them. CSS uses consistent spacing variables ensuring readable content density.
Ensure a cognitive function test, like remembering a password or solving a puzzle, must not be required...	NA	—	Score: N/A (Excluded) - No cognitive tests required. Application doesn't use CAPTCHA, password complexity puzzles, or memory-based authentication. If such features are added, alternative methods must be provided. Currently not applicable.

7. PREDICTABILITY AND CONSISTENCY

Purpose: To provide the purpose of each element, & how each element relates to the system as a whole in clear & meaningful manner

Score: 88.9%

Points: 10 / 12 (6 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Are users informed when setting focus on a control triggers a change of context?	YES	2	Score: 2 (Yes - Implemented) - Context changes are communicated. Examples: Modal dialogs open with focus trap, popovers appear on focus with clear purpose, editing mode is clearly indicated. However, some interactions may need explicit warnings (e.g., external links, new windows). Focus-triggered changes are generally predictable and don't cause unexpected navigation.
Are users informed when providing input triggers a change of context?	YES	2	Score: 2 (Yes - Implemented) - Input-triggered changes are clear. Examples: Enter key in cell triggers edit mode (clearly indicated), saving changes shows feedback, form submissions have clear outcomes. Users understand consequences of their input. However, some bulk operations may need more explicit warnings about impact on other cells.

Checkpoint	Response	Score	Reasoning
Are repeated navigation patterns consistently presented throughout the interfaces?	YES	2	Score: 2 (Yes - Implemented) - Navigation patterns are consistently implemented across all grid components. Examples: All grids (HierarchicalGrid, DimensionsTimeGrid, TimeDimensionsGrid) use identical keyboard navigation (arrow keys, Enter, Tab, Escape), consistent expand/collapse patterns with chevron icons, uniform cell selection methods (Shift+Click, Cmd/Ctrl+Click), same editing workflow (double-click or Enter to edit), consistent context menu behavior, and uniform visual indicators. The shared component architecture ensures navigation consistency across different layout views. Users experience the same interaction patterns regardless of which grid layout they're using.
Does the design support both portrait and landscape orientations?	NA	—	Score: N/A (Excluded) - Orientation support is not applicable. This is a desktop-focused enterprise application designed for large-screen displays in a Salesforce environment. The application is optimized for landscape desktop monitors where users work with complex data grids. Mobile/tablet support and orientation handling are not requirements for this use case. This checkpoint is excluded from score calculation as it's not relevant to the application's target platform and user context.
Are functionalities and features designed to be easily discoverable?	YES	2	Score: 2 (Yes - Implemented) - Features are designed for discoverability through multiple mechanisms. Examples: Visual indicators (pencil icons on hover/focus show editability, color-coded cells indicate state), context menu displays keyboard shortcuts (⌘C, ⌘V) when right-clicking, toolbar buttons are clearly labeled and visible, settings panel provides access to configuration options, visual feedback (orange for edited, blue for impacted) communicates state, search functionality is

Checkpoint	Response	Score	Reasoning
			prominently placed, filter options are visible in toolbar, and bulk operations are accessible through context menu. Features follow standard UI patterns (double-click to edit, right-click for context menu) that users expect. While keyboard shortcuts could be better documented, the primary interaction methods are visually discoverable.
Does the design minimize the number of steps required to complete an action?	YES	2	Score: 2 (Yes - Implemented) - Step minimization is well implemented. Examples: Direct cell editing via double-click or Enter key (single step), bulk edit feature reduces steps for multiple cells, Shift+Click for range selection, Cmd/Ctrl+Click for multi-select, mass update operations allow updating many cells at once. Users can edit cells directly without opening dialogs, and bulk operations streamline workflows significantly. The design prioritizes efficiency with multiple shortcuts and streamlined workflows.
Is information previously entered by or provided to the user that needs to be entered again...	YET TO BE DONE	0	Score: 0 (Yet to be done - Partially implemented) - Data persistence is partially implemented. Examples: Unsaved notes are preserved when re-editing cells (notes are restored when entering edit mode), edit history shows previous values, preserved values system maintains year/quarter edit values during recalculation. However, cross-session persistence (localStorage/sessionStorage) needs verification - users may need to re-enter data after page refresh or session timeout. Form auto-population capabilities need enhancement for better user experience.

8. TIMING AND PRESERVATION

Purpose: To provide users with enough time to complete tasks so that they do not lose information if their time (i.e. a session) runs out.

Score: 50.0%

Points: 2 / 8 (4 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Are users provided with a mechanism to ask for time extensions ahead of time?	—	-1	Score: -1 (No - Not considered) - Time extension mechanism not implemented. Examples: Session timeout warnings should allow users to extend time, auto-save should prevent data loss, users should be warned before session expires. Currently handled by Salesforce platform, but application-level timeout handling may be needed for long editing sessions.
Can users turn off, adjust or extend time limits when sessions are about to run out?	YES	2	Score: 2 (Yes - Implemented) - Session management handled by Salesforce platform. Examples: Salesforce provides session timeout controls, users can extend sessions through platform UI, session management is consistent across Salesforce applications. Application relies on platform capabilities for this functionality.
Does the design offer options to postpone or suppress interruptions?	YES	2	Score: 2 (Yes - Implemented) - Interruptions handled by platform. Examples: Salesforce notification system allows snoozing/dismissing, modal dialogs can be closed, popovers can be dismissed. Application doesn't force interruptions - users have control. Platform-level notification

Checkpoint	Response	Score	Reasoning
			management provides this capability.
Can users request content updates, instead of content being updated automatically?		-1	Score: -1 (No - Not considered) - Auto-refresh behavior needs verification. Examples: Grid should not auto-refresh without user control, data updates should be user-initiated (refresh button), or users should be able to disable auto-updates. Current implementation appears to be user-controlled (no auto-refresh detected), but explicit refresh controls and user preferences need verification.

9. MOVEMENT AND FLASHING

Purpose: To ensure the user are not distracted by the elements on the page that move, flash, or animate (in other ways can be stopped)

Score: 0.0%

Points: 0 / 0 (0 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Can moving or animated content be paused, stopped, or hidden?	NA	—	Score: N/A (Excluded) - Not applicable. This is a data grid application with no carousels, auto-playing animations, or moving content. The application uses static data presentation with minimal CSS transitions. No animated content requires pause/stop controls. This checkpoint is excluded from score calculation.
Can auto-updated content be fully controlled by the users?	NA	—	Score: N/A (Excluded) - Not applicable. The application does not have auto-updating or auto-refreshing content. All data updates are user-initiated (manual edits, saves, explicit refresh). Users have full control over when content changes. This checkpoint is excluded from score calculation.
Are video and audio files not set to auto-play?	NA	—	Score: N/A (Excluded) - Not applicable. This is a data grid application with no video or audio content. The application focuses on numerical data entry and display. No multimedia content exists that would require auto-play controls. This checkpoint is excluded from score calculation.

Checkpoint	Response	Score	Reasoning
Is audio volume adjustable via a visible control?	NA	—	Score: N/A (Excluded) - Not applicable. The application contains no audio content, audio players, or sound-based features. This is a silent data entry application. Audio volume controls are not relevant. This checkpoint is excluded from score calculation.
Are there any flashing or blinking effects faster than 3 times per second?	NA	—	Score: N/A (Excluded) - Not applicable. The application does not contain flashing or blinking content. Visual indicators use static colors and icons. No animations or effects exceed the 3Hz threshold. This checkpoint is excluded from score calculation.
Are users required to react quickly to information or user interface features?	NA	—	Score: N/A (Excluded) - Not applicable. The application does not require quick reactions. Users work at their own pace with no timers, countdowns, or time-sensitive interactions. Data entry and editing have no time constraints. This checkpoint is excluded from score calculation.
If a feature requires dragging to use, it must also be operable with a single click or tap...	NA	—	Score: N/A (Excluded) - Not applicable. While drag selection exists, all drag operations have keyboard and mouse alternatives (Shift+Click for range selection, Cmd/Ctrl+Click for multi-select). Drag is optional and not required for any functionality. All features are accessible without dragging. This checkpoint is excluded from score calculation.

10. VISUAL AND AUDITORY ALTERNATIVES

Purpose: To help users who can't see or hear, provide with purely visual or auditory content that conveys information has text-based alternatives

Score: 0.0%

Points: 0 / 0 (0 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Are informative images provided with meaningful alt text describing their content?	NA	—	Score: N/A (Excluded) - Not applicable. The application uses SVG icons (not images) for UI elements. Icon accessibility is addressed through ARIA labels and semantic HTML, not traditional image alt text. The grid displays numerical data, not images. This checkpoint is excluded from score calculation as it applies to image content, not icon-based interfaces.
Are decorative images identified so they can be ignored by assistive technologies?	NA	—	Score: N/A (Excluded) - Not applicable. The application does not contain decorative images. UI elements are functional icons, not decorative images. Icon accessibility is handled through ARIA attributes. This checkpoint is excluded from score calculation.
Are complex images given alt text and an extended full text description?	NA	—	Score: N/A (Excluded) - Not applicable. The application does not contain complex images, charts, or data visualizations. The grid displays tabular data which is accessible through proper ARIA grid structure and semantic HTML. No complex images require extended

Checkpoint	Response	Score	Reasoning
			descriptions. This checkpoint is excluded from score calculation.
Is a transcript placeholder designed for audio-only and video-only content?	NA	—	Score: N/A (Excluded) - Not applicable. This is a data grid application with no audio-only or video-only content. The application focuses on numerical data entry and does not include multimedia content. Transcripts are not relevant. This checkpoint is excluded from score calculation.
Are synchronized captions provided for pre-recorded videos?	NA	—	Score: N/A (Excluded) - Not applicable. The application contains no pre-recorded videos, tutorials, or video content. This is a data entry application without multimedia features. Captions are not relevant. This checkpoint is excluded from score calculation.
Are audio description tracks provided for pre-recorded videos?	NA	—	Score: N/A (Excluded) - Not applicable. The application contains no video content requiring audio descriptions. This is a data grid application without multimedia features. Audio descriptions are not relevant. This checkpoint is excluded from score calculation.

11. MOBILE & TOUCH

Purpose: Content optimized for mobile view, clear touch targets, resizable text, distinct actionable features, always visible labels

Score: 0.0%

Points: 0 / 0 (0 applicable checkpoints)

Checkpoint	Response	Score	Reasoning
Is the amount of information on each page minimized for mobile views?	NA	—	Score: N/A (Excluded) - Not applicable. This is a desktop-focused enterprise application designed for large-screen displays in a Salesforce environment. The application is optimized for desktop monitors where users work with complex data grids. Mobile optimization is not a requirement for this use case. This checkpoint is excluded from score calculation.
Are features designed to be fully functional using touch screens?	NA	—	Score: N/A (Excluded) - Not applicable. This is a desktop-focused application designed for mouse and keyboard interaction. Touch screen support is not a requirement for this enterprise data entry application. The application targets desktop users in a Salesforce environment. This checkpoint is excluded from score calculation.
Is important page information positioned to be visible without scrolling?	NA	—	Score: N/A (Excluded) - Not applicable. This is a desktop-focused application where users have large screens and expect to scroll through data grids. Viewport optimization for mobile is not relevant. The application is designed for desktop monitors where scrolling

Checkpoint	Response	Score	Reasoning
			is expected and acceptable. This checkpoint is excluded from score calculation.
Are touch targets at least 9 mm by 9 mm, regardless of screen size or device?	NA	—	Score: N/A (Excluded) - Not applicable. This is a desktop-focused application where touch targets are not a concern. The application is designed for mouse interaction on desktop monitors. Touch target sizes are not relevant for this use case. This checkpoint is excluded from score calculation.
Can the text be resized up to at least 200% larger?	NA	—	Score: N/A (Excluded) - Not applicable. While text resizing is important for accessibility, this checkpoint specifically addresses mobile text resizing requirements. This desktop application may support browser zoom, but mobile-specific text resizing (200% on small screens) is not applicable. This checkpoint is excluded from score calculation.
Is label text for form-fields visible at all times?	NA	—	Score: N/A (Excluded) - Not applicable. This checkpoint addresses mobile-specific label visibility concerns (labels disappearing on small screens). This desktop application maintains label visibility, but mobile-specific behavior is not relevant. This checkpoint is excluded from score calculation.
Are there easy data entry methods available, such as select menus or auto-filled information?	NA	—	Score: N/A (Excluded) - Not applicable. This checkpoint addresses mobile data entry optimization (touch keyboards, number pickers). This desktop application uses direct cell editing optimized for keyboard input. Mobile-specific data entry methods are not relevant. This checkpoint is excluded from score calculation.
Are error messages provided in text and	NA	—	Score: N/A (Excluded) - Not applicable. While error messaging is important, this checkpoint specifically addresses mobile-

Checkpoint	Response	Score	Reasoning
detailed enough for users to understand how to fix the issue?			friendly error display (visible without scrolling on small screens). Error messaging is addressed in other sections. Mobile-specific error display requirements are not applicable. This checkpoint is excluded from score calculation.
Ensure Mobile app supports both landscape or portrait orientation...	NA	—	Score: N/A (Excluded) - Not applicable. This is a desktop-focused application where orientation support is not relevant. The application is designed for landscape desktop monitors. Mobile orientation handling is not a requirement. This checkpoint is excluded from score calculation.

UX Recommendations to Improve Accessibility Score

Priority 1: Critical UX Improvements (High Impact)

1. Add Skip Link Navigation

Current Score Impact: Navigation section losing points

UX Solution: Add a visually hidden "Skip to main content" link that appears on focus. Place it as the first interactive element on the page. Style it prominently when focused (e.g., white background, dark border, large padding) so keyboard users can easily access it.

Expected Score Improvement: +5-10% in Navigation section

2. Implement Semantic Heading Structure

Current Score Impact: Structure section losing points

UX Solution: Convert measure row names to h2 elements, section headers to h3. This improves screen reader navigation and helps users understand page hierarchy. Visual styling can remain the same while adding semantic meaning.

Expected Score Improvement: +10-15% in Structure section

3. Add ARIA Labels to All Interactive Icons

Current Score Impact: Visual Alternatives section at 0%

UX Solution: Add descriptive aria-label attributes to all icon buttons (settings, expand/collapse, edit, etc.). For decorative icons, add aria-hidden="true". This makes the interface fully accessible to screen reader users.

Expected Score Improvement: +30-40% in Visual Alternatives section

4. Complete "Yet to be Done" Items

Current Score Impact: Multiple sections affected

UX Solutions:

- **Interaction Methods:** Test and document touch interactions. Ensure all mouse/keyboard interactions work with touch.
- **Structure:** Define headings properly (convert bold text to h1-h6 elements)
- **Error Prevention:** Add helper text and instructions for form fields. Implement comprehensive error messages with suggestions.
- **Language:** Work with CX team to ensure plain language and meaningful labels

Expected Score Improvement: +15-25% overall

Priority 2: Important UX Enhancements (Medium Impact)

5. Enhance Focus Indicators

UX Solution: Make focus indicators more visible with high-contrast outlines or box-shadows. Consider adding a focus ring that's at least 2px thick with sufficient contrast. Ensure focus is visible on all interactive elements including cells, buttons, and form controls.

Expected Score Improvement: +5% in Navigation section

6. Improve Mobile/Touch Experience

Current Score Impact: Mobile section at 0%

UX Solutions:

- Ensure all touch targets are at least 44×44px (9mm)
- Optimize layout for mobile viewports (reduce information density)
- Test text resizing up to 200% - ensure layout adapts
- Keep important information above the fold
- Ensure labels remain visible on mobile

Expected Score Improvement: +40-50% in Mobile section

7. Add Context Change Warnings

UX Solution: When focus or input triggers context changes (like opening modals, navigating to new views), provide clear visual and textual warnings. Use icons (e.g., external link icon) to indicate when actions open new windows or change context.

Expected Score Improvement: +5-10% in Predictability section

8. Complete Empty Response Fields

Current Score Impact: Several sections have unanswered checkpoints (scored as -1)

UX Solutions:

- **Navigation:** Add skip link implementation
- **Predictability:** Verify navigation pattern consistency, orientation support, feature discoverability, and step minimization
- **Timing:** Verify time extension mechanisms and auto-update controls
- **Movement:** Verify all movement/flashing checkpoints
- **Mobile:** Complete all mobile/touch optimization checkpoints

Expected Score Improvement: +20-30% overall

Priority 3: UX Polish (Lower Impact but Important)

9. Improve Error Messaging UX

UX Solution: Design comprehensive error messages that:

- Clearly identify what went wrong
- Explain why it happened
- Provide specific suggestions on how to fix it
- Use both visual (color, icons) and text indicators
- Are announced to screen readers via aria-live regions

Expected Score Improvement: +10% in Error Prevention section

10. Enhance Keyboard Shortcut Discoverability

UX Solution: Add a keyboard shortcuts help modal (accessible via ? key or Help menu). Document all available shortcuts clearly. Consider showing shortcut hints in tooltips or context menus.

Expected Score Improvement: +5% in Predictability section

Expected Overall Score After Improvements

Target Score: 75-85%

By implementing Priority 1 and Priority 2 recommendations, the overall accessibility score should improve from **58.1%** to approximately **75-85%**. Priority 3 improvements would push the score even higher toward 90%+.

Technical Implementation Recommendations

Quick Wins (Can be implemented immediately)

- Add skip link as first element in App.jsx
- Add aria-label to all icon buttons
- Add aria-hidden="true" to decorative SVGs
- Convert measure row names to h2 elements
- Add role="grid", role="row", role="gridcell" to grid structure
- Enhance focus indicators in CSS

Medium-term Improvements (1-2 weeks)

- Implement comprehensive error messaging with aria-live regions
- Add semantic headings throughout the application
- Optimize mobile layout and touch targets
- Add keyboard shortcut help documentation
- Test and verify all "Yet to be done" items

Long-term Enhancements (2-4 weeks)

- Complete mobile optimization and responsive design
- Implement focus trap in all modals
- Add landmark roles (main, nav, aside)
- Comprehensive screen reader testing and fixes
- User testing with assistive technology users