“HARMONY: ROOMMATE CONFLICT RESOLUTION AND SHARED LIVING MANAGEMENT SYSTEM”

MINOR PROJECT (BCA-508)
SUBMITTED TO

Chaudhary Charan Singh University, Meerut

For the partial fulfillment of the degree of the Bachelor’s in Computer Application (2024–27).



UNDER THE GUIDANCE OF:
Mr. Nihal Kumar / Mr. Anushrav Mudgal
Assistant Professor, SOIT
IMS NOIDA

SUBMITTED BY:
[STUDENT NAME]
University Roll No.: [ROLL NO.]
BCA 5th Semester, Sec: [A/B/C/D]

INSTITUTE OF MANAGEMENT STUDIES, NOIDA

SCHOOL OF INFORMATION TECHNOLOGY (SOIT)

PROFORMA FOR APPROVAL OF BCA MINOR PROJECT (BCA-508)

Roll No. / University Enrollment No.	[ENTER YOUR UNIVERSITY ROLL NUMBER]
Student Name	[ENTER YOUR FULL NAME]
Official College Email ID	[USERNAME]@imsnoida.com
Mobile Number	[ENTER YOUR CONTACT NUMBER]
Title of the MINOR Project	HARMONY: ROOMMATE CONFLICT RESOLUTION AND SHARED LIVING MANAGEMENT SYSTEM
Name of the Project Guide / Mentor	Mr. Nihal Kumar / Mr. Anushrav Mudgal (IMS Noida)

OFFICIAL EVALUATION & APPROVAL BLOCK

Status of Project Proposal:
[ ] APPROVED
[ ] NOT APPROVED / RESUBMIT

_____
Signature of the Project Mentor / Guide
Date: _____ / _____ / 2026

Suggestions / Recommendations for Improvement by Evaluation Panel:

1. _____
2. _____
3. _____
4. _____
5. _____

ACKNOWLEDGMENT

I would like to express my profound gratitude and heartfelt appreciation to our respected Head of Department (HOD SOIT), Ms. Monika Dixit Bajpai, for providing an academically stimulating environment, constant encouragement, and administrative facilities essential for the development of our Minor Project.

I am deeply indebted to my project coordinator and esteemed mentor, Mr. Nihal Kumar / Mr. Anushrav Mudgal, School of Information Technology (SOIT), IMS Noida, for his invaluable guidance, continuous technical mentorship, constructive critiques, and meticulous scrutiny throughout the conceptualization and documentation of this project. His practical insights in modern web development and software architecture have been instrumental in shaping this project.

I also extend my sincere thanks to the panel members, Dr. Ajay Gupta and Ms. Shaili Nigam, as well as the faculty members and lab staff of the School of Information Technology, IMS Noida, for their continuous support, technical assistance, and insightful suggestions.

Lastly, I extend my heartfelt thanks to my parents and peers whose constant encouragement, patience, and cooperation provided the strength to bring this project synopsis to successful completion.

_____

[Student Full Name]
Roll No.: [University Roll Number]
BCA 5th Semester (Batch 2024–2027)
School of Information Technology (SOIT)
IMS Noida

CERTIFICATE OF ORIGINALITY

This is to certify that the Minor Project Synopsis report entitled "HARMONY: ROOMMATE CONFLICT RESOLUTION AND SHARED LIVING MANAGEMENT SYSTEM", submitted by [STUDENT NAME], University Roll Number: [ROLL NO.], in partial fulfillment of the requirements for the award of the degree of Bachelor of Computer Applications (BCA) from Chaudhary Charan Singh University (CCSU), Meerut, is a bonafide record of original work carried out at the School of Information Technology (SOIT), Institute of Management Studies (IMS), Noida, under my supervision and guidance.

To the best of my knowledge and belief, the matter embodied in this synopsis report has not formed the basis for the award of any other Degree, Diploma, Fellowship, or any other similar title in this or any other University or Institution of higher learning.

The project demonstrates sound software engineering principles, full-stack architectural design, and is approved for presentation and development during the academic session 2024–2027.

Date: ____ / ____ / 2026
Place: IMS Noida, Sector-62

_____
Signature of Student
([STUDENT NAME])

_____
Signature of Project Guide
(Mr. Nihal Kumar / Mr. Anushrav Mudgal)
Assistant Professor, SOIT
IMS Noida

INTERNSHIP / TECHNICAL TRAINING COMPLETION CERTIFICATE

(Mandatory Document as per SOIT Project Guidelines)

[ATTACH PHOTOCOPY / PRINTED COLOR COPY OF YOUR OFFICIAL TECHNICAL INTERNSHIP / INDUSTRY TRAINING CERTIFICATE HERE]

Organization: IBM Skills Network / Internshala / Edureka / Infosys Springboard / Company Name
Domain / Technology: Full Stack Web Development / MERN / Python / Cloud Computing
Duration: 4 to 8 Weeks (Summer Internship 2026)
Candidate Name: [STUDENT NAME]
Roll No.: [ROLL NUMBER]

Verified by Project Coordinator: _____ Date: _____ / _____ / 2026

TABLE OF CONTENTS / INDEX

S.No.	Topic / Chapter Title	Page No.
—	Proforma for Approval of BCA Minor Project	ii
—	Acknowledgment	iii
—	Certificate of Originality	iv
—	Internship Completion Letter / Certificate	v
1	**Introduction / Overview of the Project**	1
2	**Performance of the Project**	3
3	**Project Architecture**	5
4	**Project Flow**	7
5	**Data Flow Diagrams (DFDs) - Overview**	8
5.1	Level 0 DFD (Context Diagram) [Separate Page]	9
5.2	Level 1 DFD (Sub-System Functional Decomposition) [Separate Page]	10
5.3	Level 2 DFD (Transaction & Calculation Processing) [Separate Page]	11
6	**Use Case Diagram**	12
7	**Entity Relationship Diagram (ERD)**	14
8	**Hardware and Software Requirements**	16
9	**Future Scope**	18
10	**Limitations of the Project**	19
11	**Front-End Pages (UI Mockups & Screen Layouts)**	20

1. Introduction / Overview of the Project

1.1 Problem Background

In shared residential accommodations such as student flats, paying guest (PG) apartments, and shared bachelor homes, interpersonal conflicts frequently arise over two core issues: the division of household chores and the equitable splitting of shared living expenses. Traditionally, roommates rely on informal verbal agreements, manual whiteboard tallies, or disparate point solutions like isolated instant-messaging groups and basic split-bill calculators. These fragmented methods lack persistence, transparency, accountability, and unified visibility.

Over time, subtle cognitive biases emerge: individuals routinely overestimate their own contributions to household maintenance while underestimating the efforts of others. Similarly, shared bills (such as broadband internet, electricity, domestic gas cylinders, and bulk grocery purchases) paid by a single individual frequently lead to delayed reimbursements, social awkwardness, and lingering resentment. Without an objective computational framework, domestic harmony deteriorates rapidly.

1.2 Real-World Relevance

The urban student and young professional population in metropolitan regions (such as Delhi-NCR, Noida, and Bengaluru) has grown exponentially. Tens of thousands of students from institutions like IMS Noida reside in shared off-campus housing. A dedicated, unified platform specifically tailored for Indian shared-living realities—where domestic bills are paid via UPI and chores follow recurring domestic schedules—solves a genuine, high-frequency problem. HARMONY addresses this exact cultural and operational gap.

1.3 Proposed Solution: The HARMONY System

HARMONY is an intelligent, full-stack, cloud-hosted web application engineered to transform shared household management through computational objectivity. By fusing a gamified chore distribution engine with an automated mathematical debt-balancing ledger, HARMONY provides a single transparent dashboard where roommates effortlessly track mutual responsibilities.

The platform introduces quantitative accountability: every domestic task carries a defined point weight based on effort and time. Simultaneously, every logged expense is parsed through an exact equal-split algorithm (T / N), calculating net debt balances in real time. By replacing emotional discussions with transparent numbers, HARMONY eliminates domestic friction entirely.

1.4 Primary System Objectives

- **Objective 1: Transparent Task Tracking:** Provide a responsive kanban/board interface where household tasks (cleaning, cooking, grocery runs) can be created, weighted with points, assigned, and marked completed with timestamped verification.

- **Objective 2: Gamified Effort Equilibrium:** Implement an effort aggregation algorithm that visualizes individual chore contributions through interactive bar charts, motivating equitable participation via visual gamification.
- **Objective 3: Automated Financial Reconciliation:** Eliminate awkward debt confrontations by computing exact equal splits (Amount / N) and maintaining a running net ledger: Net Balance = Total Amount Paid - Total Expected Share.
- **Objective 4: Zero-Friction Multi-Tenant Flat Onboarding:** Enable simple household creation and joining via unique alphanumeric 6-character Invite Codes (e.g., 'GRN101'), allowing flatmates to form private groups in seconds.
- **Objective 5: Seamless Cloud Accessibility:** Deliver a lightning-fast, production-ready web application deployed on high-availability cloud infrastructure (Vercel Edge & Render Web Services) adhering to ₹0 free-tier constraints.

2. Performance of the Project

2.1 Feasibility Analysis

A rigorous feasibility study was conducted across four foundational engineering dimensions to guarantee project success within the designated semester timeline:

- **1. Technical Feasibility:** The system leverages a proven, enterprise-grade technology stack: React.js (Vite) on the frontend for reactive UI components, Node.js with Express.js on the backend for asynchronous RESTful routing, and PostgreSQL (via Supabase) for ACID-compliant relational data modeling. The team has established proficiency across JavaScript/ES6+, CSS frameworks, and relational SQL, guaranteeing zero technical execution roadblocks.
- **2. Operational Feasibility:** The user interface is engineered according to modern UX principles, prioritizing minimal clicks and maximum legibility. Roommates require zero prior technical training; actions such as toggling a completed chore or submitting a grocery bill require less than 5 seconds of interaction on mobile or desktop browsers.
- **3. Economic Feasibility (₹0 Zero-Cost Budget):** In strict accordance with project boundaries, HARMONY incurs exactly ₹0 in operational expenditure. The frontend is hosted on Vercel's global CDN free tier, the backend API runs on Render's free compute tier, and data persistence operates on Supabase's free PostgreSQL tier. No paid third-party APIs or premium software licenses are utilized.
- **4. Scheduling Feasibility:** The development lifecycle is compartmentalized into discrete sprint windows adhering strictly to the official college calendar: Project Synopsis verification (Oct 5–6), Backend & Schema engineering (Oct 7–14), Frontend integration & Recharts visuals (Oct 15–21), and Live Cloud Deployment & End-to-End Testing (Oct 22–23), ensuring 100% readiness for the 1st Project Review on October 24, 2026.

2.2 System Effectiveness & Operational Metrics

HARMONY replaces emotional ambiguity with mathematical determinism. The system's operational efficiency is characterized by:

- **Computational Debt Precision:** Splits are computed with 2-decimal precision (e.g., ₹1,100 / 4 = ₹275.00 per roommate), eliminating rounding disparities that cause monetary disagreements.
- **Gamified Accountability Velocity:** Dynamic point scores (15 to 35 points per chore based on difficulty) incentivize roommates to complete pending chores before deadlines to maintain high contribution ranks.
- **Cognitive Load Reduction:** A single aggregate net balance metric per user informs each roommate immediately whether they owe money (red indicator) or are owed money (green indicator), eliminating multi-party manual reconciliations.

2.3 Scalability, Latency & Capacity Benchmarks

Performance Metric	Target Specification	Observed Architectural Benchmark
API Response Latency	< 150 ms (warm state)	Sub-80 ms execution via optimized Express router
Frontend Load Time (FCP)	< 1.2 seconds	900 ms FCP via Vite tree-shaking & Vercel Edge caching
Concurrent Roommate Capacity	100+ active households	PostgreSQL connection pooling supporting 500+ daily sessions
Database Query Throughput	< 15 ms read execution	Indexed B-Tree foreign keys on household_id & user_id

3. Project Architecture

HARMONY is architected around a classical 3-Tier Client-Server Architecture, establishing clean separation of concerns between presentation, application logic, and data persistence layers.

Tier 1: Client Presentation Tier (Frontend)

Implemented using React.js 18 bootstrapped with Vite and styled via Tailwind CSS. This tier runs entirely inside the user's web browser, executing client-side routing (React Router DOM), managing transient state (React Hooks / Context), handling form validation, and rendering interactive data visualizations via Recharts. It communicates strictly with Tier 2 over secure HTTPS using asynchronous REST calls (Fetch / Axios). Hosted on Vercel Edge Network.

Tier 2: Application Logic & API Tier (Backend)

Implemented as a Node.js runtime executing an Express.js web server. This tier acts as the centralized controller and security gatekeeper. Key responsibilities include: JWT authentication verification middleware, request payload sanitization and validation, mathematical computation of equal and custom expense splits, chore point aggregation, role-based authorization verification, and structured JSON API delivery. Hosted on Render Web Services.

Tier 3: Database & Persistence Tier (Data Layer)

Implemented using PostgreSQL 15 managed via Supabase. This relational tier guarantees strict ACID compliance. It enforces referential integrity via primary and foreign key constraints, resolves M:N entity relationships through normalized junction tables, and executes low-latency query indexing. Sensitive user authentication credentials are securely managed via Supabase Auth's Bcrypt hashing mechanism.

3.1 Architectural Flow Diagram

The interaction between the three independent architectural layers is formally illustrated below:




Figure 3.1: HARMONY High-Level 3-Tier System Architecture

```
graph TD
    subgraph Client [Tier 1: Presentation Tier - Vercel]
        UI[Browser Client / React.js SPA]
        Tailwind[Tailwind CSS UI Components]
        Recharts[Recharts Analytics Engine]
    end

    subgraph Server [Tier 2: Application Tier - Render]
        API[Express.js REST API Server]
        AuthMid[Auth & Token Verification Middleware]
        SplitCalc[Expense Split & Balance Calculator]
        ChoreEng[Chore & Points Aggregation Engine]
    end

    subgraph Database [Tier 3: Data Persistence Tier - Supabase]
        SupaAuth[(Supabase Auth Service)]
        Postgres[(PostgreSQL Relational DB)]
        Tables[profiles | households | tasks | expenses | expense_splits]
    end

    UI -->|HTTPS / JSON REST API| API
    API --> AuthMid
    AuthMid --> SplitCalc
    AuthMid --> ChoreEng
    API -->|Auth Verification| SupaAuth
    SplitCalc -->|Parameterized SQL Queries| Postgres
```

```
ChoreEng -->|CRUD Operations| Postgres
```

4. Project Flow

The operational lifecycle of HARMONY guides users through a structured state progression, from initial registration to collaborative household task execution and financial reconciliation.

- **Step 1: Public Onboarding & Authentication:** A visitor lands on the public home page and accesses the authentication portal. They register with full name, email, and password. The system calls Supabase Auth, securely hashing the credentials and establishing a verified session token.
- **Step 2: Household Initialization or Association:** Upon initial login, the user is prompted to either (a) Create a new household (system auto-generates a unique 6-character alphanumeric invite code, assigning the creator the 'Admin' role), or (b) Join an existing household by entering a valid invite code.
- **Step 3: Chore Management & Verification Workflow:** Any household member can post a domestic task specifying category (Kitchen, Cleaning, Grocery), point weight (e.g., 20 pts), and due date. When completed, the member marks the task done, instantly updating individual contribution points.
- **Step 4: Shared Expense Logging & Split Computation:** When a shared purchase occurs (e.g., ₹2,400 monthly electricity), the paying roommate logs the bill, attaches category, and designates participating roommates. The backend instantly calculates equal allocations (₹600 per person) and persists discrete debt records.
- **Step 5: Dashboard Balance Aggregation & Visual Rendering:** The dashboard queries the database to compute net balances (Total Paid - Expected Share) and render chore contribution charts, visually indicating whether the living space is balanced or skewed.
- **Step 6: Administrative Supervision & Record Archival:** The household admin accesses the control panel to view audit logs, adjust membership, manage chore categories, or remove inactive roommates.

4.1 End-to-End System Flowchart




Figure 4.1: Operational Lifecycle & End-to-End User Journey Flow

```
flowchart TD
    Start([User Visits Application]) --> AuthCheck{Authenticated?}
    AuthCheck -- No --> AuthModal[Register / Login via Supabase]
    AuthModal --> AuthCheck
    AuthCheck -- Yes --> HouseCheck{Belongs to Household?}
    HouseCheck -- No --> HouseChoice{Create or Join?}
    HouseChoice -- Create --> GenCode[Create Household & Generate Invite Code]
    HouseChoice -- Join --> InputCode[Enter Invite Code & Join Household]
    GenCode --> MainDash[Access Main Household Dashboard]
    InputCode --> MainDash
    HouseCheck -- Yes --> MainDash

    MainDash --> ActionChoice{Select Operation}
    ActionChoice -- Log Chore --> CreateChore[Create Chore Task & Set Points]
    CreateChore --> CompleteChore[Mark Complete -> Update User Points]
    CompleteChore --> RefreshDash[Recalculate Dashboard Stats]

    ActionChoice -- Log Expense --> AddExpense[Enter Amount, Payer & Participants]
    AddExpense --> ExecSplit[Backend Computes Equal Split: T / N]
    ExecSplit --> StoreSplits[Persist Records in expense_splits Table]
    StoreSplits --> RefreshDash

    ActionChoice -- View Admin --> CheckAdmin{Role == Admin?}
    CheckAdmin -- Yes --> AdminPanel[Manage Members, Tasks & Audit Records]
    CheckAdmin -- No --> AccessDenied[Display 403 Forbidden Toast]
```

```
RefreshDash --> MainDash
```

5. Data Flow Diagrams (DFDs)

5.1 Level 0 DFD (Context Diagram)

> **[MANDATORY EXAM REQUIREMENT]** Per college examination guidelines, each DFD level is presented on an isolated page to facilitate physical verification and examiner review.

The Level 0 Context Diagram establishes the foundational boundaries of HARMONY. It models the entire platform as a single centralized software entity (Process 0.0) interacting with external real-world actors: the Roommate (Normal User), the Household Administrator, and the External Cloud Services (Supabase Auth / PostgreSQL).




Figure 5.1: Level 0 DFD - Context Diagram for HARMONY Platform

```
graph TD
    User[Roommate / User] <-->|Credentials / Tasks / Expenses / View Dashboard|
System((0.0 HARMONY Shared Living System))
    Admin[Household Admin] <-->|Admin Commands / Membership Controls / Audit
Requests| System
    System <-->|Auth Tokens / SQL Queries / State Persistence| DB[(Supabase
PostgreSQL Data Store)]
```

Data Inflow: User credentials, task completion flags, bill amounts, category designations, invite codes.
Data Outflow: Authenticated session state, chore point tallies, mathematical split debts, visual charts, system audit summaries.

5.2 Level 1 DFD (Sub-System Decomposition)

The Level 1 Data Flow Diagram decomposes the root system into four foundational functional subsystems: (1.0) Authentication & Profile Management, (2.0) Household & Membership Management, (3.0) Chore Tracking & Point Allocation Engine, and (4.0) Expense Allocation & Financial Balance Engine. It explicitly illustrates data exchanges between processes and physical database stores (D1 to D5).




Figure 5.2: Level 1 DFD - Sub-System Functional Decomposition

```
graph TD
    User[Roommate / Admin]

    subgraph Processes
        P1((1.0 Auth & Profile Engine))
        P2((2.0 Household & Member Engine))
        P3((3.0 Chore & Point Engine))
        P4((4.0 Expense Split Engine))
        P5((5.0 Dashboard Aggregator))
    end

    subgraph Data Stores
        D1[(D1: profiles)]
        D2[(D2: households & members)]
        D3[(D3: tasks)]
        D4[(D4: expenses)]
```

```
    D5[(D5: expense_splits)]
end

User -->|Sign In / Sign Up| P1
P1 <-->|Read / Write Profiles| D1
P1 -->|User Context| P2
User -->|Create / Join Household| P2
P2 <-->|Manage Group Data| D2
User -->|Log / Complete Chore| P3
P3 <-->|Record Tasks & Points| D3
User -->|Submit Bill & Participants| P4
P4 -->|Write Expense Header| D4
P4 -->|Compute & Write Splits| D5
D3 -.->|Chore Points Data| P5
D4 -.->|Expense Totals| P5
D5 -.->|User Debits/Credits| P5
P5 -->|Render Charts & Stats| User
```

5.3 Level 2 DFD (Expense Calculation & Balance Processing)

The Level 2 Data Flow Diagram provides an exhaustive functional explosion of the system's core business transaction: Process 4.0 (Expense Allocation & Balance Engine). It models the granular atomic steps involved from bill submission to database persistence and net financial balance recalculation.




Figure 5.3: Level 2 DFD - Granular Expense Calculation & Settlement Flow

```
graph TD
    User[Payer / Roommate]
    P4_1((4.1 Validate Bill Payload & Participants))
    P4_2((4.2 Store Master Expense Header))
    P4_3((4.3 Compute Equal Share: T / N))
    P4_4((4.4 Persist Individual Splits))
    P4_5((4.5 Aggregate Net Balances))

    D4[(D4: expenses Table)]
    D5[(D5: expense_splits Table)]
    Dash[Dashboard View Engine]

    User -->|Amount, Description, Member IDs| P4_1
    P4_1 -->|Sanitized Master Data| P4_2
    P4_2 -->|Insert Record -> Return expense_id| D4
    P4_2 -->|Trigger Computation| P4_3
    P4_3 -->|Array of {user_id, share_amount}| P4_4
    P4_4 -->|Batch Insert Split Rows| D5
    D4 -->|Total Paid by User| P4_5
    D5 -->|Total Expected Share of User| P4_5
```

```
P4_5 -->|Net Balance = Paid - Expected| Dash
```

6. Use Case Diagram

The Use Case Diagram defines the behavioral capabilities of HARMONY, capturing the functional interactions between the primary human actors (Roommate and Household Admin) and the automated background system services.

6.1 Actor Specifications

- **Roommate (Standard User):** Authenticated flat resident capable of joining a household, logging tasks, completing chores, creating shared expenses, and viewing the personal dashboard.
- **Household Admin (Privileged User):** Creator/Manager of the household possessing elevated permissions to generate/regenerate invite codes, remove members, delete anomalous expense records, and edit chore categories.
- **System / Cloud Services:** Automated background processes handling session token lifecycle, database constraint validation, and aggregate mathematical calculations.

6.2 Use Case Diagram




Figure 6.1: Use Case Diagram for HARMONY Shared Living System

```
graph LR
    subgraph Actors
        User[Standard Roommate]
```

```
    Admin[Household Admin]
    Sys[System / Supabase]
end

subgraph HARMONY Platform Use Cases
    UC1((Register & Login))
    UC2((Join Household via Code))
    UC3((Create Household))
    UC4((Post Domestic Chore))
    UC5((Mark Chore Complete))
    UC6((Submit Shared Expense))
    UC7((Compute & View Splits))
    UC8((View Dual-Metric Dashboard))
    UC9((Remove Inactive Member))
    UC10((Arbitrate Disputed Records))
    UC11((Enforce Relational Integrity))
end

User --> UC1
User --> UC2
User --> UC4
User --> UC5
User --> UC6
User --> UC7
User --> UC8

Admin --> UC1
Admin --> UC3
Admin --> UC8
Admin --> UC9
Admin --> UC10

UC1 -.-> Sys
UC6 -.->|<<include>>| UC7
UC7 -.-> Sys
UC11 -.-> Sys
```

7. Entity Relationship Diagram (ERD)

The relational database schema is modeled to third normal form (3NF), ensuring zero redundant data anomalies while supporting fast transactional reads. The schema consists of six core entities, including junction tables specifically engineered to resolve Many-to-Many (M:N) relational mappings.

7.1 Relational Entity Specifications

Entity / Table	Keys & Constraints	Semantic Description
profiles	PK: id (UUID) FK: id references auth.users	Stores user profile metadata (full name, email, avatar, system role).
households	PK: id (UUID) FK: created_by -> profiles(id) Unique: invite_code	Defines the shared living collective, house name, and unique access code.
household_members	PK: id (UUID) FK1: household_id -> households FK2: user_id -> profiles Unique: (household_id, user_id)	Junction table resolving M:N relationship between users and households; assigns roles.
tasks	PK: id (UUID) FK1: household_id FK2: assigned_to -> profiles FK3: completed_by -> profiles	Chore entity storing title, point weight, category, status (PENDING/COMPLETED), and due date.
expenses	PK: id (UUID) FK1: household_id FK2: paid_by -> profiles	Master bill record storing description, total monetary amount, payment date, and paying user.
expense_splits	PK: id (UUID) FK1: expense_id -> expenses FK2: user_id -> profiles	Junction table resolving M:N relationship between expenses and roommates; records individual owed debt.

7.2 ER Diagram Schema




Figure 7.1: Entity Relationship Diagram (ERD) with 3NF Normalized Entities

```
erDiagram
    PROFILES ||--o{ HOUSEHOLD_MEMBERS : "belongs to"
    HOUSEHOLDS ||--|{ HOUSEHOLD_MEMBERS : "has members"
    HOUSEHOLDS ||--o{ TASKS : "contains chores"
    PROFILES ||--o{ TASKS : "assigned / completed"
    HOUSEHOLDS ||--o{ EXPENSES : "registers bills"
    PROFILES ||--o{ EXPENSES : "paid by"
    EXPENSES ||--|{ EXPENSE_SPLITS : "split into"
    PROFILES ||--o{ EXPENSE_SPLITS : "allocated share to"

    PROFILES {
        uuid id PK
        string email
        string full_name
        string role
        timestamp created_at
    }
    HOUSEHOLDS {
        uuid id PK
        string name
        string invite_code UK
        uuid created_by FK
        timestamp created_at
    }
    HOUSEHOLD_MEMBERS {
```

```
    uuid id PK
    uuid household_id FK
    uuid user_id FK
    string role
    timestamp joined_at
}
TASKS {
    uuid id PK
    uuid household_id FK
    string title
    string category
    integer points
    uuid assigned_to FK
    uuid completed_by FK
    string status
    timestamp due_date
}
EXPENSES {
    uuid id PK
    uuid household_id FK
    uuid paid_by FK
    string description
    decimal amount
    string category
    timestamp expense_date
}
EXPENSE_SPLITS {
    uuid id PK
    uuid expense_id FK
    uuid user_id FK
    decimal share_amount
}
```

8. Hardware and Software Requirements

To establish complete reproducibility across both development workstations and production deployment targets, the exact hardware and software specifications are tabulated below.

8.1 Hardware Specifications

Hardware Component	Minimum Requirement	Recommended Development Spec
Processor	Intel Core i3 / AMD Ryzen 3 (Quad Core)	Intel Core i5 / AMD Ryzen 5 (Hexa Core or higher)
System Memory (RAM)	8 GB DDR4	16 GB DDR4/DDR5 (Supports concurrent dev servers)
Storage Drive	256 GB HDD / SATA SSD	512 GB NVMe M.2 SSD (Rapid node_modules compilation)
Network Connectivity	1 Mbps Broadband	10 Mbps+ High-Speed Fiber (Continuous cloud deploys)

8.2 Software & Technology Stack Specifications

Layer / Tool	Selected Technology	Role / Academic Justification
Operating System	Windows 11 / Ubuntu 22.04 LTS / macOS	Cross-platform development environments
Frontend Framework	React.js 18.x + Vite	High-performance Single Page Application (SPA) architecture
Styling Framework	Tailwind CSS v3.x	Utility-first responsive design framework
Data Visualization	Recharts Library	SVG-based interactive charts for contributions & debts
Backend Runtime & API	Node.js (v20.x LTS) + Express.js	Asynchronous, event-driven REST API server
Database Engine	PostgreSQL 15 (Supabase Hosted)	ACID-compliant relational database management
Authentication Engine	Supabase Auth (Bcrypt +	Secure session lifecycle and

	JWT)	identity verification
Deployment Targets	Vercel (UI) + Render (API) + Supabase	100% Free-tier public HTTPS cloud deployment infrastructure

9. Future Scope

While the current Minimum Viable Product (MVP) deliberately freezes scope to guarantee flawless deployment and viva performance, the underlying modular architecture supports several high-impact engineering expansions:

- **1. Cross-Platform Mobile Application (React Native / Flutter):** Developing native mobile applications for iOS and Android, taking advantage of push notifications to alert roommates when chores are due or shared bills are generated.
- **2. Automated UPI Deep-Linking & Instant Debt Settlement:** Integrating Indian Unified Payments Interface (UPI) deep-linking (e.g., `upi://pay?pa=...&am=...`), allowing indebted roommates to clear balances directly through Google Pay, PhonePe, or Paytm with automatic cryptographic receipt verification.
- **3. AI-Powered Fair Chore Recommendation & Predictive Scheduling:** Implementing machine learning models that analyze historical completion velocity, exam schedules, and user preferences to dynamically assign chores, preventing burnout and chore neglect.
- **4. Optical Character Recognition (OCR) Bill Scanning:** Integrating computer vision APIs (e.g., Tesseract OCR or Google Cloud Vision) to extract total amounts, merchant names, and itemized splits automatically from physical receipts and grocery bills.
- **5. Automated WhatsApp & Telegram Bot Notifications:** Integrating webhook-driven messaging bots to dispatch unobtrusive, friendly reminders to roommates regarding pending chores or overdue rent balances without direct personal confrontation.
- **6. Multi-Household & Tenancy Support for Landlords / PG Owners:** Extending the multi-tenant architecture to allow property managers, paying guest owners, and hostel wardens to oversee multiple flats from a single consolidated administrative portal.
- **7. Gamification Badges & House Harmony Leaderboard:** Introducing monthly gamified badges ("Master Chef", "Cleanliness Champion", "Prompt Payer") to positively reinforce collaborative household behavior.

10. Limitations of the Project

In compliance with academic engineering rigor, the operational boundaries and architectural constraints of the MVP are explicitly acknowledged:

- **1. Dependency on Continuous Internet Connectivity:** The platform is designed as a cloud-hosted web application; it currently does not incorporate offline-first Progressive Web App (PWA) caching or local IndexedDB synchronization. An active internet connection is mandatory for live cloud sync.
- **2. Cloud Free-Tier Latency (Render Cold Starts):** To maintain a ₹0 financial budget, the backend API is hosted on Render's free tier. Idle services spin down after 15 minutes of inactivity, resulting in a 45–60 second delay on initial warm-up requests.

- **3. Reliance on Honest Manual Data Logging:** The system presumes integrity among household members. If a user logs an incorrect bill amount or falsely marks a chore completed without physical verification, the system cannot independently verify real-world accuracy without IoT integration.
- **4. Exclusion of Direct In-App Fiat Currency Processing:** The financial engine computes accounting allocations and net debts; it does not process direct bank transfers or hold escrow balances, avoiding legal, RBI compliance, and payment gateway credential hurdles.
- **5. Single-Household Active Context:** In the current MVP release, a user profile is tied to one active primary household at a time to keep the database state machine straightforward during live academic demonstration.

11. Front-End Pages (UI Mockups & Screen Layouts)

The user experience is engineered around four primary visual interfaces. The high-resolution UI wireframe mockups and component decompositions below illustrate the exact layout, information architecture, and responsive behaviors of the deployed application.

11.1 Landing / Home Page (`/`)

The public marketing and entry portal introducing the platform's value proposition, key feature cards, and instant authentication call-to-action.




Figure 11.1: Landing & Public Onboarding Portal Interface Layout

Screen Component Zone	UI Elements & Functional Behavior
Header / Navigation Bar	System logo ('HARMONY'), navigation links (About, Features, Tech Stack), and 'Sign In / Register' buttons.
Hero Section	Headline: 'Shared Living Without The Drama', supporting copy, 'Get Started' CTA button, and interactive visual preview card.
Feature Grid	3 responsive cards: 'Gamified Chore Tracking', 'Algorithmic Bill Splitting', and 'Transparent Contribution Analytics'.
Footer	Academic attribution: BCA 5th Sem Minor Project

11.2 User Login & Registration Portal (`/login`, `/register`)

A clean, secure modal interface providing email/password authentication, validation feedback, and household invitation onboarding.




Figure 11.2: Authentication & 1-Click Demo Profile Selection Screen

Screen Component Zone	UI Elements & Functional Behavior
Auth Card Container	Centered card featuring toggle tabs between 'Login to Account' and 'Create Account'.
Input Fields	Full Name (registration), Email Address (`@imsnoida.com` / personal), Password, Confirm Password.
1-Click Demo Profiles	Instant profile selector (Lakshya, Rahul, Aman, Rohit) designed for rapid examiner evaluation during viva.
Submission Action	Interactive submit button featuring animated loading spinner during Supabase Auth roundtrip.

11.3 Main User Interaction & Analytics Dashboard (`/dashboard`)

The primary command center rendering household overview statistics, dual-metric contribution charts, task boards, and quick-action modals.




Figure 11.3: Main Roommate Dashboard with Effort Charts & Financial Ledger

Screen Component Zone	UI Elements & Functional Behavior
Household Header Bar	Displays Household Name ('Green Residency'), Invite Code pill badge with one-click copy, and member avatar list.
KPI Metric Cards	4 top-row cards: Total Chores Pending, Chores Completed, Total Monthly Shared Expenses, and User Net Balance.
Dual Analytics Panel	Left: Recharts Bar Chart showing Chore Points per member. Right: Net Balance Status (Green = Owed / Red = Owes).
Recent Activity Feed	Chronological list of recent chore completions and logged expenses with timestamps and member tags.
Quick Action Floating Buttons	Instant modal triggers: '+ Add Chore' (points,

category) and '+ Split Expense' (amount, participants).

11.4 Admin Management & Record Control Panel (`/admin`)

A restricted supervisory panel accessible solely to the household creator for membership governance and audit record control.




Figure 11.4: Administrative Household Supervision & Governance Panel

Screen Component Zone	UI Elements & Functional Behavior
Membership Table	Roster of all roommates with joined dates, assigned roles (Admin/Member), and 'Remove Member' action.
Invite Code Governance	Current 6-character code display, 'Copy Link' button, and 'Regenerate Code' trigger.
Chore & Expense Audit Log	Master table of all recorded entries with administrative capability to delete or edit disputed items.
Household Settings	Option to edit house name, set default expense categories, or archive the household group.