# Estimation, MLE

Machine Learning Techniques

Karthik Thiagarajan

#### Unsupervised Learning

- Representation learning
  - PCA
  - Kernel PCA
- Clustering
  - Lloyd's algorithm (K-means)
- Estimation

### Comprehension via Compression

#### **Unsupervised Learning**

- Representation learning
  - PCA
  - Kernel PCA
- Clustering
  - Lloyd's algorithm (K-means)
- Estimation

# Comprehension via Compression

#### **Unsupervised Learning**

- Representation learning
  - PCA
  - Kernel PCA
- Clustering
  - Lloyd's algorithm (K-means)
- Estimation

• PCA

# Comprehension via Compression

#### **Unsupervised Learning**

- Representation learning
  - PCA
  - Kernel PCA
- Clustering
  - Lloyd's algorithm (K-means)
- Estimation

- PCA
  - k principal components
- Clustering

# Comprehension via Compression

#### **Unsupervised Learning**

- Representation learning
  - PCA
  - Kernel PCA
- Clustering
  - Lloyd's algorithm (K-means)
- Estimation

- PCA
  - k principal components
- Clustering
  - k means
- Estimation

# Comprehension via Compression

#### **Unsupervised Learning**

- Representation learning
  - PCA
  - Kernel PCA
- Clustering
  - Lloyd's algorithm (K-means)
- Estimation

- PCA
  - k principal components
- Clustering
  - -k means
- Estimation
  - k parameters

- Model the data-generation process
  - Where does the data come from?
  - What is the process that generates the data?
  - What are the parameters that govern this process?

- Model the data-generation process
  - Where does the data come from?
  - What is the process that generates the data?
  - What are the parameters that govern this process?

• How is it different from clustering and representation learning?


- Model the data-generation process
  - Where does the data come from?
  - What is the process that generates the data?
  - What are the parameters that govern this process?


- How is it different from clustering and representation learning?
  - Present → Future
    - \* Start with what is given and try to explain patterns in it


- Model the data-generation process
  - Where does the data come from?
  - What is the process that generates the data?
  - What are the parameters that govern this process?


- How is it different from clustering and representation learning?
  - Present → Future
    - \* Start with what is given and try to explain patterns in it
  - Present → Past
    - \* Explore the process that could have given rise to the data

$$D = \{x_1, \dots, x_n\}$$












Distribution ————— Sampling ————— Dataset






- (1) Choose a distribution
- (2) Estimate the parameters



- (1) Choose a distribution
- (2) Estimate the parameters


$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$



- (1) Choose a distribution
- (2) Estimate the parameters

$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$

Likelihood is treated as a function of  $\theta$ 



- (1) Choose a distribution
- (2) Estimate the parameters

$$\max_{\boldsymbol{\theta}} \quad L(\boldsymbol{\theta}; \{x_1, \ \cdots, x_n\}$$

$$L(\theta; \{x_1, \ \cdots, x_n\}) = P(\{x_1, \ \cdots, x_n\}; \theta)$$

$$\widehat{\theta} = \underset{\theta}{\operatorname{arg\,max}} \quad L(\theta; \{x_1, \ \cdots, x_n\})$$

Likelihood is treated as a function of  $\theta$ 

$$D = \{x_1, \dots, x_n\}$$

$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$

$$D = \{x_1, \dots, x_n\}$$

$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$
$$= P(x_1; \theta) \dots P(x_n; \theta)$$

$$D = \{x_1, \dots, x_n\}$$

$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$

$$= P(x_1; \theta) \dots P(x_n; \theta)$$

$$= \prod_{i=1}^n P(x_i; \theta)$$

$$D = \{x_1, \dots, x_n\}$$

$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$

$$= P(x_1; \theta) \dots P(x_n; \theta)$$

$$= \prod_{i=1}^{n} P(x_i; \theta)$$

$$l(\theta; \{x_1, \dots, x_n\}) = \log L(\theta; \{x_1, \dots, x_n\})$$
$$= \sum_{i=1}^n \log P(x_i; \theta)$$

$$D = \{x_1, \dots, x_n\}$$

$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$

$$= P(x_1; \theta) \dots P(x_n; \theta)$$

$$= \prod_{i=1}^{n} P(x_i; \theta)$$

$$\begin{split} l(\theta;~\{x_1,~\cdots,x_n\}) &= \log L(\theta;\{x_1,~\cdots,x_n\}) \\ &= \sum_{i=1}^n \log P(x_i;\theta) \end{split}$$

• **Problem:** Likelihood involves product of quantities less than 1

$$D = \{x_1, \dots, x_n\}$$

$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$

$$= P(x_1; \theta) \dots P(x_n; \theta)$$

$$= \prod_{i=1}^{n} P(x_i; \theta)$$

$$\begin{split} l(\theta; \ \{x_1, \ \cdots, x_n\}) &= \log L(\theta; \{x_1, \ \cdots, x_n\}) \\ &= \sum_{i=1}^n \log P(x_i; \theta) \end{split}$$

- **Problem:** Likelihood involves product of quantities less than 1
- Solution: Use  $\log$  as it converts products to sums

$$D = \{x_1, \dots, x_n\}$$

$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$

$$= P(x_1; \theta) \dots P(x_n; \theta)$$

$$= \prod_{i=1}^{n} P(x_i; \theta)$$

$$l(\theta; \{x_1, \dots, x_n\}) = \log L(\theta; \{x_1, \dots, x_n\})$$
$$= \sum_{i=1}^n \log P(x_i; \theta)$$

- **Problem:** Likelihood involves product of quantities less than 1
- Solution: Use  $\log$  as it converts products to sums
- Allowed:  $\log$  is strictly increasing

$$D = \{x_1, \dots, x_n\}$$

$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$

$$= P(x_1; \theta) \dots P(x_n; \theta)$$

$$= \prod_{i=1}^{n} P(x_i; \theta)$$

$$l(\theta; \{x_1, \dots, x_n\}) = \log L(\theta; \{x_1, \dots, x_n\})$$
$$= \sum_{i=1}^n \log P(x_i; \theta)$$

 $x^*$  maximizes  $f \iff x^*$  maximizes  $\log f$ 

- **Problem:** Likelihood involves product of quantities less than 1
- Solution: Use  $\log$  as it converts products to sums
- Allowed:  $\log$  is strictly increasing

$$D = \{x_1, \dots, x_n\}$$

$$L(\theta; \{x_1, \dots, x_n\}) = P(\{x_1, \dots, x_n\}; \theta)$$

$$= P(x_1; \theta) \dots P(x_n; \theta)$$


$$= \prod_{i=1}^{n} P(x_i; \theta)$$

$$l(\theta; \{x_1, \dots, x_n\}) = \log L(\theta; \{x_1, \dots, x_n\})$$
$$= \sum_{i=1}^n \log P(x_i; \theta)$$

 $x^* \text{ maximizes } f \iff x^* \text{ maximizes } \log f$ 

$$f(x) \leqslant f(x^*) \iff \log(f(x)) \leqslant \log(f(x^*))$$

- **Problem:** Likelihood involves product of quantities less than 1
- Solution: Use  $\log$  as it converts products to sums
- Allowed:  $\log$  is strictly increasing



$$X_i \sim Br(p)$$

$$P(X_i = 1) = p$$
  

$$P(X_i = 0) = 1 - p$$

$$X_i \sim Br(p)$$

$$\begin{split} P(X_i = 1) &= p \\ P(X_i = 0) &= 1 - p \end{split}$$

$$X_i \sim Br(p)$$

$$P(X_i = x_i) = p^{x_i} \cdot (1 - p)^{1 - x_i}$$

$$P(X_i = 1) = p$$
  

$$P(X_i = 0) = 1 - p$$

$$X_i \sim Br(p)$$

$$P(X_i = x_i) = p^{x_i} \cdot (1-p)^{1-x_i}$$

$$L(p; D) = \prod_{i=1}^{n} P(X_i = x_i) = \prod_{i=1}^{n} p^{x_i} (1-p)^{1-x_i}$$

$$P(X_i = 1) = p$$
  
 $P(X_i = 0) = 1 - p$ 

$$X_i \sim Br(p)$$

$$P(X_i = x_i) = p^{x_i} \cdot (1-p)^{1-x_i}$$

$$\begin{split} L(p;D) &= \prod_{i=1}^n P(X_i = x_i) = \prod_{i=1}^n p^{x_i} (1-p)^{1-x_i} \\ &= p^{n_h} (1-p)^{n-n_h} \end{split}$$

$$P(X_i = 1) = p$$
  
 $P(X_i = 0) = 1 - p$ 

$$X_i \sim Br(p)$$

$$P(X_i = x_i) = p^{x_i} \cdot (1-p)^{1-x_i}$$

$$\begin{split} L(p;D) &= \prod_{i=1}^n P(X_i = x_i) = \prod_{i=1}^n p^{x_i} (1-p)^{1-x_i} \\ &= p^{n_h} (1-p)^{n-n_h} \end{split}$$

$$l(p; D) = n_h \log p + (n - n_h) \log(1 - p)$$

$$P(X_i = 1) = p$$
  
 $P(X_i = 0) = 1 - p$ 

$$X_i \sim Br(p)$$

$$P(X_i = x_i) = p^{x_i} \cdot (1 - p)^{1 - x_i}$$

$$\begin{split} L(p;D) &= \prod_{i=1}^n P(X_i = x_i) = \prod_{i=1}^n p^{x_i} (1-p)^{1-x_i} \\ &= p^{n_h} (1-p)^{n-n_h} \end{split}$$

$$\begin{split} l(p;D) &= n_h \log p + (n-n_h) \mathrm{log}(1-p) \\ \frac{dl(p;D)}{dp} &= \frac{n_h}{p} - \frac{n-n_h}{1-p} \end{split}$$

$$P(X_i = 1) = p$$
  
 $P(X_i = 0) = 1 - p$ 

$$X_i \sim Br(p)$$

$$P(X_i = x_i) = p^{x_i} \cdot (1 - p)^{1 - x_i}$$

$$\begin{split} L(p;D) &= \prod_{i=1}^n P(X_i = x_i) = \prod_{i=1}^n p^{x_i} (1-p)^{1-x_i} \\ &= p^{n_h} (1-p)^{n-n_h} \end{split}$$

$$\begin{split} l(p;D) &= n_h \log p + (n-n_h) \mathrm{log}(1-p) \\ \frac{dl(p;D)}{dp} &= \frac{n_h}{p} - \frac{n-n_h}{1-p} \end{split}$$

$$\frac{dl(p;D)}{dp} = 0$$

$$P(X_i = 1) = p$$
  
 $P(X_i = 0) = 1 - p$ 

$$X_i \sim Br(p)$$

$$P(X_i = x_i) = p^{x_i} \cdot (1 - p)^{1 - x_i}$$

$$\begin{split} L(p;D) &= \prod_{i=1}^n P(X_i = x_i) = \prod_{i=1}^n p^{x_i} (1-p)^{1-x_i} \\ &= p^{n_h} (1-p)^{n-n_h} \end{split}$$

$$\begin{split} l(p;D) &= n_h \log p + (n-n_h) \mathrm{log}(1-p) \\ \frac{dl(p;D)}{dp} &= \frac{n_h}{p} - \frac{n-n_h}{1-p} \end{split}$$

$$\frac{dl(p;D)}{dp}=0$$
 
$$(1-p)n_h-(n-n_h)p=0$$

$$P(X_i = 1) = p$$
  
 $P(X_i = 0) = 1 - p$ 

$$X_i \sim Br(p)$$

$$P(X_i = x_i) = p^{x_i} \cdot (1-p)^{1-x_i}$$

$$\begin{split} L(p;D) &= \prod_{i=1}^n P(X_i = x_i) = \prod_{i=1}^n p^{x_i} (1-p)^{1-x_i} \\ &= p^{n_h} (1-p)^{n-n_h} \end{split}$$

$$\begin{split} l(p;D) &= n_h \log p + (n-n_h) \mathrm{log}(1-p) \\ \frac{dl(p;D)}{dp} &= \frac{n_h}{p} - \frac{n-n_h}{1-p} \end{split}$$

$$\frac{dl(p;D)}{dp} = 0$$

$$(1-p)n_h - (n-n_h)p = 0$$

$$p = \frac{n_h}{n}$$