



Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

Database Management Systems

Module 31: Application Design and Development/1: Architecture

Partha Pratim Das

Department of Computer Science and Engineering
Indian Institute of Technology, Kharagpur

ppd@cse.iitkgp.ac.in



Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

<https://www.overleaf.com/project/60ab55772e24e3d695070fc1>



Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- Studied the Normal Forms and their Importance in Relational Design – how progressive increase of constraints can minimize redundancy in a schema
- Learnt how to decompose a schema into 3NF while preserving dependency and lossless join
- Learnt how to decompose a schema into BCNF with lossless join
- Using the specification for a Library Information System, we have illustrated how a schema can be designed and then refined for finalization
- Coding of various queries based on these schema are left as exercises
- Understood multi-valued dependencies to handle attributes that can have multiple values
- Learnt Fourth Normal Form and decomposition to 4NF
- Discussed aspects of the database design process
- Studied the issues with temporal data



Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- What are the Application Programs across various sectors?
- Commonality of architecture across applications
- Understanding the classification and evolution of the architectures
- A look at the architecture for a few sample applications



Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- Application Programs
- Application Architecture with classification and evolution
- Sample application architectures



Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

**Application
Programs &
Architecture**

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

Application Programs and Architecture



Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

● Financial:

- Netbanking: SBI, PNB, BoB, Canara, HDFC, ICICI
- Share Market: ICICIDirect, Sharekhan, HDFCDirect
- Insurance & Investment: LIC, PolicyBazaar, NSDL, NPS,
- Payment Gateway: Paytm, GPay, Bhim UPI, PhonePe,
- e-Commerce: Amazon, Flipkart, eBay, BigBazaar, BigBasket,

● Travel & Tourism:

- Travel Reservations: IRCTC, Airlines, MakeMyTrip, Yatra,
- Accommodation: Booking, OYO, AirBnb, Fabhotels, Treebo,
- Transportation: Uber, Ola Cab, Mega Cab, Meru Cab,
- Navigation: Google Maps, MapQuest, Apple Maps,
- Food & Delivery: Zomato, Swiggy, UberEats, Dunzo,

● Communication:

- Live Interaction: Zoom, Google Meet, Teams, Webex, Skype,
- Intermittent Interaction: WhatsApp, Telegram, Signal, Skype
- Mail: Gmail, Yahoo, Hotmail, Rediffmail, [Enterprise Mail](#),
- Social Media: Facebook, Instagram, Twitter, YouTube,

● Knowledge Discovery:

- Static: Google, Yahoo, Bing, Wikipedia, Encyclopedia.com,
- Q&A: Quora, ASKfm, Yahoo Answers, Reddit, Digg,

● Sports:

- Cricket: Cricbuzz, CricViz, Cricket-21, Cricket Exchange,
- Tennis: ATP, ITF, SwingVision, TennisPAL, Tennis Clash,

Database Management Systems

● Software Engineering:

- Issue Tracking: JIRA, BugZilla, Githubs, Gitlab,
- VCS: Githubs, Gitlab, BitBucket, SourceForge,
- Online IDE: OnlineGDB, Codechef, Ideone,

● Library:

- Digital Library: National Digital Library of India,
- Archives: Internet Archive, arXiv, Nextpoint,

● Education:

- eLearning: BYJU's, IGNOU, NIIT, Edukart,
- MOOCs: SWAYAM, edX, Coursera, Udemy,

● Document Processing:

- Editing: Overleaf, Google Docs, Spreadsheet
- Website, Blog: Google Sites, WordPress, Webly,

● Health:

- Telemedicine: MDLIVE, Doctor on Demand,
- National: Aarogy Setu, CoWin, NACO App,

● Organizational ERP: (Intranet)

- Institutions: Students, Faculty, Course
- Hospital: Patient, Doctor, OPD, IPD, Pharmacy,
- Manufacturing: Suppliers, Inventory, Customers,
- Bank: Customers, Accounts, Locker, Deposits,
- Courier: Customers, Parcels, Delivery Agents,

Partha Pratim Das

31.7



Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- **Diversity:** These applications widely differ in their
 - *Domain, functionality, user base, response time, scale, daily hit* and many more
- **Unity:** Yet, these have a lot in common
 - Most use an RDBMS like Oracle, DB2 MySQL, PostgreSQL, etc. for managing data
 - Applications are functionally split into *frontend layer, middle layer, backend layer*
 - ▷ **Frontend or Presentation Layer / Tier**
 - Interacts with the user: Display / View, Input / Output
 - *Choose item, Add to cart, Checkout, Pay, Track order*
 - Interfaces may be, *Browser-based, Mobile App*, or *Custom*
 - ▷ **Middle or Application / Business Logic Layer / Tier**
 - Implements the Functionality of the Application: Links front and backend
 - *Authentication, Search / Browse logic, Pricing, Cart management, Payment handling (gateway), Order management (mail / SMS / internal actions), Delivery management*
 - Support functionality based on frontend interface
 - ▷ **Backend or Data Access Layer / Tier**
 - Manages persistent data, large volume, efficient access, security
 - *User, Cart, Inventory, Order, Vendor databases*



Characteristic of Application Programs (2): Architecture

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier


2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary



Source: https://en.wikipedia.org/wiki/Multitier_architecture



Application Architectures: Layers

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- **Presentation Layer / Tier**
 - **Model-View-Controller (MVC)** architecture
 - ▷ **model**: business logic
 - ▷ **view**: presentation of data, depends on display device
 - ▷ **controller**: receives events, executes actions, and returns a view to the user
- **Business Logic Layer / Tier**
 - provides high level view of data and actions on data
 - ▷ often using an object data model
 - hides details of data storage schema
- **Data Access Layer / Tier**
 - interfaces between business logic layer and the underlying database
 - provides mapping from object model of business layer to relational model of database
 - *Already discussed and studied in depth*



Application Architecture (2): MVC

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier


2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary





Application Architecture (3): User Interface

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- Web browsers have become the de-facto standard user interface to databases
 - Enable large numbers of users to access databases from anywhere
 - Avoid the need for downloading / installing specialized code, while providing a good graphical user interface
 - ▷ Javascript, Flash and other scripting languages run in browser, but are downloaded transparently
 - Examples: banks, airline and rental car reservations, university course registration and grading, and so on.
- Use in Mobile Devices are getting popular
 - Mobile Apps or Browser in Mobile
 - These are similar in architecture and workflow with web, but have significant differences with their smaller (but wide range of) form factor, and extremely low resources
 - *Will be discussed later*



Application Architecture (4): Business Logic Layer

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- Provides abstractions of entities
 - For example, students, instructors, courses, etc
- Enforces **business rules** for carrying out actions
 - For example, student can enroll in a class only if she has completed prerequisites, and has paid her tuition fees
- Supports **workflows** which define how a task involving multiple participants is to be carried out
 - For example, how to process application by a student applying to a university
 - Sequence of steps to carry out task
 - Error handling
 - ▷ For example, what to do if recommendation letters not received on time



Application Architecture (5): Object-Relational Mapping

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture
Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- Allows application code to be written on top of object-oriented data model, while storing data in a traditional relational database
 - alternative: implement object-oriented or object-relational database to store object model
 - ▷ has not been commercially successful
- Schema designer has to provide a mapping between object data and relational schema
 - For example, Java class *Student* mapped to relation *student*, with corresponding mapping of attributes
 - An object can map to multiple tuples in multiple relations
- Application opens a session, which connects to the database
- Objects can be created and saved to the database using `session.save(object)`
 - mapping used to create appropriate tuples in the database
- Query can be run to retrieve objects satisfying specified predicates



Application Architecture (6): Data Access Layer

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- Issues of modeling and design of databases have already discussed in depth through the previous module
- Issues of accessing and updating data from application will be discussed later this with through the interactions of native languages and SQL



Architecture Classification

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures
Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- Database architecture uses programming languages to design a particular type of software for businesses or organizations.
- Database architecture focuses on the design, development, implementation and maintenance of computer programs that store and organize information for businesses, agencies and institutions.
- A database architect develops and implements software to meet the needs of users.
- The design of a DBMS depends on its architecture. It can be
 - centralized
 - decentralized
 - hierarchical
- The architecture of a DBMS can be seen as either single tier or multi-tier:
 - 1-tier architecture
 - 2-tier architecture
 - 3-tier architecture
 - n-tier architecture



Architecture Evolution

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier


3-Tier

n-Tier


Sample Applications

Module Summary


- Three distinct eras of application architecture
 - Mainframe (1960's and 70's)
 - Personal computer era (1980's)
 - Web / Mobile era (1990's onwards)



(a) Mainframe Era



(b) Personal Computer Era



(c) Web era



1-tier Architecture

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier


3-Tier

n-Tier

Sample Applications

Module Summary

- One-tier architecture involves putting all of the required components for a software application or technology on a single server or platform



- Basically, a one-tier architecture keeps all of the elements of an application, including the interface, Middleware and back-end data, in one place
- Developers see these types of systems as the simplest and most direct way

Source: [Concepts of Database Architecture](#)



2-tier Architecture

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier


3-Tier

n-Tier

Sample Applications

Module Summary

- The two-tier is based on Client Server architecture
- It is like client server application



- The direct communication takes place between client and server
- There is no intermediate between client and server

Source: *Concepts of Database Architecture*

3-tier Architecture

Module 31

Partha Pratim Das

Week Recap

Objectives & Outline

Application Programs & Architecture

Architectures

Classification

1-Tier

2-Tier


3-Tier

n-Tier

Sample Applications

Module Summary

- A 3-tier architecture separates its tiers - *Presentation*, *Logic* and *Data Access* - from each other based on the complexity of the users and how they use the data present in the database
- It is the most widely used architecture to design a DBMS



Source: *Concepts of Database Architecture*

Database Management Systems

Partha Pratim Das

31.20



n-tier Architecture

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier


3-Tier

n-Tier

Sample Applications

Module Summary

- An n-tier architecture distributes different components of the 3 tiers between different servers and adds interfaces tiers for interactions and workload balancing



Source: [Concepts of Database Architecture](#)



Sample Applications in Multiple Tiers

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

Application	Presentation	Logic	Data	Functionality
Web Mail	<ul style="list-style-type: none"> Login Mail List View <ul style="list-style-type: none"> Inbox Sent Items Outbox Trash Mail Composer Filters 	<ul style="list-style-type: none"> User Authentication Connection to Mail Server (SMTP, POP, IMAP) Encryption / Decryption 	<ul style="list-style-type: none"> Mail Users Address Book Mail Items 	<ul style="list-style-type: none"> Send / Receive Mails Manage Address Book
Net Banking	<ul style="list-style-type: none"> Login Account View Add / Delete Account Add / Delete Beneficiary Fund Transfer 	<ul style="list-style-type: none"> User Authentication Beneficiary Authentication Transaction Validation Connection to Banks / Gateways Encryption / Decryption 	<ul style="list-style-type: none"> Account Holders Beneficiaries Accounts Debit / Credit Transactions 	<ul style="list-style-type: none"> Check Balance and Transactions Transfer Funds
Timetable	<ul style="list-style-type: none"> Login Add / Delete Courses, Teachers, Rooms, Slots Assignments: <ul style="list-style-type: none"> Teachers → Course Allocations <ul style="list-style-type: none"> Course → Room, Slots Views 	<ul style="list-style-type: none"> User Authentication Timetable Assignment Logic Encryption / Decryption 	<ul style="list-style-type: none"> Courses Teachers Rooms Slots Assignments Allocations 	<ul style="list-style-type: none"> Manage timetable for multiple courses taken by multiple teachers



Module Summary

Module 31

Partha Pratim
Das

Week Recap

Objectives &
Outline

Application
Programs &
Architecture

Architectures

Classification

1-Tier

2-Tier

3-Tier

n-Tier

Sample Applications

Module Summary

- Had a glimpse of Application Programs across various sectors
- Understood the typical architecture for an application
- Studies the classification and evolution of the architectures
- Glimpsed at architecture for a few sample applications

Slides used in this presentation are borrowed from <http://db-book.com/> with kind permission of the authors.

Edited and new slides are marked with “PPD”.