



[Curso](#) > [Week 2...](#) > [4. Func...](#) > [Exercis...](#)

### Audit Access Expires Ago 5, 2020

You lose all access to this course, including your progress, on Ago 5, 2020.

Upgrade by Jul 1, 2020 to get unlimited access to the course as long as it exists on the site. **Upgrade now**

## Exercise 1

### Exercise 1

6/6 points (graded)

**ESTIMATED TIME TO COMPLETE: 12 minutes**

**Note that you will have to answer all questions before you can click the Check button.**

### Part 1: Function Types

For each of the following functions, specify the type of its **return**. You can assume each function is called with an appropriate argument, as specified by its docstring.

If the output can be either an int or a float, select num, which isn't a real Python type, but which we'll use to indicate that either basic numeric type is legal.

In fact, in Python, booleans True and False can be operated on as if they were the integers 1 and 0; but it is ugly and confusing to take advantage of this fact, and we will resolutely pretend that it isn't true.

What are those lines under the function definitions?

1.

```
def a(x):  
    ...  
    x: int or float.  
    ...  
    return x + 1
```



Indicate the type of the output that the function `a` will yield.

num

✓ Answer: num

2.

```
def b(x):  
    ...  
    x: int or float.  
    ...  
    return x + 1.0
```

Indicate the type of the output that the function `b` will yield.

float

✓ Answer: float

3.

```
def c(x, y):  
    ...  
    x: int or float.  
    y: int or float.  
    ...  
    return x + y
```

Indicate the type of the output that the function `c` will yield.

num

✓ Answer: num

4.

```
def d(x, y):  
    ...  
    x: Can be int or float.  
    y: Can be int or float.  
    ...  
    return x > y
```

Indicate the type of the output that the function `d` will yield.

boolean

✓ Answer: boolean

5.



```
def e(x, y, z):  
    ...  
    x: Can be int or float.  
    y: Can be int or float.  
    z: Can be int or float.  
    ...  
    return x >= y and x <= z
```

Indicate the type of the output that the function `e` will yield.

✓ Answer: boolean

6.

```
def f(x, y):  
    ...  
    x: int or float.  
    y: int or float  
    ...  
    x + y - 2
```

Indicate the type of the output that the function `f` will yield.

✓ Answer: NoneType

### Explanation:

The last function, unlike the other ones, does not have a return statement. It only does an operation (the operation is `x+y-2`). Since it does not explicitly return anything, Python by default returns the value `None` whose type is `NoneType`. So this function and any other that does not have a return statement can be rewritten as:

```
def f(x, y):  
    x + y - 2  
    return None
```

Enviar

**i** Answers are displayed within the problem

## Exercise 1



Topic: Lecture 4 / Exercise 1

Ocultar discussão

Add a Post

Show all posts	▼	por atividade recente	▼
✓	Question about #6	Is #6 NoneType because there is no return at the end? And if there is no return, what exactly does th...	9 new_
?	Can someone explain how to know whether the answer will be an int/float/etc?	I forgot the rules that determine whether it will be an int or float, could someone send a link or expla...	2
?	num vs. int vs. float	I don't quite understand what a num is? I thought ints and floats covered all numbers?	3
?	Does a function have to have a "return" statement inside?	Does a function have to have a "return" statement inside? For example in Question 6, the function re...	3
💬	True/False 1/0	So we don't want to ever analyse the 1/0 outputs of Booleans? It seems like other languages utilise t...	1
💬	A reminder for myself	#question2 Either an int or a float add/minus/times/divided by a float, the result is a float!	3

© All Rights Reserved