

Curso > Week 3... > 6. Dicti... > Exercis...

Audit Access Expires Ago 5, 2020

You lose all access to this course, including your progress, on Ago 5, 2020. Upgrade by Jul 1, 2020 to get unlimited access to the course as long as it exists on the site. **Upgrade now**

Exercise 1

Exercise 1

12/12 points (graded)

ESTIMATED TIME TO COMPLETE: 7 minutes

Note that you will have to answer all questions before you can click the Check button.

Suppose we evaluate the following expressions:

```
animals = {'a': 'aardvark', 'b': 'baboon', 'c': 'coati'}
animals['d'] = 'donkey'
```

We are now going to evaluate a set of expressions, resulting in the following sequence of interactions. Fill in each blank to show what the Python interpreter would print at that point. If an expression below would generate an error, enter 'error'.

```
1.
    >>> animals
    {'a': 'aardvark', 'b': 'baboon', 'c': 'coati', 'd': 'donkey'}
  Answer: {'a': 'aardvark', 'b': 'baboon', 'c': 'coati', 'd': 'donkey'}
```

2.

C	oati	✓ Answer: 'coat
3. >>	>> animals['donkey']	
е	rror	✓ Answer: erro
4. >>	>> len(animals)	
4		✓ Answer: 4
	<pre>>> animals['a'] = 'anteater' >> animals['a']</pre>	
а	nteater	✓
	nteater swer: 'anteater'	✓
An:		✓
An:	swer: 'anteater' >> len(animals['a'])	✓ Answer: 8
Ans 6. >>> 8	swer: 'anteater' >> len(animals['a'])	


>>> 'donkey' in animals.values()	
True	✓ Answer: True
>>> 'b' in animals	
True	✓ Answer: True
<pre>.</pre>	
['a', 'b', 'c', 'd']	✓
Answer: dict_keys(['a', 'b', 'c', 'd'])	
<pre>.</pre>	
3	✓ Answer: 3
<pre> >>> animals.values()</pre>	
dict_values(['anteater', 'coati', 'donkey'])	✓
Answer: dict_values(['anteater', 'coati', 'donkey'])	
viar	
Answers are displayed within the problem	

Exercise 1

Topic: Lecture 6 / Exercise 1

Ocultar discussão

Add a Post



© All Rights Reserved