

Curso > Week 3... > 6. Dicti... > Exercis...

### **Audit Access Expires Ago 5, 2020**

You lose all access to this course, including your progress, on Ago 5, 2020. Upgrade by Jul 1, 2020 to get unlimited access to the course as long as it exists on the site. **Upgrade now** 

# **Exercise:** how many

Exercise: how many

5.0/5.0 points (graded)

### **ESTIMATED TIME TO COMPLETE: 6 minutes**

Consider the following sequence of expressions:

```
animals = { 'a': ['aardvark'], 'b': ['baboon'], 'c': ['coati']}
animals['d'] = ['donkey']
animals['d'].append('dog')
animals['d'].append('dingo')
```

We want to write some simple procedures that work on dictionaries to return information.

First, write a procedure, called how\_many, which returns the sum of the number of values associated with a dictionary. For example:

```
>>> print(how_many(animals))
6
```

```
1 def how_many(aDict):
2
3
     aDict: A dictionary, where all the values are lists.
4
5
     returns: int, how many values are in the dictionary.
6
7
     # Your Code Here
```

```
qtde=0
 9
      for valor in aDict.values():
10
          qtde += len(valor)
11
      return qtde
```

Press ESC then TAB or click outside of the code editor to exit

#### Correta

```
def how_many(aDict):
    aDict: A dictionary, where all the values are lists.
    returns: int, how many individual values are in the dictionary.
    . . .
    result = 0
    for value in aDict.values():
        # Since all the values of aDict are lists, aDict.values() will
        # be a list of lists
        result += len(value)
    return result
def how_many(aDict):
   Another way to solve the problem.
    aDict: A dictionary, where all the values are lists.
    returns: int, how many individual values are in the dictionary.
    result = 0
    for key in aDict.keys():
        result += len(aDict[key])
    return result
```

## Test results

```
Hide output
CORRECT
          Test: how_many({'u': [10, 15, 5, 2, 6], 'B': [15]})
          Output:
```

6

**Hide output** 

Important: If you are getting a message Incorrect: Something went wrong: tests don't match up. please click Check until you get a different error message or you get the green Correct. We apologize for the inconvenience.

Enviar

**1** Answers are displayed within the problem

## Exercise: how many

Topic: Lecture 6 / Exercise: how many

Ocultar discussão

### Add a Post

Sho	w all posts	<b>~</b>		por atividade r	recente 🗸
2		lists within lists to write code that accou	ınted for the hypothetical ca	se of a list within one of the lists, bu	4 new_ 
Q		learning goal of this	exercise? contents of a dictionary? Or		new_ 3
2	•	other solution - look solved it, which defers f		def how many(aDict): count = 0 for .	1 new_ 
2	-	e example return 6?	ion, I would assume the ther	e are only 4 values in the dictionary,	<u>,</u>
₹		•	vanimals in the code? nimals' is not defined". In mo	est exercises so far we we've been in	3
2	_	went wrong: tests detting these even if I ha	•	in IDLE and it seemed to work, but	4
4					<b></b>

© All Rights Reserved