



[Curso](#) > [Week 3...](#) > [5. Tupl...](#) > [Exercis...](#)

**Audit Access Expires 5 de ago de 2020**

You lose all access to this course, including your progress, on 5 de ago de 2020.

## Exercise 2

Finger Exercises due Aug 5, 2020 20:30 -03 *Completo*

### Exercise 2

16/16 points (graded)

**ESTIMATED TIME TO COMPLETE: 5 minutes**

**Note that you will have to answer all questions before you can click the Check button.**

For each of the expressions below, specify its type and value. If it generates an error, select type 'NoneType' and put the word 'error' in the box for the value.

Assume we've made the following assignment:

```
x = [1, 2, [3, 'John', 4], 'Hi']
```

Additionally, assume that the expressions are evaluated in the order shown - that is, each problem part is evaluated directly after the previous problem part(s).

- `x[0]`

int

✓ Answer: int

1

✓ Answer: 1

- `x[2]`

list

✓ Answer: list



✓ Answer: [3, 'John', 4]

- `x[-1]`

✓ Answer: string

✓ Answer: 'Hi'

- `x[2][2]`

✓ Answer: int

✓ Answer: 4

- `x[0:1]`

✓ Answer: list

✓ Answer: [1]

- `2 in x`

✓ Answer: boolean

✓ Answer: True

- `3 in x`

✓ Answer: boolean

✓ Answer: False

- `x[0] = 8`





✓ Answer: list



Answer: [8, 2, [3, 'John', 4], 'Hi']

**i** Answers are displayed within the problem

## Exercise 2

Topic: Lecture 5 / Exercise 2

Show all posts

por atividade recente

- Marked incorrect? 6  
Is anyone else having issues with grading? I have correct answers, such as x[-1], answer 'Hi'. Marked i...
- 2 in x and 3 in x? 4 new\_  
Hi, Can anyone please explain what does 2 in x and 3 in x means? does it referring to index [2] or ind...
- SPOILER X[0:1] 2  
Why does this evaluate to a list?????
- List vs Tuple 6  
So if this were a tuple, x[0:1] would give (1,) instead of [1]. Is this just "semantics" in code, or does thi...
- 3 in x 4  
I'm not sure why 3 in x is False. Is it because 3 is apart of another list? If so, is the list 3 in not include...

© All Rights Reserved

