


Curso > Week 3... > 6. Dicti... > Video: ...

## **Audit Access Expires Ago 5, 2020**

You lose all access to this course, including your progress, on Ago 5, 2020. Upgrade by Jul 1, 2020 to get unlimited access to the course as long as it exists on the site. **Upgrade now** 

Video: Quick Review Video: Quick Review



0:00 / 0:00 66 X CC 1.50x

Start of transcript. Skip to the end.

We've seen now four different ways

to collect things together into compound data structures,

non-scalar data structures.

We've seen strings, we've seen tuples, we've seen ranges,

and we ve seem lists.



#### Vídeo

Download video file

# **Transcripts**

Download SubRip (.srt) file Download Text (.txt) file

### **Handouts**

Baixar apostila

@1:30 on slides: should be "e is not in seq -> True if e not contained in sequence" instead of "e is not in seq -> True if e contained in sequence"

### **VERIFIED CERTIFICATES**

Interested in using an edX certificate to bolster a college application or to advance your career? With an edX verified certificate, you can demonstrate to colleges, employers, and colleagues that you successfully completed a challenging edX



course, while helping to support the edX non-profit mission. You can register to earn a Verified Certificate directly here.

Video: Quick Review



Topic: Lecture 6 / Video: Quick Review Ocultar discussão

Show all posts por atividade recente > Did anyone else go straight to their IDE... ...to try concatenating eg a string and a tuple? Or just me? 5 new **▲** Community TA <u>range[i] - what does this mean? (To note)</u> 3 I was initially confused when the lecture stated that seq[i] is a common operator in for these dat... What else differs lists from tuples? 3 Any more difference between lists and tuples other than exclusive mutability of lists? Typo in Slide? 3 At 0:49, e in seq and e not in seq both say True if e contained in sequence. Assuming this was a t...

© All Rights Reserved

Add a Post