

<u>Curso</u> > <u>Seman</u>... > <u>11. Co</u>... > Exercis...

#### Audit Access Expires 5 de ago de 2020

You lose all access to this course, including your progress, on 5 de ago de 2020.

# Exercise 7

Finger Exercises due Aug 5, 2020 20:30 -03

### Exercise 7

3/4 points (graded)

#### **ESTIMATED TIME TO COMPLETE: 10 minutes**

Consider the following Python procedures. For each one, specify its order of growth.

```
1.
    def lenRecur(s):
        if s == '':
            return 0
        else:
            return 1 + lenRecur(s[1:])
```

O(len(s)) Answer: O(len(s))

2.

```
def isIn(a, s):
    ...
    a is a character, or, singleton string.
    s is a string, sorted in alphabetical order.
    ...
    if len(s) == 0:
        return False
    elif len(s) == 1:
        return a == s
    else:
        test = s[len(s)//2]
        if test == a:
            return True
    elif a < test:
        return isIn(a, s[:len(s)//2])
    else:
        return isIn(a, s[len(s)//2+1:])</pre>
```

```
O(log(len(s))) ✓ Answer: O(log(len(s)))
```

```
def union(L1, L2):
    ...
L1 & L2 are lists of the same length, n
    ...

temp = L1[:]
for e2 in L2:
    flag = False
    for check in temp:
        if e2 == check:
            flag = True
            break
    if not flag:
        temp.append(e2)
    return temp
```

For this problem, assume n = len(L1) = len(L2)

4.

```
def unionNew(L1, L2):
    ...
L1 & L2 are lists of the same length, n
    ...

temp = []
for e1 in L1:
    flag = False
    for e2 in L2:
        if e1 == e2:
            flag = True
            break
    if not flag:
        temp.append(e1)
return temp + L2
```

For this problem, assume n = len(L1) = len(L2)

Enviar

## Exercise 7

Ocultar discussão

**Topic:** Lecture 11 / Exercise 7

Add a Post

Show all posts ✓ por atividade recente ✓

There are no posts in this topic yet.

X

© Todos os direitos reservados

https://courses.edx.org/courses/course-v1:MITx+6.00.1x+2T2020/courseware/c3b8ed5a5c8b4b589002370ad9d49a94/1334ab336b1b4458b5c29...