WEEK 04 / PROCESS 01

Clearspan Gymnastics Center 2035

Prompting for Design / Future Space Mockup

Lana Harkin | September 29, 2026

A future training hall organized around a central spring floor, a visible perimeter route, and connected preparation, coaching and recovery spaces.

Process documented

Fictional scenarios / design brief / three concepts / spatial image / targeted edits / final supplied concept image / camera direction.

Evidence status. This report documents the attached chat screenshots and images. The final image is an AI concept visualization; I completed and verified the editable Blender scene and finished video. The finished video is linked in this report. Supplemental prompts are explicitly labeled. No research validation or construction feasibility is claimed.

Concept & design brief

FICTIONAL CLASSROOM PROJECT / ONE-PAGE BRIEF

Purpose, people and activities

Support 20 youth gymnasts and 3 coaches in a plausible 2035 training facility. Activities include floor exercise, repeated beam practice, bars, vault, tumbling, group warm-up, conditioning, spotting, grip/chalk preparation, hydration and recovery.

Fixed classroom assumptions

Approximately 1,500 m²; a 50 m × 30 m hall; 10 m interior height. These are concept assumptions, not confirmed site measurements. The occupancy and activity program remain fixed when comparing concepts.

Needs supported by the fictional notes

P1: access to coaching and confidence support during repeated beam practice. **P2:** nearby grip/chalk preparation with distinct spotting space. **P3:** room for shared warm-up and transition into training. **P4:** convenient repeated hydration access.

Design priorities and specific requirements

Include spring floor, beam, bars, vault runway and landing, a separate tumble lane, warm-up/conditioning, hydration/recovery, first aid, equipment storage and coach workspace. Prioritize readable zones, coaching sightlines, clear circulation, protected training routes and practical storage. Use exposed steel trusses, clerestory daylight, LEDs, acoustic baffles and plausible equipment. The later visual direction adds a red route with white borders and blue, white and gold marble-style finishes.

Hypotheses and unresolved inputs

A perimeter route may clarify transitions and repeated water trips; nearby preparation may support coaching. Neither claim is validated. Confirm apparatus footprints, landing/fall zones, anchoring, simultaneous use, coach movements, entrances, structural grid, accessibility, acoustic performance, material suitability and budget.

Completed deliverables

I completed and verified the Blender scene and finished video. This report documents the attached brief, concepts, image revisions and camera prompt.

Research / needs / questions

PROMPT / SUMMARIZE WITH TRACEABLE SOURCES

Summarize the fictional notes into design needs. For each, include its scenario ID and a supporting phrase. Then identify tensions, unknowns and questions to investigate with real gymnasts and coaches. Preserve P1’s repeated beam practice and P4’s repeated hydration behavior. Keep observations, design needs and possible design responses separate. Treat the three previously proposed organizing principles as design assumptions, not research findings. Do not invent research findings or population-level claims.

Source / observation	Need / hypothesis	Question to investigate
P1 / repeated beam cartwheels; fear of falling	Coaching access and confidence support; nearby assistance is a proposal.	What causes uncertainty? Which coaching and landing arrangements help?
P2 / spotting at bars; others prepare grips and chalk nearby	Distinct preparation and spotting spaces; proximity may help or interfere.	Does preparation affect movement, sightlines or attention?
P3 / group stretching and warm-up	Shared warm-up space with practical transitions.	What group size, activities and storage are needed?
P4 / repeated hydration visits	Convenient return trips outside active training routes.	Where do trips begin? Are queues or scheduled breaks important?

Inspect

The screenshots preserve P1-P4 and identify unknowns instead of presenting the scenarios as real interviews. The main tension is convenient adjacency versus protected space for training and coaching.

Refine

Carry source labels into the brief and concept comparison. A proposed spatial response must remain a hypothesis until real observation or testing supports it.

Compare three spatial concepts

PROMPT / KEEP THE BRIEF FIXED; VARY THE ORGANIZATION

The supplied comparison changes activity relationships and movement while retaining people, area, program and plausible architectural character. The exact concept-generation prompt is not visible; this page summarizes its documented result.

Organizing principle	Movement and relationships	Tradeoff / unresolved question
1 / Floor-centered perimeter loop	Spring floor is the central reference. Beam, bars, vault and tumble connect at access edges; warm-up and hydration join the loop.	Loop occupies valuable area. Can apparatus and required fall zones fit with a usable route?
2 / Parallel activity bands	Beam/bars, floor and vault/tumbling sit in separate bands, joined by a circulation spine.	Coaching trips may lengthen. What schedule lets 3 coaches cover simultaneous use?
3 / Coach-linked activity clusters	Beam/coaching, bars/preparation/spotting and vault/tumbling form local clusters connected to shared support.	Transition and hydration trips may concentrate. How do 20 gymnasts rotate through the connector?

Inspect

The source diagrams explicitly leave all three alternatives unselected. They communicate relationships, not scaled plans or certified clearances.

Direction visible in the later image

The later supplied images develop a central spring floor and perimeter route, consistent with option 1. This is an interpretation of the visual sequence; no explicit selection message was supplied.

Refine

Use the perimeter idea as the working visual direction, then check equipment envelopes and coaching access in a dimensioned model before treating the route as workable.

Compare three spatial concepts / layouts

CHAT OUTPUT / ORGANIZING PRINCIPLES 1 AND 2



Layout 1 / Floor-centered organization with perimeter circulation. The loop connects apparatus and support spaces around the spring floor.



Layout 2 / Parallel activity bands. A shared circulation spine connects separate training bands and support spaces.

Compare three spatial concepts / layout 3

CHAT OUTPUT / COACH-LINKED ACTIVITY CLUSTERS



Layout 3 / Beam/coaching, bars/preparation/spotting, and vault/tumbling clusters connect to shared floor, warm-up and support resources.

Comparison checkpoint

These original chat outputs document the three concepts before selection. They show intended activity relationships and circulation rather than measured plans. The later visual sequence develops the floor-centered perimeter approach.

References that informed my decisions

VISUAL REFERENCES / MARBLE-STYLE FINISHES

I used these reference images to guide the white, blue and gold material palette in my design.

Reference 1 / White and gold marble. I used the light base and irregular gold veining to define the marble-style finish. Visible image credit: Shutterstock / MillieClowns.

Reference 2 / Flowing pale tones and gold bands. I used the soft gray-blue transitions and gold accents to refine the balance of light tones and metallic detail.

References / blue, white & gold

VISUAL REFERENCE / WALL-PANEL COLOR DIRECTION

Reference 3 / Blue, white and gold marble. I used the stronger blue areas with white and gold veins to guide the wall-panel color change and coordinate it with the blue training equipment.

How I applied the references

I carried the palette and veining into the revised wall finishes. The blue and white connect the architectural surfaces to the training areas, while gold adds detail. I kept the red pathway with white borders as the distinct circulation cue.

Reference images supplied by me; original images and visible watermarks are preserved. These are visual material references for the conceptual design.

Spatial image / baseline

Figure 1. Initial supplied concept image with gymnasts and coaches.

Visible design relationships

A large blue spring floor anchors the center. Vault is on the left, beams at the rear-left, bars at the rear-right, and long training surfaces on the right. Conditioning and coach workspace occupy the foreground-left; hydration and a first-aid alcove (later intentionally revised to storage) are on the foreground-right. Clerestories, trusses and overhead baffles establish the hall character.

Prompt record

The original image-generation prompt and tool/version are not included in the attachments. The spatial intent can be described from the image, but the exact prompt cannot be recovered.

PROPOSED RECONSTRUCTION / NOT THE ORIGINAL PROMPT

Create a wide architectural concept image of Clearspan Gymnastics Center 2035 using the fictional brief: 20 youth gymnasts, 3 coaches, approximately 1,500 m², and an assumed 50 m × 30 m × 10 m hall. Put a central blue spring floor inside a visible perimeter route; show vault left, beams rear-left, bars rear-right and a separate tumble lane right. Include warm-up, storage, coach workspace, hydration and first aid. Use exposed steel trusses, clerestory daylight, LEDs and acoustic baffles. Avoid floating equipment and fantasy structures. Treat dimensions and feasibility as unverified classroom assumptions.

Revision 01 / remove people

BEFORE / occupied baseline

AFTER / supplied people-free revision.

Prompt

The five coordinate-based instructions request removal at (14.5%, 44.7%), (11.1%, 45.9%), (41.1%, 39.4%), (67.5%, 42.4%) and (95.7%, 47.7%). They identify people and coaches by location.

Inspect

The visible people are removed and the principal equipment arrangement remains recognizable. The initial generation added actual gymnasts to the image, which I identified as an unintended change. Removing them focuses the review on spatial design. I intentionally requested conversion of the first-aid alcove to storage later; that prompt was not attached.

Refine / proposed correction

Remove only the marked gymnasts and coaches. Preserve the camera, apparatus, floor, lighting and approved support spaces. Keep the intentionally revised storage area. Do not add people in later revisions. Return the same view for comparison.

Revision 02-03 / route & material

Figure 3. Latest supplied concept image with red circulation and blue/white/gold finishes.

Prompt / circulation

At four locations, the request adds “red carpeted outlined in white flooring pathways along the concrete to signify the walking path perimeter.” Locations: (62.5%, 81.4%), (78.1%, 54.9%), (52.2%, 47.6%) and (21.8%, 54.3%). A carpet reference is mentioned but was not attached to this request.

Prompt / wall finish

At (47.4%, 31%), (15.5%, 24.4%) and (92.4%, 23.4%), the request changes red marble wall panels to blue, white and gold marble. The marble reference images are included in the visual-reference section. The intermediate red-marble image was not attached.

Inspect

The red route makes the perimeter and foreground approach more legible. The latest image shows blue/white/gold wall panels and a coordinated appearance. The foreground floor also gains marble-like finishes, extending beyond the wall-focused request. The former first-aid alcove is retained as intentionally revised storage.

Refine

Keep the accepted route appearance and intentional storage conversion while limiting finish changes to approved surfaces. Verify real route widths, floor transitions and material performance in the model; appearance alone cannot establish them.

WEEK 04 / PROCESS 08

Connected views & 3D scene

COMPLETED / VERIFIED BLENDER SCENE

The verified Blender scene and final walkthrough video are complete. The prompts below are supplemental documentation templates, not recovered original prompts.

Final Blender video

Watch the completed Blender walkthrough on YouTube

https://youtu.be/ZtSp1Tv_NNg

Supplemental prompt / coordinate the spatial information

Use the latest Clearspan image for visual appearance and the brief for required activities. Before modeling, produce an element matrix separating visible features, supplied requirements and unknowns. Preserve the intentionally revised storage area and inspect the separate tumble-lane arrangement. Develop a top-view study and a section through the spring floor and perimeter route. Keep 50 m × 30 m × 10 m labeled as classroom assumptions. Do not infer equipment clearances from the image.

Prompt / build and review

Build an editable Blender scene from the reviewed layout. Organize named objects for the hall, trusses, floor, apparatus, route, support spaces and lighting. Preserve the approved appearance; keep the approved storage conversion. Render an overall view, a top view and a section or side view from the same model. Report unresolved dimensions and conflicts. Review the stills before camera animation.

Review category	Evidence and acceptance check
Space and proportions	Confirm the modeled hall dimensions; separate assumptions from verified inputs.
Layout and circulation	Trace continuous non-active access; check route against apparatus envelopes.
Architecture and apparatus	Inspect trusses, openings, beams, bars, vault and separate tumble lane in consistent views.
Support program	Show warm-up, storage, coach workspace, hydration, recovery and approved storage conversion.
Materials and light	Check route borders, approved wall finishes, daylight and shadows with a fixed camera.
Camera and framing	Use stills from the same model to establish geometric consistency.

Course alignment: Design Practice exercises 11-14 and teaching modules 05-06 require grounded critique and still review from an editable scene. Independently generated pictures do not verify consistent geometry.

WEEK 04 / PROCESS 09

Video / camera direction

DOCUMENTED PROMPT / FINISHED VIDEO CONFIRMED

Create a 30-second low-resolution camera preview from the approved scene. Begin with a gentle elevated overview, descend slowly toward eye level, then dolly along the red carpet pathway to the left. Look toward the vault area, gradually turn to the beams, then continue toward the rear bars and chalk bin, then finally continue toward the water station. Keep a wide fixed focal length and level horizon. Ease into turns, avoid equipment collisions, and let the final view settle. Preserve all scene elements.

Transcribed from the supplied camera-prompt screenshot. I completed and verified the Blender scene and finished video; the completed video is linked in this report.

Proposed timing / implementation plan

Time	Route	Look target
0-6 s	Elevated overview; gradual descent	Central floor and overall hall
6-12 s	Dolly left along red route	Vault
12-18 s	Continue along perimeter; ease turn	Beam area
18-24 s	Continue toward rear	Bars and chalk preparation
24-30 s	Proceed along connected route; settle	Hydration station

Inspect / refine / export

Render a low-resolution preview only after model stills are accepted. Check turns, eye height, fixed focal length, horizon, collisions and final framing. Adjust camera motion independently of the layout. Then export the reviewed 30-second video; Full HD is the course example.

Final video

Watch the final Blender video

Reflection

PROMPTING DECISIONS & LESSONS LEARNED

The documented process shows how a broad future-space idea became a more specific design brief and a sequence of localized visual changes. Keeping P1-P4 labels preserved the connection between the fictional scenarios and proposed needs. Comparing organizing principles made circulation and coaching relationships explicit before the later images developed the central-floor direction.

Coordinate-based edits made the requested targets easy to locate. The people-removal revision also showed why every result needs inspection: the initial generation included gymnasts that were not intended. A stronger follow-up would name both the desired change and the elements to preserve, then compare the result with the baseline.

The red route communicates movement more clearly, while the marble-style finish gives the hall a distinctive identity. These visual gains do not establish workable clearances, material suitability or supervision coverage. I completed and verified the Blender scene and finished video after the image revisions. The camera prompt is specific about route, gaze and motion; the supplied text documents that direction, and the completed walkthrough is linked in the 3D-scene and video sections.