
- ALTER USER statement, 1244, 2834
- ALTER VIEW, 2507
- altering
 - database, 2470
 - schema, 2470
- altering table
 - thread state, 1847
- altering user accounts, 2834
- analyze option
 - myisamchk, 571
 - mysqlcheck, 465
- ANALYZE TABLE
 - and partitioning, 4701
- ANALYZE TABLE statement, 2886
- Analyzing
 - thread state, 1847
- AND
 - bitwise, 2268
 - logical, 2132
- anonymous user, 1217, 1220
- ANSI, 6132
- ANSI mode
 - running, 77
- ansi option
 - mysqld, 734
- ANSI SQL mode, 971, 977
- ANSI_QUOTES SQL mode, 972
- ANY, 2685
- ANY_VALUE(), 2439
- Apache, 336
- API, 6132
- API node (NDB Cluster)
 - defined, 3926
- API nodes (see SQL nodes)
- APIs, 5215
 - list of, 90
 - Perl, 5219
- append option
 - ndb_restore, 4371
- APPLICABLE_ROLES
 - INFORMATION_SCHEMA table, 4779
- application error handling, 1183
- application programming interface (API), 6132
- APPLICATION_PASSWORD_ADMIN privilege, 1196
- apply, 6132
- apply-slave-statements option
 - mysqldump, 489
- apply_status table (OBSOLETE), 4619
 - (see also [NDB Cluster replication](#))
- approximate-value literals, 2454
- approximate-value numeric literals, 1862, 2454
- Arbitration, 4112
- ArbitrationDelay, 4066, 4154
- ArbitrationRank, 4065, 4154