

CLAIMS

1. A method of creating a data graph, the method comprising
generating, with an electronic processor, a data graph for an entity by accessing a plurality of data records stored in a first set of a plurality of data sources, wherein each of the plurality of data records is explicitly linked to the entity, the data graph including a plurality of connected nodes, wherein each of the plurality of nodes includes at least one feature representing a dimension of the data graph,
inferring, with the electronic processor, an additional dimension for the data graph based on data included in the data graph,
in response to confirming addition of the additional dimension to the data graph, adding data to the data graph associated with the additional dimension by accessing data stored in a second set of the plurality of data sources, and
storing the data graph with the data associated with the additional dimension.
2. The method according to claim 1, wherein the additional dimension is inferred based on at least one of a data format, a data type, and a data name of the at least one feature.
3. A computer-readable medium storing instructions that, when executed with an electronic processor, perform a set of functions, the set of functions comprising:
generating a data graph for an entity by accessing a plurality of data records stored in a first set of a plurality of data sources, wherein each of the plurality of data records is explicitly linked to the entity, the data graph including a plurality of connected nodes, wherein each of the plurality of nodes includes at least one feature representing a dimension of the data graph,
inferring an additional dimension for the data graph based on data included in the data graph,
in response to confirming addition of the additional dimension to the data graph, adding data to the data graph associated with the additional dimension by accessing data stored in a second set of the plurality of data sources, and
storing the data graph with the data associated with the additional dimension.
4. The computer-readable medium according to claim 3, wherein the set of functions further comprises:
inferring the additional dimension using at least one of a library and a web service.
5. The computer-readable medium according to claim 3, wherein the set of functions further comprises: