

1. Create a API that can show the list of students from the same major and only the login's user can call this API.

Request Message

GET Auth_Show student major

[Open Request →](#)

http://127.0.0.1:8000/api/eastudents/major/EGEE

Make things easier for your teammates with a complete request description.

Authorization Bearer Token

Token

Response Message

GET `{{URL}}`/eastudents/major/EGEE

Send

Params Auth ● Headers (7) Body Pre-req. Tests Settings

[Cookies](#)

Body ▾



200 OK

30 ms

506 B

[Save Response ▾](#)

Pretty

Raw

Preview

Visualize

JSON ▾



```
1  [
2    "eastudents search for EGEE major",
3    [
4      {
5        "id": 3,
6        "firstName": "Bobedit3",
7        "lastName": "Cat",
8        "major": "EGEE",
9        "status": 0,
10       "created_at": "2022-05-22T11:55:45.000000Z",
11       "updated_at": "2022-05-22T12:03:13.000000Z"
12     }
13   ]
14 ]
```

Validation: The size of {major} parameter must be equal to 4 characters

Response Message: {major} < 4



GET ▼ `{{URL}}/eastudents/major/EGE` Send ▼

Params Auth ● Headers (7) Body Pre-req. Tests Settings Cookies

Body ▼ 200 OK 33 ms 352 B Save Response ▼

Pretty Raw Preview Visualize JSON ▼ 🔍

```
1 {  
2   "major": [  
3     "The major must be 4 characters."  
4   ]  
5 }
```

Response Message: : {major} > 4



GET ▼ `{{URL}}/eastudents/major/EGEEE` Send ▼

Params Auth ● Headers (7) Body Pre-req. Tests Settings Cookies

Body ▼ 200 OK 31 ms 352 B Save Response ▼

Pretty Raw Preview Visualize JSON ▼ 🔍

```
1 {  
2   "major": [  
3     "The major must be 4 characters."  
4   ]  
5 }
```

2. Create a API that can show the list of students from the same faculty and only the login's user can call this API.

Request Message

GET Auth_Show student faculty

[Open Request](#) →

```
http://127.0.0.1:8000/api/eastudents/faculty/EG
```

Make things easier for your teammates with a complete request description.

Authorization Bearer Token

Token

Response Message

GET

{{URL}}/eastudents/faculty/EG

Send

ParamsAuth●Headers (7)BodyPre-req. TestsSettingsCookies

Body

200 OK27 ms820 BSave Response

PrettyRawPreviewVisualizeJSON

```
1  [
2    "eastudents search for EG faculty",
3    [
4      {
5        "id": 1,
6        "firstName": "Bob1",
7        "lastName": "Cat",
8        "major": "EGCO",
9        "status": 1,
10       "created_at": "2022-05-22T11:55:33.000000Z",
11       "updated_at": "2022-05-22T11:55:33.000000Z"
12     },
13     {
14       "id": 3,
15       "firstName": "Bobedit3",
16       "lastName": "Cat",
17       "major": "EGEE",
18       "status": 0,
19       "created_at": "2022-05-22T11:55:45.000000Z",
20       "updated_at": "2022-05-22T12:03:13.000000Z"
21     },
22     {
23       "id": 5,
24       "firstName": "Bob5",
25       "lastName": "Cat",
26       "major": "EGCO",
27       "status": 1,
28       "created_at": "2022-05-22T11:55:55.000000Z",
29       "updated_at": "2022-05-22T11:55:55.000000Z"
30     }
31   ]
32 ]
```

CookiesCapture requestsBootcampRunnerTrash

Validation: The size of {faculty} parameter must be equal to 2 characters.

Response Message: {faculty} < 2

GET

{{URL}}/eaststudents/faculty/E

Send

ParamsAuth●Headers (7)BodyPre-req. TestsSettingsCookies

Body

200 OK31 ms352 BSave Response

PrettyRawPreviewVisualizeJSON

```
1 {
2   "major": [
3     "The major must be 2 characters."
4   ]
5 }
```

Response Message: : {major} > 2

GET

{{URL}}/eaststudents/faculty/EGE

Send

ParamsAuth●Headers (7)BodyPre-req. TestsSettingsCookies

Body

200 OK31 ms352 BSave Response

PrettyRawPreviewVisualizeJSON

```
1 {
2   "major": [
3     "The major must be 2 characters."
4   ]
5 }
```