

S3

General configuration

AWS Region
Europe (Stockholm) eu-north-1

Bucket type [Info](#)

☒ General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ Directory - New
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name [Info](#)
lalit12
Bucket name must be unique within the global namespace and follow the bucket naming rules. [See rules for bucket naming](#)

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

Format: s3://bucket/prefix

Successfully created bucket "lalit12"
To upload files and folders, or to configure additional bucket settings, choose [View details](#).

Storage lens provides visibility into storage usage and activity trends. [Learn more](#)

General purpose buckets | Directory buckets

General purpose buckets (2) [Info](#)

Buckets are containers for data stored in S3. [Learn more](#)

	Name	AWS Region	Access	Creation date
<input type="radio"/>	lalit12	Europe (Stockholm) eu-north-1	Bucket and objects not public	January 18, 2024, 13:05:33 (UTC+05:30)
<input type="radio"/>	projectnew	Europe (Stockholm) eu-north-1	Bucket and objects not public	January 18, 2024, 12:53:05 (UTC+05:30)

