

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech

Date: 26/02/2026

Faculty Name: Prof. S.Gopikrishnan


School: SCOPE

Student name: K.Lalith Mourya

Reg. no.:23BCE8550

1. Use MongoDB to implement the following DB operations

1. Create a database called 'vehicles' and write a MongoDB query to select database as "vehicles".




```
mongosh mongodb://127.0.0.1:27020
Please enter a MongoDB connection string (Default: mongodb://localhost/):
Current Mongosh Log ID: 69a060b5ac9db018c57c2986
Connecting to: mongodb://127.0.0.1:27020/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.7.0
Using MongoDB: 8.2.5
Using Mongosh: 2.7.0
For mongosh info see: https://www.mongodb.com/docs/mongosh-shell/

-----
The server generated these startup warnings when booting
2026-02-26T19:19:46.340: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted
-----

test> use vehicles
switched to db vehicles
vehicles> |
```

2. Write a MongoDB query to display all the databases.



```
mongosh mongodb://127.0.0.1:27020
Please enter a MongoDB connection string (Default: mongodb://localhost/):
Current Mongosh Log ID: 69a060b5ac9db018c57c2986
Connecting to: mongodb://127.0.0.1:27020/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.7.0
Using MongoDB: 8.2.5
Using Mongosh: 2.7.0
For mongosh info see: https://www.mongodb.com/docs/mongosh-shell/

-----
The server generated these startup warnings when booting
2026-02-26T19:19:46.340: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted
-----

test> use vehicles
switched to db vehicles
vehicles> show dbs
admin    40.00 KiB
config  80.00 KiB
local   40.00 KiB
vehicles> |
```

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: K.Lalith Mourya

Date: 26/02/2026

School: SCOPE

Reg. no.:23BCE8550

3. Create a collection called 'two_wheelers'. (use capping) and Create a collection called 'four_wheelers'.

```
mongosh mongodb://127.0.0.1:27020
Please enter a MongoDB connection string (Default: mongodb://localhost/):
Current Mongosh Log ID: 69a06b5ac9db818c57c2906
Connecting to:  mongodb://127.0.0.1:27020/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.7.0
Using MongoDB:  8.2.5
Using Mongosh:  2.7.0
For mongosh info see: https://www.mongodb.com/docs/mongosh-shell/

The server generated these startup warnings when booting
2026-02-26T19:19:19.463+05:30: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted
-----

test> use vehicles
switched to db vehicles
vehicles> show dbs
admin    40.00 KiB
config  80.00 KiB
local   40.00 KiB
vehicles> db.createCollection("two_wheelers", {
  capped: true,
  size: 5242880,
  max: 1000
})
{ ok: 1 }
vehicles> db.createCollection("four_wheelers")
{ ok: 1 }
vehicles> |
```

4. Add 5 two-wheeler details to the collection named 'two_wheelers'. Each document consists of following fields as bike_name, model (gear or gearless), category (100cc, 125cc, 150cc, 200cc), colors_available (red, black, blue, sport red etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

```
vehicles> db.two_wheelers.insertMany([
  {
    bike_name: "Shine",
    model: "gear",
    category: "125cc",
    colors_available: ["red", "black", "blue"],
    manufacturer: "Honda",
    performance: 8,
    timestamp: new Date("2022-03-15"),
    price: 85000
  },
  {
    bike_name: "Pulsar 150",
    model: "gear",
    category: "150cc",
    colors_available: ["black", "sport red", "silver"],
    manufacturer: "Bajaj",
    performance: 9,
    timestamp: new Date("2021-07-18"),
    price: 110000
  },
  {
    bike_name: "Activa 6G",
    model: "gearless",
    category: "125cc",
    colors_available: ["blue", "white", "red"],
    manufacturer: "Honda",
    performance: 8,
    timestamp: new Date("2023-01-05"),
    price: 70000
  },
  {
    bike_name: "Apache RTR 200",
    model: "gear",
    category: "200cc",
    colors_available: ["black", "red", "matte blue"],
    manufacturer: "TVS",
    performance: 9,
    timestamp: new Date("2020-11-28"),
    price: 140000
  },
  {
    bike_name: "Splendor Plus",
    model: "gear",
    category: "150cc",
    colors_available: ["black", "red", "blue"],
    manufacturer: "Hero",
    performance: 7,
    timestamp: new Date("2019-06-16"),
    price: 72000
  }
])
acknowledged: true,
insertedIds: [
  ObjectId('69a06b5ac9db818c57c2907'),
  ObjectId('69a06b5ac9db818c57c2908'),
  ObjectId('69a06b5ac9db818c57c2909'),
  ObjectId('69a06b5ac9db818c57c290a'),
  ObjectId('69a06b5ac9db818c57c290b')
]
vehicles> |
```

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: K.Lalith Mourya

Date: 26/02/2026

School: SCOPE

Reg. no.:23BCE8550

5. Add 5 four-wheeler details to the collection named 'four_wheelers'. Each document consists of following fields as vehicle_name, model (commercial or own), category (car, lorry, bus, mini truck, heavy truck, containers), variants (vxi, zxi, petrol, diesel etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

```
mongoosh mongodb://127.0.0.1:27020
{
  acknowledged: true,
  insertedIds: {
    _id: ObjectId('69a062c6ac9db018c57c2907'),
    _id: ObjectId('69a062c6ac9db018c57c2908'),
    _id: ObjectId('69a062c6ac9db018c57c2909'),
    _id: ObjectId('69a062c6ac9db018c57c290a'),
    _id: ObjectId('69a062c6ac9db018c57c290b')
  }
}
vehicles> db.four_wheelers.insertMany([
  {
    vehicle_name: "Swift",
    model: "own",
    category: "car",
    variants: ["vxi", "zxi", "petrol", "diesel"],
    manufacturer: "Maruti Suzuki",
    performance: 8,
    timestamp: new Date("2022-05-12"),
    price: 70000
  },
  {
    vehicle_name: "Innova Crysta",
    model: "commercial",
    category: "lorry",
    variants: ["vxi", "zxi", "diesel", "automatic"],
    manufacturer: "Toyota",
    performance: 9,
    timestamp: new Date("2021-09-10"),
    price: 180000
  },
  {
    vehicle_name: "Tata Nano",
    model: "own",
    category: "mini truck",
    variants: ["diesel", "petrol"],
    manufacturer: "Tata Motors",
    performance: 8,
    timestamp: new Date("2020-02-10"),
    price: 100000
  },
  {
    vehicle_name: "Aptek Legend Best",
    model: "commercial",
    category: "mini truck",
    variants: ["diesel", "petrol", "gas"],
    manufacturer: "Aptek Legend",
    performance: 7,
    timestamp: new Date("2019-11-10"),
    price: 90000
  },
  {
    vehicle_name: "Tishar Pro 3015",
    model: "commercial",
    category: "heavy truck",
    variants: ["diesel", "petrol", "gas"],
    manufacturer: "Tishar",
    performance: 9,
    timestamp: new Date("2023-01-20"),
    price: 250000
  }
])
{
  acknowledged: true,
  insertedIds: {
    _id: ObjectId('69a062c6ac9db018c57c2907'),
    _id: ObjectId('69a062c6ac9db018c57c2908'),
    _id: ObjectId('69a062c6ac9db018c57c2909'),
    _id: ObjectId('69a062c6ac9db018c57c290a'),
    _id: ObjectId('69a062c6ac9db018c57c290b')
  }
}
vehicles>
```

6. Write a MongoDB query to display all documents available in two_wheelers and four_wheelers.

```
mongoosh mongodb://127.0.0.1:27020
vehicles> db.two_wheelers.find().pretty()
{
  _id: ObjectId('69a062c6ac9db018c57c2907'),
  bike_name: 'Shine',
  model: 'gear',
  category: '125cc',
  colors_available: [ 'red', 'black', 'blue' ],
  manufacturer: 'Honda',
  performance: 8,
  timestamp: ISODate('2022-03-15T00:00:00.000Z'),
  price: 85000
},
{
  _id: ObjectId('69a062c6ac9db018c57c2908'),
  bike_name: 'Pulsar 150',
  model: 'gear',
  category: '150cc',
  colors_available: [ 'black', 'sport red', 'silver' ],
  manufacturer: 'Bajaj',
  performance: 9,
  timestamp: ISODate('2021-07-10T00:00:00.000Z'),
  price: 110000
},
{
  _id: ObjectId('69a062c6ac9db018c57c2909'),
  bike_name: 'Activa 6G',
  model: 'gearless',
  category: '125cc',
  colors_available: [ 'blue', 'white', 'red' ],
  manufacturer: 'Honda',
  performance: 8,
  timestamp: ISODate('2023-01-05T00:00:00.000Z'),
  price: 70000
},
{
  _id: ObjectId('69a062c6ac9db018c57c290a'),
  bike_name: 'Apache RTR 200',
  model: 'gear',
  category: '200cc',
  colors_available: [ 'black', 'red', 'matte blue' ],
  manufacturer: 'TVS',
  performance: 9,
  timestamp: ISODate('2020-11-20T00:00:00.000Z'),
  price: 140000
},
{
  _id: ObjectId('69a062c6ac9db018c57c290b'),
  bike_name: 'Splendor Plus',
  model: 'gear',
  category: '100cc',
  colors_available: [ 'black', 'red', 'blue' ],
  manufacturer: 'Hero',
  performance: 7,
  timestamp: ISODate('2019-06-10T00:00:00.000Z'),
  price: 72000
}
```

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: K.Lalith Mourya

Date: 26/02/2026

School: SCOPE

Reg. no.:23BCE8550

```
mongosh mongodb://127.0.0.1:27020
vehicles> db.four_wheelers.find().pretty()
{
  "_id": ObjectId("69a0636ac9db018c57c299e"),
  "vehicle_name": "Swift",
  "model": "om",
  "category": "car",
  "variants": [ "vxi", "vxi", "petrol", "diesel" ],
  "manufacturer": "Maruti Suzuki",
  "performance": 8,
  "timestamp": ISODate("2022-05-12T00:00:00.000Z"),
  "price": 750000
},
{
  "_id": ObjectId("69a0636ac9db018c57c299d"),
  "vehicle_name": "Innova Crysta",
  "model": "om",
  "category": "car",
  "variants": [ "vxi", "vxi", "diesel", "automatic" ],
  "manufacturer": "Toyota",
  "performance": 9,
  "timestamp": ISODate("2021-09-20T00:00:00.000Z"),
  "price": 1800000
},
{
  "_id": ObjectId("69a0636ac9db018c57c299e"),
  "vehicle_name": "Tata 407",
  "model": "commercial",
  "category": "mini truck",
  "variants": [ "diesel", "bs6" ],
  "manufacturer": "Tata Motors",
  "performance": 8,
  "timestamp": ISODate("2020-02-18T00:00:00.000Z"),
  "price": 1800000
},
{
  "_id": ObjectId("69a0636ac9db018c57c299f"),
  "vehicle_name": "Ashok Leyland Dost",
  "model": "commercial",
  "category": "mini truck",
  "variants": [ "diesel", "lx", "bs6" ],
  "manufacturer": "Ashok Leyland",
  "performance": 7,
  "timestamp": ISODate("2019-11-10T00:00:00.000Z"),
  "price": 950000
},
{
  "_id": ObjectId("69a0636ac9db018c57c299f"),
  "vehicle_name": "Eicher Pro 3015",
  "model": "commercial",
  "category": "heavy truck",
  "variants": [ "diesel", "container", "bs6" ],
  "manufacturer": "Eicher",
  "performance": 9,
  "timestamp": ISODate("2023-01-25T00:00:00.000Z"),
  "price": 2500000
}
vehicles>
```

7. Write a MongoDB query to display only vehicle name and price in all the collection of the database

```
vehicles> db.two_wheelers.find(
  {}
)
{
  "bike_name": 1, "price": 1, "_id": 0
}
{
  "bike_name": "Shine", "price": 85000
},
{
  "bike_name": "Pulsar 150", "price": 110000
},
{
  "bike_name": "Activa 6G", "price": 78000
},
{
  "bike_name": "Apache R15 200", "price": 140000
},
{
  "bike_name": "Splendor Plus", "price": 72000
}
vehicles> db.four_wheelers.find(
  {}
)
{
  "vehicle_name": 1, "price": 1, "_id": 0
}
{
  "vehicle_name": "Swift", "price": 750000
},
{
  "vehicle_name": "Innova Crysta", "price": 1800000
},
{
  "vehicle_name": "Tata 407", "price": 1800000
},
{
  "vehicle_name": "Ashok Leyland Dost", "price": 950000
},
{
  "vehicle_name": "Eicher Pro 3015", "price": 2500000
}
vehicles>
```

8. Write a MongoDB query to display two_wheelers from a particular company

```
vehicles> db.two_wheelers.find(
  { "manufacturer": "Honda" }
).pretty()
{
  "_id": ObjectId("69a062c6ac9db018c57c2997"),
  "bike_name": "Shine",
  "model": "gear",
  "category": "125cc",
  "colors_available": [ "red", "black", "blue" ],
  "manufacturer": "Honda",
  "performance": 8,
  "timestamp": ISODate("2022-03-15T00:00:00.000Z"),
  "price": 85000
},
{
  "_id": ObjectId("69a062c6ac9db018c57c2999"),
  "bike_name": "Activa 6G",
  "model": "gearless",
  "category": "125cc",
  "colors_available": [ "blue", "white", "red" ],
  "manufacturer": "Honda",
  "performance": 8,
  "timestamp": ISODate("2023-01-05T00:00:00.000Z"),
  "price": 78000
}
vehicles>
```

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: K.Lalith Mourya

Date: 26/02/2026

School: SCOPE

Reg. no.:23BCE8550

9. Write a MongoDB query to display four_wheelers available in diesel variants

```
mongosh mongodb://127.0.0.1:27020
vehicles> db.four_wheelers.find(
  { variants: 'diesel' }
).pretty()
{
  _id: ObjectId('60a613eac9db018c57c296e'),
  vehicle_name: 'Swift',
  model: 'sani',
  category: 'car',
  variants: [ 'petrol', 'petrol', 'diesel' ],
  manufacturer: 'Maruti Suzuki',
  performance: 8,
  timestamp: ISODate('2022-05-12T00:00:00.000Z'),
  price: 750000
},
{
  _id: ObjectId('60a613eac9db018c57c296e'),
  vehicle_name: 'Innova Crysta',
  model: 'sani',
  category: 'car',
  variants: [ 'petrol', 'petrol', 'diesel', 'automatic' ],
  manufacturer: 'Toyota',
  performance: 9,
  timestamp: ISODate('2021-09-26T00:00:00.000Z'),
  price: 1800000
},
{
  _id: ObjectId('60a613eac9db018c57c296e'),
  vehicle_name: 'Tata 407',
  model: 'commercial',
  category: 'mini truck',
  variants: [ 'diesel', 'petrol' ],
  manufacturer: 'Tata Motors',
  performance: 8,
  timestamp: ISODate('2020-02-18T00:00:00.000Z'),
  price: 1000000
},
{
  _id: ObjectId('60a613eac9db018c57c296e'),
  vehicle_name: 'Ashok Leyland Best',
  model: 'commercial',
  category: 'mini truck',
  variants: [ 'diesel', 'petrol' ],
  manufacturer: 'Ashok Leyland',
  performance: 7,
  timestamp: ISODate('2019-11-16T00:00:00.000Z'),
  price: 950000
},
{
  _id: ObjectId('60a613eac9db018c57c296e'),
  vehicle_name: 'Eicher Pro 3015',
  model: 'commercial',
  category: 'heavy truck',
  variants: [ 'diesel', 'petrol', 'petrol' ],
  manufacturer: 'Eicher',
  performance: 8,
  timestamp: ISODate('2023-01-25T00:00:00.000Z'),
  price: 2500000
}
vehicles>
```

10. Write a MongoDB query to display vehicles name, category and manufacturer details whose rating is more than 5.

```
vehicles> db.two_wheelers.find(
  { performance: { $gt: 5 } },
  { bike_name: 1, category: 1, manufacturer: 1, _id: 0 }
)
{ bike_name: 'Shine', category: '125cc', manufacturer: 'Honda' },
{ bike_name: 'Pulsar 150', category: '150cc', manufacturer: 'Bajaj' },
{ bike_name: 'Activa 6G', category: '125cc', manufacturer: 'Honda' },
{ bike_name: 'Apache RTR 360', category: '360cc', manufacturer: 'TVS' },
{ bike_name: 'Splendor Plus', category: '160cc', manufacturer: 'Hero' }
vehicles> db.four_wheelers.find(
  { performance: { $gt: 5 } },
  { vehicle_name: 1, category: 1, manufacturer: 1, _id: 0 }
)
{
  vehicle_name: 'Swift',
  category: 'car',
  manufacturer: 'Maruti Suzuki'
},
{
  vehicle_name: 'Innova Crysta',
  category: 'car',
  manufacturer: 'Toyota'
},
{
  vehicle_name: 'Tata 407',
  category: 'mini truck',
  manufacturer: 'Tata Motors'
},
{
  vehicle_name: 'Ashok Leyland Best',
  category: 'mini truck',
  manufacturer: 'Ashok Leyland'
},
{
  vehicle_name: 'Eicher Pro 3015',
  category: 'heavy truck',
  manufacturer: 'Eicher'
}
vehicles>
```

Branch/ Class: B.Tech/M.Tech

Date: 26/02/2026

Faculty Name: Prof. S.Gopikrishnan

School: SCOPE

Student name: K.Lalith Mourya

Reg. no.:23BCE8550

2. Use MongoDB to implement the following DB operations for a Zoo

1. Create a database called 'animal' and write a MongoDB query to select database as 'animal'.

```
vehicles> use animal
switched to db animal
animal> db
animal
animal> |
```

2. Write a MongoDB query to display all the databases.

```
animal> show dbs
admin    40.00 KiB
config   40.00 KiB
local    40.00 KiB
vehicles 40.00 KiB
animal> |
```

3. Create a collection called 'wild_animals'.(use capping) and Create a collection called 'domestic_animals'.

```
animal> db.createCollection("wild_animals", {
  capped: true,
  size: 524288,
  max: 1000
})
{ ok: 1 }
animal> db.createCollection("domestic_animals")
{ ok: 1 }
animal> |
```

4. Add 5 wild_animal details to the collection named 'wild_animals'. Each document consists of following fields as animal_name, nature (harm or harmless), favorite_foods (meat, rabbits, deer etc) as array, care_taker_name, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

```
animal> db.createCollection("domestic_animals")
{ ok: 1 }
animal> db.wild_animals.insertMany([
  {
    animal_name: "Lion",
    nature: "harm",
    favorite_foods: ["meat", "deer", "rabbit"],
    care_taker_name: "Ramesh",
    life_span: 10,
    timestamp: new Date("2022-06-12"),
    expenses: 50000
  },
  {
    animal_name: "Tiger",
    nature: "harm",
    favorite_foods: ["meat", "buffalo", "deer"],
    care_taker_name: "Suresh",
    life_span: 10,
    timestamp: new Date("2021-06-18"),
    expenses: 60000
  },
  {
    animal_name: "Elephant",
    nature: "harmless",
    favorite_foods: ["grass", "fruits", "sugarcane"],
    care_taker_name: "Ramesh",
    life_span: 60,
    timestamp: new Date("2020-09-25"),
    expenses: 80000
  },
  {
    animal_name: "Sheep",
    nature: "harmless",
    favorite_foods: ["fish", "honey", "berries"],
    care_taker_name: "Anil",
    life_span: 20,
    timestamp: new Date("2023-01-10"),
    expenses: 40000
  },
  {
    animal_name: "Deer",
    nature: "harmless",
    favorite_foods: ["grass", "leaves", "fruits"],
    care_taker_name: "Gaur",
    life_span: 20,
    timestamp: new Date("2022-11-05"),
    expenses: 30000
  }
])
{ acknowledged: true,
  insertedIds: {
    0: ObjectId('69a8071aac9db018c97c2911'),
    1: ObjectId('69a8071aac9db018c97c2912'),
    2: ObjectId('69a8071aac9db018c97c2913'),
    3: ObjectId('69a8071aac9db018c97c2914'),
    4: ObjectId('69a8071aac9db018c97c2915')
  }
}
animal> |
```

Branch/ Class: B.Tech/M.Tech**Faculty Name:** Prof. S.Gopikrishnan**Student name:** K.Lalith Mourya**Date:** 26/02/2026**School:** SCOPE**Reg. no.:** 23BCE8550

5. Add 5 domestic-animal details to the collection named 'domestic_animals'. Each document consists of following fields as animal_name, gender (male or female), favorite_foods (meat, rabbits, deer etc) as array, animal_petname, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

```
animal> db.domestic_animals.insertMany([
  {
    animal_name: "Dog",
    gender: "male",
    favorite_foods: ["meat", "chicken", "rice"],
    animal_petname: "Rocky",
    life_span: 10,
    timestamp: new Date("2023-02-10"),
    expenses: 15000
  },
  {
    animal_name: "Cat",
    gender: "female",
    favorite_foods: ["fish", "milk", "chicken"],
    animal_petname: "Luna",
    life_span: 15,
    timestamp: new Date("2022-08-09"),
    expenses: 10000
  },
  {
    animal_name: "Cow",
    gender: "female",
    favorite_foods: ["grass", "hay", "fodder"],
    animal_petname: "Gauri",
    life_span: 20,
    timestamp: new Date("2021-05-21"),
    expenses: 20000
  },
  {
    animal_name: "Goat",
    gender: "male",
    favorite_foods: ["leaves", "grass", "grains"],
    animal_petname: "Bunny",
    life_span: 10,
    timestamp: new Date("2023-06-30"),
    expenses: 8000
  },
  {
    animal_name: "Horse",
    gender: "female",
    favorite_foods: ["grass", "hay", "oats"],
    animal_petname: "Star",
    life_span: 25,
    timestamp: new Date("2020-11-18"),
    expenses: 30000
  }
])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69a0671ac9d0b018c57c2916'),
    '1': ObjectId('69a0671ac9d0b018c57c2917'),
    '2': ObjectId('69a0671ac9d0b018c57c2918'),
    '3': ObjectId('69a0671ac9d0b018c57c2919'),
    '4': ObjectId('69a0671ac9d0b018c57c291a')
  }
}
animal> |
```

6. Write a MongoDB query to display all documents available in wild_animals and domestic_animals.

```
animal> db.wild_animals.find().pretty()
{
  "_id": ObjectId('69a0671ac9d0b018c57c2911'),
  "animal_name": "Lion",
  "nature": "harm",
  "favorite_foods": [ "meat", "deer", "rabbit" ],
  "care_taker_name": "Ramesh",
  "life_span": 10,
  "timestamp": ISODate("2022-04-12T00:00:00.000Z"),
  "expenses": 50000
},
{
  "_id": ObjectId('69a0671ac9d0b018c57c2912'),
  "animal_name": "Tiger",
  "nature": "harm",
  "favorite_foods": [ "meat", "buffale", "deer" ],
  "care_taker_name": "Suresh",
  "life_span": 16,
  "timestamp": ISODate("2021-06-18T00:00:00.000Z"),
  "expenses": 60000
},
{
  "_id": ObjectId('69a0671ac9d0b018c57c2913'),
  "animal_name": "Elephant",
  "nature": "harmless",
  "favorite_foods": [ "grass", "fruits", "sugarcane" ],
  "care_taker_name": "Mahesh",
  "life_span": 60,
  "timestamp": ISODate("2020-09-25T00:00:00.000Z"),
  "expenses": 80000
},
{
  "_id": ObjectId('69a0671ac9d0b018c57c2914'),
  "animal_name": "Bear",
  "nature": "harm",
  "favorite_foods": [ "fish", "honey", "berries" ],
  "care_taker_name": "Anil",
  "life_span": 25,
  "timestamp": ISODate("2023-01-10T00:00:00.000Z"),
  "expenses": 45000
},
{
  "_id": ObjectId('69a0671ac9d0b018c57c2915'),
  "animal_name": "Deer",
  "nature": "harmless",
  "favorite_foods": [ "grass", "leaves", "fruits" ],
  "care_taker_name": "Niran",
  "life_span": 20,
  "timestamp": ISODate("2022-11-05T00:00:00.000Z"),
  "expenses": 30000
}
animal> |
```

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: K.Lalith Mourya

Date: 26/02/2026

School: SCOPE

Reg. no.:23BCE8550

```
animals> db.domestic_animals.find().pretty()
{
  _id: ObjectId('60a06797ac9db018c57c2916'),
  animal_name: 'Dog',
  gender: 'male',
  favorite_foods: [ 'meat', 'chicken', 'rice' ],
  animal_petname: 'Ricky',
  life_span: 13,
  timestamp: ISODate('2023-02-14T00:00:00.000Z'),
  expenses: 15000
},
{
  _id: ObjectId('60a06797ac9db018c57c2917'),
  animal_name: 'Cat',
  gender: 'female',
  favorite_foods: [ 'fish', 'milk', 'chicken' ],
  animal_petname: 'Luna',
  life_span: 10,
  timestamp: ISODate('2022-08-09T00:00:00.000Z'),
  expenses: 10000
},
{
  _id: ObjectId('60a06797ac9db018c57c2918'),
  animal_name: 'Cow',
  gender: 'female',
  favorite_foods: [ 'grass', 'hay', 'fodder' ],
  animal_petname: 'Gauri',
  life_span: 20,
  timestamp: ISODate('2021-05-21T00:00:00.000Z'),
  expenses: 20000
},
{
  _id: ObjectId('60a06797ac9db018c57c2919'),
  animal_name: 'Goat',
  gender: 'male',
  favorite_foods: [ 'leaves', 'grass', 'grains' ],
  animal_petname: 'Bunny',
  life_span: 12,
  timestamp: ISODate('2023-06-30T00:00:00.000Z'),
  expenses: 8000
},
{
  _id: ObjectId('60a06797ac9db018c57c291a'),
  animal_name: 'Horse',
  gender: 'female',
  favorite_foods: [ 'grass', 'hay', 'oats' ],
  animal_petname: 'Star',
  life_span: 25,
  timestamp: ISODate('2020-11-18T00:00:00.000Z'),
  expenses: 30000
}
}
animals>
```

7. Write a MongoDB query to display only animal name and expenses in all the collection of the database.

```
animals> db.wild_animals.find(
{
  },
{ animal_name: 1, expenses: 1, _id: 0 }
)
{ animal_name: 'Lion', expenses: 50000 },
{ animal_name: 'Tiger', expenses: 60000 },
{ animal_name: 'Elephant', expenses: 80000 },
{ animal_name: 'Bear', expenses: 45000 },
{ animal_name: 'Deer', expenses: 30000 }
animals> db.domestic_animals.find(
{
  },
{ animal_name: 1, expenses: 1, _id: 0 }
)
{ animal_name: 'Dog', expenses: 15000 },
{ animal_name: 'Cat', expenses: 10000 },
{ animal_name: 'Cow', expenses: 20000 },
{ animal_name: 'Goat', expenses: 8000 },
{ animal_name: 'Horse', expenses: 30000 }
animals>
```

8. Write a MongoDB query to display domestic_animals whose life is a particular year

```
animals> db.domestic_animals.find(
{ life_span: 10 }
).pretty()
{
  _id: ObjectId('60a06797ac9db018c57c2917'),
  animal_name: 'Cat',
  gender: 'female',
  favorite_foods: [ 'fish', 'milk', 'chicken' ],
  animal_petname: 'Luna',
  life_span: 10,
  timestamp: ISODate('2022-08-09T00:00:00.000Z'),
  expenses: 10000
}
animals>
```


Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: K.Lalith Mourya

Date: 26/02/2026

School: SCOPE

Reg. no.:23BCE8550

9. Write a MongoDB query to display wild_animals available under a particular care_taker.

```
animal> db.wild_animals.find(
  { care_taker_name: "Ramesh" }
).pretty()
{
  _id: ObjectId('69a0671aac9d0018c97c2911'),
  animal_name: 'Lion',
  nature: 'Rare',
  favorite_foods: [ 'meat', 'deer', 'rabbit' ],
  care_taker_name: 'Ramesh',
  life_span: 10,
  timestamp: ISODate('2022-04-12T00:00:00.000Z'),
  expenses: 50000
}
```

10. Write a MongoDB query to display animal name, favorite_foods and expenses details whose lifespan is more than 5 years.

```
mongosh mongodb://127.0.0.1:27020
> use animals
> db.wild_animals.find(
  { life_span: { $gt: 5 } },
  { animal_name: 1, favorite_foods: 1, expenses: 1, _id: 0 }
)
{
  animal_name: 'Lion',
  favorite_foods: [ 'meat', 'deer', 'rabbit' ],
  expenses: 50000
},
{
  animal_name: 'Tiger',
  favorite_foods: [ 'meat', 'buffalo', 'deer' ],
  expenses: 60000
},
{
  animal_name: 'Elephant',
  favorite_foods: [ 'grass', 'fruits', 'sugarcane' ],
  expenses: 80000
},
{
  animal_name: 'Bear',
  favorite_foods: [ 'fish', 'honey', 'berries' ],
  expenses: 45000
},
{
  animal_name: 'Deer',
  favorite_foods: [ 'grass', 'leaves', 'fruits' ],
  expenses: 30000
}
> db.domestic_animals.find(
  { life_span: { $gt: 5 } },
  { animal_name: 1, favorite_foods: 1, expenses: 1, _id: 0 }
)
{
  animal_name: 'Dog',
  favorite_foods: [ 'meat', 'chicken', 'rice' ],
  expenses: 15000
},
{
  animal_name: 'Cat',
  favorite_foods: [ 'fish', 'milk', 'chicken' ],
  expenses: 10000
},
{
  animal_name: 'Cow',
  favorite_foods: [ 'grass', 'hay', 'fodder' ],
  expenses: 20000
},
{
  animal_name: 'Goat',
  favorite_foods: [ 'leaves', 'grass', 'grains' ],
  expenses: 8000
},
{
  animal_name: 'Horse',
  favorite_foods: [ 'grass', 'hay', 'oats' ],
  expenses: 30000
}
```