


SKILL 3



The screenshot shows the MySQL Workbench interface with the 'SQL File' editor open. The editor contains the following SQL code:

```


1  USE 2520080063_Lalitha;
2
3  CREATE TABLE class (
4      id INT,
5      name VARCHAR(20)
6  );
7
8  CREATE TABLE class_info (
9      id INT,
10     address VARCHAR(30)
11 );

```

The 'Output' pane at the bottom shows the execution results:

#	Time	Action	Message	Duration / Feels
1	08:34:29	USE 2520080063_Lalitha	0 rows affected	0.000 sec
2	08:34:29	CREATE TABLE class (id INT, name VARCHAR(20)	0 rows affected	0.063 sec
3	08:34:29	CREATE TABLE class_info (id INT, address VA	0 rows affected	0.031 sec

The 'Context Help' pane on the right displays a message: "Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help."



The screenshot shows the MySQL Workbench interface with the 'SQL File' editor open. The editor contains the following SQL code:

```

9      id INT,
10     address VARCHAR(30)
11 );
12
13 INSERT INTO class VALUES
14 (1, 'delhi'),
15 (2, 'mumbai'),
16 (3, 'chennai');
17
18 INSERT INTO class_info VALUES
19 (1, 'DELHI'),
20 (2, 'MUMBAI'),
21 (3, 'CHENNAI');

```

The 'Output' pane at the bottom shows the execution results:

#	Time	Action	Message	Duration / Feels
1	08:34:29	USE 2520080063_Lalitha	0 rows affected	0.000 sec
2	08:34:29	CREATE TABLE class (id INT, name VARCHAR(20)	0 rows affected	0.063 sec
3	08:34:29	CREATE TABLE class_info (id INT, address VA	0 rows affected	0.031 sec
4	08:35:43	INSERT INTO class VALUES (1,delhi), (2,mum...	3 rows affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
5	08:35:43	INSERT INTO class_info VALUES (1,DELHI), (2,M...	3 rows affected Records: 3 Duplicates: 0 Warnings: 0	0.030 sec

The 'Context Help' pane on the right displays a message: "Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help."

MySQL Workbench

2520000053_Lakshya

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 7

```

13 * INSERT INTO class VALUES
14 (1, 'adhi'),
15 (2, 'adon'),
16 (3, 'alex');
17
18 * INSERT INTO class_info VALUES
19 (1, 'DELHI'),
20 (2, 'MUMBAI'),
21 (3, 'CHENNAI');
22
23 * SELECT *
24 FROM class
25 CROSS JOIN class_info;

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Control Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	08:34:29	CREATE TABLE class_info (id INT, address ...	0 row(s) affected	0.031 sec
4	08:35:43	INSERT INTO class VALUES (1,'adhi'), (2,'adon'),...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
5	08:35:43	INSERT INTO class_info VALUES (1,'DELHI'), (2,'...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
6	08:36:34	SELECT * FROM class CROSS JOIN class_info LI...	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

2520000053_Lakshya

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 7

```

27 * DROP TABLE class_info;
28 * DROP TABLE class;
29
30 * CREATE TABLE class (
31     id INT,
32     name VARCHAR(30)
33 );
34
35 * CREATE TABLE class_info (
36     id INT,
37     address VARCHAR(50)
38 );
39

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Control Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	08:39:28	DROP TABLE class_info	0 row(s) affected	0.001 sec
10	08:39:28	DROP TABLE class	0 row(s) affected	0.018 sec
11	08:39:58	CREATE TABLE class (id INT, name VARCHAR...	0 row(s) affected	0.031 sec
12	08:39:58	CREATE TABLE class_info (id INT, address ...	0 row(s) affected	0.031 sec
13	08:39:58	INSERT INTO class VALUES (1,'adhi'), (2,'adon')...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec
14	08:39:58	INSERT INTO class_info VALUES (1,'DELHI'), (2,'...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec

MySQL Workbench

250000003_Lab10s

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL Editor

```

40 * SELECT *
41 FROM class
42 INNER JOIN class_info
43 ON class.id = class_info.id;
44 * INSERT INTO class VALUES
45 (1, 'delhi');

```

Result Grid

id	name	id	address
1	delhi	1	DELHI
2	delhi	2	MUMBAI
3	delhi	3	CHENNAI

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 2

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
10	08:39:29	DROP TABLE class	0 row(s) affected	0.015 sec
11	08:39:58	CREATE TABLE class (id INT, name VARCHAR(100), address VARCHAR(100))	0 row(s) affected	0.031 sec
12	08:39:58	CREATE TABLE class_info (id INT, address VARCHAR(100))	0 row(s) affected	0.031 sec
13	08:39:58	INSERT INTO class VALUES (1, 'delhi'), (2, 'delhi'), (3, 'delhi')	4 row(s) affected Records: 4 Duplicates: 0 Warn...	0.000 sec
14	08:39:58	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warn...	0.000 sec
15	08:40:59	SELECT * FROM class INNER JOIN class_info O...	3 row(s) returned	0.016 sec / 0.000 sec

MySQL Workbench

250000003_Lab10s

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL Editor

```

55 * SELECT class.name,
56 class_info.address
57 FROM class
58 INNER JOIN class_info
59 ON class.id = class_info.id;

```

Result Grid

name	address
delhi	DELHI
delhi	MUMBAI
delhi	CHENNAI

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 3

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
11	08:39:58	CREATE TABLE class (id INT, name VARCHAR(100), address VARCHAR(100))	0 row(s) affected	0.031 sec
12	08:39:58	CREATE TABLE class_info (id INT, address VARCHAR(100))	0 row(s) affected	0.031 sec
13	08:39:58	INSERT INTO class VALUES (1, 'delhi'), (2, 'delhi'), (3, 'delhi')	4 row(s) affected Records: 4 Duplicates: 0 Warn...	0.000 sec
14	08:39:58	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warn...	0.000 sec
15	08:40:58	SELECT * FROM class INNER JOIN class_info O...	3 row(s) returned	0.016 sec / 0.000 sec
16	08:42:12	SELECT class.name, class_info.address FROM	3 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

252000000_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop/Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File

```

57 FROM class
58 INNER JOIN class_info
59 ON class.id = class_info.id
60
61 SELECT *
62 FROM class

```

Result Grid

id	name	address
1	delhi	DELHI
2	delhi	DELHI
3	delhi	DELHI

Result 4

Read Only Context Help Skip

Output

Action Output

#	Time	Action	Message	Duration / Feeds
12	08:39:58	CREATE TABLE class_info (id INT, address ...	3 row(s) affected	0.031 sec
13	08:39:58	INSERT INTO class VALUES (1,delhi), (2,delhi),...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec
14	08:39:58	INSERT INTO class_info VALUES (1,DELHI), (2,...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
15	08:40:00	SELECT * FROM class INNER JOIN class_info O...	3 row(s) returned	0.016 sec / 0.000 sec
16	08:42:12	SELECT class.name, class_info.address FRO...	3 row(s) returned	0.000 sec / 0.000 sec
17	08:43:10	SELECT * FROM class NATURAL JOIN class_inf...	3 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

252000000_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop/Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File

```

58 INNER JOIN class_info
59 ON class.id = class_info.id
60
61 SELECT *
62 FROM class
63 NATURAL JOIN class_info
64
65 INSERT INTO class VALUES
66 (5,'ashish')
67
68 INSERT INTO class_info VALUES
69 (7,'Noida'),
70 (8,'Pune')

```

Result Grid

Read Only Context Help Skip

Output

Action Output

#	Time	Action	Message	Duration / Feeds
14	08:39:58	INSERT INTO class_info VALUES (1,DELHI), (2,...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
15	08:40:55	SELECT * FROM class INNER JOIN class_info O...	3 row(s) returned	0.016 sec / 0.000 sec
16	08:42:12	SELECT class.name, class_info.address FRO...	3 row(s) returned	0.000 sec / 0.000 sec
17	08:43:18	SELECT * FROM class NATURAL JOIN class_inf...	3 row(s) returned	0.000 sec / 0.000 sec
18	08:47:31	INSERT INTO class VALUES (5,'ashish')	1 row(s) affected	0.032 sec
19	08:47:31	INSERT INTO class_info VALUES (7,Noida), (8...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

202008083_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 1

```

68 * INSERT INTO class_info VALUES
69 (7, 'MOLDA'),
70 (8, 'FAHLEPAT');
71
72 * SELECT *
73 FROM class;

```

Result Grid

#	id	name	id	address
1	1	BBP	1	DELHE
2	2	odan	2	MUMBAI
3	3	elox	3	CHENAI
4	4	aru	000	000
5	5	ashish	000	000

Result 5

Read Only Context Help Dropits

Output

Action Output

#	Time	Action	Message	Duration / Patch
15	08:40:50	SELECT * FROM class INNER JOIN class_info ON...	3 row(s) returned	0.016 sec / 0.000 sec
16	08:42:12	SELECT class.name, class_info.address FROM...	3 row(s) returned	0.000 sec / 0.000 sec
17	08:43:18	SELECT * FROM class NATURAL JOIN class_inf...	3 row(s) returned	0.000 sec / 0.000 sec
18	08:47:31	INSERT INTO class VALUES (5, ashish)	1 row(s) affected	0.032 sec
19	08:47:31	INSERT INTO class_info VALUES (7, MOLDA), (8...	2 row(s) affected Records: 2 Duplicates: 0 Warnings...	0.000 sec
20	08:48:05	SELECT * FROM class LEFT OUTER JOIN class...	5 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

202008083_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 1

```

73 FROM class
74 LEFT OUTER JOIN class_info
75 ON class.id = class_info.id;
76
77 * SELECT *
78 FROM class;

```

Result Grid

#	id	name	id	address
4	4	aru	000	000
5	5	ashish	000	000

Result 4

Read Only Context Help Dropits

Output

Action Output

#	Time	Action	Message	Duration / Patch
15	08:42:12	SELECT class.name, class_info.address FROM...	3 row(s) returned	0.000 sec / 0.000 sec
17	08:43:18	SELECT * FROM class NATURAL JOIN class_inf...	3 row(s) returned	0.000 sec / 0.000 sec
18	08:47:31	INSERT INTO class VALUES (5, ashish)	1 row(s) affected	0.032 sec
19	08:47:31	INSERT INTO class_info VALUES (7, MOLDA), (8...	2 row(s) affected Records: 2 Duplicates: 0 Warnings...	0.000 sec
20	08:48:05	SELECT * FROM class LEFT OUTER JOIN class...	5 row(s) returned	0.000 sec / 0.000 sec
21	08:48:38	SELECT * FROM class LEFT JOIN class_info ON...	2 row(s) returned	0.016 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

2520000003_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

79 LEFT JOIN class_info
80 ON class.id = class_info.id
81 WHERE class_info.id IS NULL;
82
83 SELECT *
84 FROM class;

```

Result Grid

id	name	id	address
1	aditi	1	DELHI
2	aditi	2	MUMBAI
3	aditi	3	CHENNAI
7		7	NOIDA
8		8	PANIPAT

Result 7

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Pctn
17	08:43:30	SELECT * FROM class NATURAL JOIN class_inf...	3 row(s) returned	0.000 sec / 0.000 sec
18	08:47:31	INSERT INTO class VALUES (5, 'aditi');	1 row(s) affected	0.032 sec
19	08:47:31	INSERT INTO class_info VALUES (7, 'NOIDA'), (8...	2 row(s) affected Records: 2 Duplicates: 0 Warr...	0.000 sec
20	08:48:05	SELECT * FROM class LEFT OUTER JOIN class...	5 row(s) returned	0.000 sec / 0.000 sec
21	08:48:38	SELECT * FROM class LEFT JOIN class_info ON ...	2 row(s) returned	0.018 sec / 0.000 sec
22	08:50:35	SELECT * FROM class RIGHT OUTER JOIN clas...	5 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

2520000003_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

84 FROM class;
85 RIGHT OUTER JOIN class_info
86 ON class.id = class_info.id;
87
88 SELECT *
89 FROM class;

```

Result Grid

id	name	id	address
7		7	NOIDA
8		8	PANIPAT

Result 8

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Pctn
18	08:47:31	INSERT INTO class VALUES (5, 'aditi');	1 row(s) affected	0.032 sec
19	08:47:31	INSERT INTO class_info VALUES (7, 'NOIDA'), (8...	2 row(s) affected Records: 2 Duplicates: 0 Warr...	0.000 sec
20	08:48:05	SELECT * FROM class LEFT OUTER JOIN class...	5 row(s) returned	0.000 sec / 0.000 sec
21	08:48:38	SELECT * FROM class LEFT JOIN class_info ON ...	2 row(s) returned	0.018 sec / 0.000 sec
22	08:50:35	SELECT * FROM class RIGHT OUTER JOIN clas...	5 row(s) returned	0.000 sec / 0.000 sec
23	08:51:38	SELECT * FROM class RIGHT JOIN class_info O...	2 row(s) returned	0.015 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

2520000003_Lalitha

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File

```

100
101 SELECT *
102 FROM class
103 RIGHT JOIN class_info
104 ON class.id = class_info.id

```

Result Grid

id	name	id	address
1	john	1	DELHI
2	adon	2	MUMBAI
3	alex	3	CHENNAI
4	anu	0000	0000
5	ashish	0000	0000

Result 9

Read Only Context Help Shortcuts

Output

Action Output

#	Time	Action	Message	Duration / Rows
19	00:47:21	INSERT INTO class_info VALUES (7,NOIDA), (8...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
20	00:48:05	SELECT * FROM class LEFT OUTER JOIN class...	5 row(s) returned	0.000 sec / 0.000 sec
21	00:48:38	SELECT * FROM class LEFT JOIN class_info ON...	2 row(s) returned	0.016 sec / 0.000 sec
22	00:50:56	SELECT * FROM class RIGHT OUTER JOIN clas...	5 row(s) returned	0.000 sec / 0.000 sec
23	00:51:38	SELECT * FROM class RIGHT JOIN class_info O...	2 row(s) returned	0.015 sec / 0.000 sec
24	00:53:43	SELECT * FROM class LEFT JOIN class_info ON...	7 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

2520000003_Lalitha

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File

```

106 SELECT *
107 FROM class
108 LEFT JOIN class_info
109 ON class.id = class_info.id
110 WHERE class_info.id IS NULL
111

```

Result Grid

id	name	id	address
4	anu	0000	0000
5	ashish	0000	0000
7	NOIDA		
8	PANIPAT		

Result 10

Read Only Context Help Shortcuts

Output

Action Output

#	Time	Action	Message	Duration / Rows
20	00:48:05	SELECT * FROM class LEFT OUTER JOIN class...	5 row(s) returned	0.000 sec / 0.000 sec
21	00:48:38	SELECT * FROM class LEFT JOIN class_info ON...	2 row(s) returned	0.016 sec / 0.000 sec
22	00:50:56	SELECT * FROM class RIGHT OUTER JOIN clas...	5 row(s) returned	0.000 sec / 0.000 sec
23	00:51:38	SELECT * FROM class RIGHT JOIN class_info O...	2 row(s) returned	0.015 sec / 0.000 sec
24	00:53:43	SELECT * FROM class LEFT JOIN class_info ON...	7 row(s) returned	0.000 sec / 0.000 sec
25	00:54:24	SELECT * FROM class LEFT JOIN class_info ON...	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

252000000_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File

```

116 RIGHT JOIN class_info
117 ON class.id = class_info.id
118 WHERE class.id IS NULL;
119
120 CREATE TABLE first_table(
121   id INT,
122   name VARCHAR(50)
123 );
124
125 CREATE TABLE second_table(
126   id INT,
127   name VARCHAR(50)
128 );

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Feeds
24	08:53:43	SELECT * FROM class LEFT JOIN class_info ON ...	7 row(s) returned	0.000 sec / 0.000 sec
25	08:54:24	SELECT * FROM class LEFT JOIN class_info ON ...	4 row(s) returned	0.000 sec / 0.000 sec
26	08:55:08	CREATE TABLE first_table(id INT, name VA...	0 row(s) affected	0.047 sec
27	08:55:09	CREATE TABLE second_table(id INT, name...	0 row(s) affected	0.031 sec
28	08:55:09	INSERT INTO first_table VALUES (1,'admin'), (2,'ad...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
29	08:55:09	INSERT INTO second_table VALUES (2,'admin'), (...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec

MySQL Workbench

252000000_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File

```

134 INSERT INTO second_table VALUES
135 (7,'admin'),
136 (1,'cheater');
137
138 SELECT *
139 FROM first_table;

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

id	name
1	admin
2	admin
3	cheater

Result 11

Output

Action Output

#	Time	Action	Message	Duration / Feeds
25	08:54:24	SELECT * FROM class LEFT JOIN class_info ON ...	4 row(s) returned	0.000 sec / 0.000 sec
26	08:55:08	CREATE TABLE first_table(id INT, name VA...	0 row(s) affected	0.047 sec
27	08:55:09	CREATE TABLE second_table(id INT, name...	0 row(s) affected	0.031 sec
28	08:55:09	INSERT INTO first_table VALUES (1,'admin'), (2,'ad...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
29	08:55:09	INSERT INTO second_table VALUES (2,'admin'), (...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
30	08:55:47	SELECT * FROM first_table UNION SELECT * FR...	3 row(s) returned	0.016 sec / 0.000 sec

MySQL Workbench

252080063_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 1

```

140 UNION
141 SELECT *
142 FROM second_table;
143
144 * SELECT name
145 FROM first_table;

```

Result Grid

name
john
adam
chris

Result 12

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feels
26	08:55:09	CREATE TABLE first_table (id INT, name VARCHAR(20));	0 row(s) affected	0.047 sec
27	08:55:09	CREATE TABLE second_table (id INT, name VARCHAR(20));	0 row(s) affected	0.031 sec
28	08:55:09	INSERT INTO first_table VALUES (1,john), (2,john);	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
29	08:55:09	INSERT INTO second_table VALUES (2,adam);	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
30	08:55:47	SELECT * FROM first_table UNION SELECT * FROM second_table;	3 row(s) returned	0.015 sec / 0.000 sec
31	08:56:21	SELECT name FROM first_table UNION SELECT name FROM second_table;	3 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

252080063_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 1

```

146 UNION
147 SELECT name
148 FROM second_table;
149
150 * SELECT *
151 FROM first_table;

```

Result Grid

id	name
1	john
2	john
2	adam
3	chris

Result 13

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feels
27	08:55:09	CREATE TABLE second_table (id INT, name VARCHAR(20));	0 row(s) affected	0.031 sec
28	08:55:09	INSERT INTO first_table VALUES (1,john), (2,john);	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
29	08:55:09	INSERT INTO second_table VALUES (2,adam);	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
30	08:55:47	SELECT * FROM first_table UNION SELECT * FROM second_table;	3 row(s) returned	0.015 sec / 0.000 sec
31	08:56:21	SELECT name FROM first_table UNION SELECT name FROM second_table;	3 row(s) returned	0.000 sec / 0.000 sec
32	08:57:52	SELECT * FROM first_table UNION ALL SELECT * FROM second_table;	4 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

250000002_Lab04a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File Editor

```

156 SELECT COUNT(*)
157 FROM
158 (
159     SELECT *
160     FROM first_table
161     UNION ALL

```

Result Grid

COUNT(*)
1

Output

Action Output

#	Time	Action	Message	Duration / Batch
28	08:55:09	INSERT INTO first_table VALUES (1,'adn')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
29	08:55:09	INSERT INTO second_table VALUES (2,'adn')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
30	08:55:47	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned	0.016 sec / 0.000 sec
31	08:56:21	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned	0.000 sec / 0.000 sec
32	08:57:12	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	4 row(s) returned	0.000 sec / 0.000 sec
33	08:58:15	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table)	1 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

250000002_Lab04a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File Editor

```

163 FROM second_table
164 ) AS
165
166 SELECT *
167 FROM first_table
168 INTERSECT

```

Result Grid

id	name
2	adn

Output

Action Output

#	Time	Action	Message	Duration / Batch
29	08:55:09	INSERT INTO second_table VALUES (2,'adn')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
30	08:55:47	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned	0.016 sec / 0.000 sec
31	08:56:21	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned	0.000 sec / 0.000 sec
32	08:57:12	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	4 row(s) returned	0.000 sec / 0.000 sec
33	08:58:15	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table)	1 row(s) returned	0.000 sec / 0.000 sec
34	08:59:09	SELECT * FROM first_table INTERSECT SELECT * FROM second_table	1 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

202008083_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 1

```

168 INTERSECT
169 SELECT *
170 FROM second_table;
171
172 * SELECT name
173 FROM first_table

```

Result Grid

name
adam

SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 16

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
30	08:55:47	SELECT * FROM first_table UNION SELECT * FR...	3 row(s) returned	0.016 sec / 0.000 sec
31	08:56:21	SELECT name FROM first_table UNION SELECT ...	3 row(s) returned	0.000 sec / 0.000 sec
32	08:57:12	SELECT * FROM first_table UNION ALL SELECT ...	4 row(s) returned	0.000 sec / 0.000 sec
33	08:58:15	SELECT COUNT(*) FROM (SELECT * FRO...	1 row(s) returned	0.000 sec / 0.000 sec
34	08:59:08	SELECT * FROM first_table INTERSECT SELECT...	1 row(s) returned	0.000 sec / 0.000 sec
35	09:00:20	SELECT name FROM first_table INTERSECT SE...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

202008083_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 1

```

178 * SELECT *
179 FROM first_table
180 WHERE id NOT IN (
181     SELECT id
182     FROM second_table
183 )

```

Result Grid

id	name
1	adam

SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 17

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
31	08:56:21	SELECT name FROM first_table UNION SELECT ...	3 row(s) returned	0.000 sec / 0.000 sec
32	08:57:12	SELECT * FROM first_table UNION ALL SELECT ...	4 row(s) returned	0.000 sec / 0.000 sec
33	08:58:15	SELECT COUNT(*) FROM (SELECT * FRO...	1 row(s) returned	0.000 sec / 0.000 sec
34	08:59:08	SELECT * FROM first_table INTERSECT SELECT...	1 row(s) returned	0.000 sec / 0.000 sec
35	09:00:20	SELECT name FROM first_table INTERSECT SE...	1 row(s) returned	0.000 sec / 0.000 sec
36	09:01:11	SELECT * FROM first_table WHERE id NOT IN (	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

2520000002_Lab08a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

185 SELECT name
186 FROM first_table
187 WHERE name NOT IN (
188     SELECT name
189     FROM second_table
190 )

```

Result Grid

name
abhi

SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Patch
32	08:57:52	SELECT * FROM first_table UNION ALL SELECT ...	4 row(s) returned	0.000 sec / 0.000 sec
33	08:58:15	SELECT COUNT(*) FROM (SELECT * FRO...	1 row(s) returned	0.000 sec / 0.000 sec
34	08:59:09	SELECT * FROM first_table INTERSECT SELECT...	1 row(s) returned	0.000 sec / 0.000 sec
35	09:00:20	SELECT name FROM first_table INTERSECT SE...	1 row(s) returned	0.000 sec / 0.000 sec
36	09:01:11	SELECT * FROM first_table WHERE id NOT IN (...)	1 row(s) returned	0.000 sec / 0.000 sec
37	09:01:53	SELECT name FROM first_table WHERE name IN (...)	1 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

2520000002_Lab08a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

192 SELECT c.id,
193        c.name,
194        ci.address
195 FROM class c
196 INNER JOIN class_info ci
197 ON c.id = ci.id;

```

Result Grid

id	name	address
1	abhi	DELHI
2	adam	MUMBAI
3	alex	CHENNAI


SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.


Output

Action Output

#	Time	Action	Message	Duration / Patch
33	08:58:15	SELECT COUNT(*) FROM (SELECT * FRO...	1 row(s) returned	0.000 sec / 0.000 sec
34	08:59:09	SELECT * FROM first_table INTERSECT SELECT...	1 row(s) returned	0.000 sec / 0.000 sec
35	09:00:20	SELECT name FROM first_table INTERSECT SE...	1 row(s) returned	0.000 sec / 0.000 sec
36	09:01:11	SELECT * FROM first_table WHERE id NOT IN (...)	1 row(s) returned	0.000 sec / 0.000 sec
37	09:01:53	SELECT name FROM first_table WHERE name IN (...)	1 row(s) returned	0.000 sec / 0.000 sec
38	09:02:50	SELECT c.id, c.name, ci.address FROM...	3 row(s) returned	0.000 sec / 0.000 sec



SKILL 6



MySQL Workbench

252000003_Laktha

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

39
40 FOREIGN KEY (Customer_ID)
41 REFERENCES Customer(Customer_ID)
42
43
44 INSERT INTO Customer
45 (Customer_ID, Customer_Name, Phone, Email, City)
46 VALUES
47 (181, 'Ravi Kumar', '9876543210', 'ravi@gmail.com', 'Hyderabad')
48 (182, 'Priya Sharma', '9876543211', 'priya@gmail.com', 'Vijayawada')
49 (183, 'Arjun Reddy', '9876543212', 'arjun@gmail.com', 'Bangalore')
50 (184, 'Sneha Rao', '9876543213', 'sneha@gmail.com', 'Chennai')
51 (185, 'Kiran Kumar', '9876543214', 'kiran@gmail.com', 'Hyderabad')

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip

Output

Action Output

#	Time	Action	Message	Duration / Pct
1	10:23:47	USE 252000003_Laktha	0 row(s) affected	0.000 sec
2	10:23:52	CREATE TABLE Customer (Customer_ID INT PRI...	0 row(s) affected	0.047 sec
3	10:23:52	CREATE TABLE Account (Account_No INT PRI...	0 row(s) affected	0.047 sec
4	10:23:52	CREATE TABLE Bank_Transaction (Transaction...	0 row(s) affected	0.031 sec
5	10:23:52	CREATE TABLE Loan (Loan_ID INT PRIMARY K...	0 row(s) affected	0.032 sec
6	10:25:43	INSERT INTO Customer (Customer_ID, Customer_N...	0 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec

MySQL Workbench

252000003_Laktha

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

48 (182, 'Priya Sharma', '9876543211', 'priya@gmail.com', 'Vijayawada')
49 (183, 'Arjun Reddy', '9876543212', 'arjun@gmail.com', 'Bangalore')
50 (184, 'Sneha Rao', '9876543213', 'sneha@gmail.com', 'Chennai')
51 (185, 'Kiran Kumar', '9876543214', 'kiran@gmail.com', 'Hyderabad')
52
53 INSERT INTO Account
54 (Account_No, Customer_ID, Account_Type, Balance, Branch)
55 VALUES
56 (18881, 181, 'Savings', 50000, 'Hyderabad'),
57 (18882, 182, 'Savings', 75000, 'Vijayawada'),
58 (18883, 183, 'Current', 120000, 'Bangalore'),
59 (18884, 184, 'Savings', 40000, 'Chennai'),
60 (18885, 185, 'Current', 80000, 'Hyderabad')

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip

Output

Action Output

#	Time	Action	Message	Duration / Pct
2	10:23:52	CREATE TABLE Customer (Customer_ID INT PRI...	0 row(s) affected	0.047 sec
3	10:23:52	CREATE TABLE Account (Account_No INT PRI...	0 row(s) affected	0.047 sec
4	10:23:52	CREATE TABLE Bank_Transaction (Transaction...	0 row(s) affected	0.031 sec
5	10:23:52	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY...	0 row(s) affected	0.032 sec
6	10:25:43	INSERT INTO Customer (Customer_ID, Customer_N...	0 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
7	10:27:01	INSERT INTO Account (Account_No, Customer_ID, A...	0 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec

MySQL Workbench

2520080062_Lakshya

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL Editor

```

57 (10002, 102, 'Savings', 70000, 'Vijayawada'),
58 (10003, 103, 'Current', 120000, 'Bengaluru'),
59 (10004, 104, 'Savings', 45000, 'Chennai'),
60 (10005, 105, 'Current', 90000, 'Hyderabad'));
61
62 INSERT INTO Bank_Transaction
63 (Account_No, Transaction_Type, Amount)
64 VALUES
65 (10001, 'DEPOSIT', 10000),
66 (10002, 'DEPOSIT', 15000),
67 (10003, 'WITHDRAWAL', 20000),
68 (10004, 'DEPOSIT', 3000),
69 (10005, 'WITHDRAWAL', 10000);

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	10:23:52	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARCHAR(50), Amount DECIMAL(10,2))	0 rows affected	0.047 sec
4	10:23:52	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY, Account_No INT, Transaction_Type VARCHAR(50), Amount DECIMAL(10,2))	0 rows affected	0.031 sec
5	10:23:52	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(50), Loan_Amount DECIMAL(10,2), Interest_Rate DECIMAL(5,2))	0 rows affected	0.032 sec
6	10:25:43	INSERT INTO Customer (Customer_ID, Customer_Name, Customer_Address, Customer_Contact_No)	5 rows affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
7	10:27:01	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Amount)	5 rows affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
8	10:27:33	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount)	5 rows affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec

Object Info Session

MySQL Workbench

2520080062_Lakshya

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL Editor

```

70
71 INSERT INTO Loan
72 (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate)
73 VALUES
74 (101, 101, 'Home Loan', 500000, 7.5),
75 (102, 102, 'Educational Loan', 300000, 8.5),
76 (103, 103, 'Car Loan', 200000, 9.5),
77 (104, 104, 'Personal Loan', 100000, 10.5);

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip

Output

Action Output

#	Time	Action	Message	Duration / Fetch
4	10:23:52	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY, Account_No INT, Transaction_Type VARCHAR(50), Amount DECIMAL(10,2))	0 rows affected	0.031 sec
5	10:23:52	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(50), Loan_Amount DECIMAL(10,2), Interest_Rate DECIMAL(5,2))	0 rows affected	0.032 sec
6	10:25:43	INSERT INTO Customer (Customer_ID, Customer_Name, Customer_Address, Customer_Contact_No)	5 rows affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
7	10:27:01	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Amount)	5 rows affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
8	10:27:33	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount)	5 rows affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
9	10:29:06	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate)	4 rows affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec

Object Info Session

MySQL Workbench

2520080003_Lab10a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

11 * SELECT * FROM Accounts;
12
13 * SELECT * FROM Bank_Transaction;
14
15 * SELECT * FROM Loans;

```

Result Grid

Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate
501	101	Home Loan	500000.00	7.50
502	102	Education Loan	100000.00	6.50
503	103	Car Loan	80000.00	8.20
504	104	Personal Loan	30000.00	10.30
505	105			

Customer: Account: Bank_Transaction: Loans: 1,2,3,4,5

Output

Action Output

Time	Action	Message	Duration / Fetch
10:27:23	INSERT INTO Bank_Transaction (Account_No, Trans...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.021 sec
10:28:06	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Ty...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
10:29:57	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
10:29:57	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
10:29:57	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
10:29:57	SELECT * FROM Loan LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

2520080003_Lab10a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

12
13 * SELECT * FROM Bank_Transaction;
14
15 * SELECT * FROM Loans;
16
17 DELIMITER //
18
19 * CREATE PROCEDURE detailCustomers()
20 BEGIN
21     SELECT * FROM Customer;
22 END //
23
24 DELIMITER ;

```

Output

Action Output

Time	Action	Message	Duration / Fetch
10:28:06	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Ty...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
10:29:57	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
10:29:57	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
10:29:57	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
10:29:57	SELECT * FROM Loan LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
10:31:48	CREATE PROCEDURE detailCustomers() BEGIN	0 row(s) affected	0.015 sec

Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

202008043_Lab10a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

11 SELECT * FROM Customer;
12 END //
13 DELIMITER ;
14 CALL GetAllCustomers();

```

Result Grid

Customer_ID	Customer_Name	Phone	Email	City
101	Ravi Kumar	9876543210	ravi@gmail.com	Hyderabad
102	Priva Sharma	9876543211	priva@gmail.com	Mumbai
103	Arjun Reddy	9876543212	arjun@gmail.com	Bengaluru
104	Sneha Rao	9876543213	sneha@gmail.com	Chennai
105	Kiran Kumar	9876543214	kiran@gmail.com	Hyderabad

Result 1 x

Read Only

Context Help

Scripting

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	10:29:57	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
11	10:29:57	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
12	10:29:57	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
13	10:29:57	SELECT * FROM Loan LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
14	10:31:46	CREATE PROCEDURE GetAllCustomers() BEGIN	0 row(s) affected	0.015 sec
15	10:32:26	CALL GetAllCustomers()	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Sessions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

202008043_Lab10a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

13 DELIMITER ;
14 CALL GetAllCustomers();
15 DELIMITER //
16 CREATE PROCEDURE GetAllAccountDetails(
17     IN p_Account_No INT
18 )
19 BEGIN
20     SELECT *
21     FROM Account
22     WHERE ACCOUNT_NO = p_ACCOUNT_NO;

```

Result Grid

Result 1

Read Only

Context Help

Scripting

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	10:29:57	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
12	10:29:57	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
13	10:29:57	SELECT * FROM Loan LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
14	10:31:46	CREATE PROCEDURE GetAllCustomers() BEGIN	0 row(s) affected	0.015 sec
15	10:32:26	CALL GetAllCustomers()	5 row(s) returned	0.000 sec / 0.000 sec
16	10:33:02	CREATE PROCEDURE GetAllAccountDetails(IN p_A_	0 row(s) affected	0.015 sec

Object Info

Sessions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

202000003_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

185 WHERE Account_No = p_Account_No;
186 END //
187
188 DELIMITER ;
189 CALL GetAccountDetails(1000);

```

Results Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	30000.00	Hyderabad

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

Time	Action	Message	Duration / Fetch
12 10:29:57	SELECT * FROM Bank_Transaction LIMIT 0 1000	5 row(s) returned	0.000 sec / 0.000 sec
13 10:29:57	SELECT * FROM Loan LIMIT 0 1000	4 row(s) returned	0.000 sec / 0.000 sec
14 10:31:46	CREATE PROCEDURE GetACustomer() BEGIN	0 row(s) affected	0.015 sec
15 10:32:26	CALL GetACustomer()	5 row(s) returned	0.000 sec / 0.000 sec
16 10:33:02	CREATE PROCEDURE GetAccountDetails(IN p_A_	0 row(s) affected	0.015 sec
17 10:33:34	CALL GetAccountDetails(10001)	1 row(s) returned	0.000 sec / 0.000 sec

Object Info | Session

MySQL Workbench

202000003_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

188 DELIMITER ;
189 CALL GetAccountDetails(1000);
190
191 DELIMITER //
192
193 CREATE PROCEDURE GetCustomerAccounts(
194     IN p_Customer_ID INT
195 )
196 BEGIN
197     SELECT
198         C.Customer_ID,
199         C.Customer_Name,
200         A.Account_No,

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

Time	Action	Message	Duration / Fetch
13 10:29:57	SELECT * FROM Loan LIMIT 0 1000	4 row(s) returned	0.000 sec / 0.000 sec
14 10:31:46	CREATE PROCEDURE GetACustomer() BEGIN	0 row(s) affected	0.015 sec
15 10:32:26	CALL GetACustomer()	5 row(s) returned	0.000 sec / 0.000 sec
16 10:33:02	CREATE PROCEDURE GetAccountDetails(IN p_A_	0 row(s) affected	0.015 sec
17 10:33:34	CALL GetAccountDetails(10001)	1 row(s) returned	0.000 sec / 0.000 sec
18 10:35:25	CREATE PROCEDURE GetCustomerAccounts(IN p_	0 row(s) affected	0.031 sec

Object Info | Session

MySQL Workbench

250000000_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 3

```

127 WHERE C.Customer_ID = p_Customer_ID;
128 END //
129
130 DELIMITER ;
131 * CALL GetCustomerAccounts(1001);

```

Result Grid

Customer_ID	Customer_Name	Account_No	Account_Type	Balance	Branch
101	Ravi Kumar	1001	Savings	9000.00	Hyderabad

Result 1 x

Read Only

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	10:31:46	CREATE PROCEDURE GetACustomer() BEGIN	5 rows affected	0.015 sec
15	10:32:25	CALL GetACustomer()	5 rows returned	0.000 sec / 0.000 sec
16	10:33:02	CREATE PROCEDURE GetAccountDetails() IN p_A...	0 rows affected	0.015 sec
17	10:33:34	CALL GetAccountDetails(10001)	1 row returned	0.000 sec / 0.000 sec
18	10:35:25	CREATE PROCEDURE GetCustomerAccounts() IN p...	0 rows affected	0.031 sec
19	10:36:04	CALL GetCustomerAccounts(101)	1 row returned	0.000 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

250000000_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 3

```

130 DELIMITER ;
131 * CALL GetCustomerAccounts(1001);
132
133 DELIMITER //
134
135 CREATE PROCEDURE DepositMoney(
136     IN p_Account_No INT,
137     IN p_Amount DECIMAL(12,2)
138 )
139 BEGIN
140     UPDATE Account
141     SET Balance = Balance + p_Amount
142     WHERE Account_No = p_Account_No;

```

Result Grid

Result 1 x

Read Only

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	10:32:25	CALL GetACustomer()	5 rows returned	0.000 sec / 0.000 sec
16	10:33:02	CREATE PROCEDURE GetAccountDetails() IN p_A...	0 rows affected	0.015 sec
17	10:33:34	CALL GetAccountDetails(10001)	1 row returned	0.000 sec / 0.000 sec
18	10:35:25	CREATE PROCEDURE GetCustomerAccounts() IN p...	0 rows affected	0.031 sec
19	10:36:04	CALL GetCustomerAccounts(101)	1 row returned	0.000 sec / 0.000 sec
20	10:38:42	CREATE PROCEDURE DepositMoney() IN p_Accou...	0 rows affected	0.031 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

2520000003_Lab10a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File T

```

134
135 * CREATE PROCEDURE DepositMoney(
136     IN p_Account_No INT,
137     IN p_Amount DECIMAL(12,2)
138 )
139 BEGIN
140     UPDATE Account
141     SET Balance = Balance + p_Amount
142     WHERE Account_No = p_Account_No;
143 END //
144
145 DELIMITER ;
146 * CALL DepositMoney(10001, 5000);

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fech
16	10:33:02	CREATE PROCEDURE GetAccountDetails(IN p_A...	0 row(s) affected	0.015 sec
17	10:33:34	CALL GetAccountDetails(10001);	1 row(s) returned	0.000 sec / 0.000 sec
18	10:35:25	CREATE PROCEDURE GetCustomerAccounts(IN p...	0 row(s) affected	0.031 sec
19	10:35:04	CALL GetCustomerAccounts(101);	1 row(s) returned	0.000 sec / 0.000 sec
20	10:38:42	CREATE PROCEDURE DepositMoney(IN p_Accou...	0 row(s) affected	0.031 sec
21	10:39:18	CALL DepositMoney(10001, 5000);	1 row(s) affected	0.031 sec

Object Info Session

MySQL Workbench

2520000003_Lab10a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File T

```

148 DELIMITER //
149
150 * CREATE PROCEDURE WithdrawMoney(
151     IN p_Account_No INT,
152     IN p_Amount DECIMAL(12,2)
153 )
154 BEGIN
155     UPDATE Account
156     SET Balance = Balance - p_Amount
157     WHERE Account_No = p_Account_No;
158 END //
159
160 DELIMITER ;

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fech
17	10:33:34	CALL GetAccountDetails(10001);	1 row(s) returned	0.000 sec / 0.000 sec
18	10:35:25	CREATE PROCEDURE GetCustomerAccounts(IN p...	0 row(s) affected	0.031 sec
19	10:35:04	CALL GetCustomerAccounts(101);	1 row(s) returned	0.000 sec / 0.000 sec
20	10:38:42	CREATE PROCEDURE DepositMoney(IN p_Accou...	0 row(s) affected	0.031 sec
21	10:39:18	CALL DepositMoney(10001, 5000);	1 row(s) affected	0.031 sec
22	10:39:41	CREATE PROCEDURE WithdrawMoney(IN p_Acc...	0 row(s) affected	0.031 sec

Object Info Session

MySQL Workbench

2520082003_Lab10s

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 7

```

140
150 CREATE PROCEDURE WithdrawMoney(
151     IN p_Account_No INT,
152     IN p_Amount DECIMAL(12,2)
153 )
154 BEGIN
155     UPDATE Account
156     SET Balance = Balance - p_Amount
157     WHERE Account_No = p_Account_No;
158 END //
159
160 DELIMITER ;
161 CALL WithdrawMoney(10001, 3000);

```

SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feeds
18	10:35:25	CREATE PROCEDURE GetCustomerAccounts(IN p_Acc...	0 rows affected	0.031 sec
19	10:35:04	CALL GetCustomerAccounts(101)	1 row(s) returned	0.000 sec / 0.000 sec
20	10:35:42	CREATE PROCEDURE DepositMoney(IN p_Accou...	0 rows affected	0.031 sec
21	10:35:10	CALL DepositMoney(10001, 5000)	1 row(s) affected	0.031 sec
22	10:35:41	CREATE PROCEDURE WithdrawMoney(IN p_Acc...	0 rows affected	0.031 sec
23	10:40:12	CALL WithdrawMoney(10001, 3000)	1 row(s) affected	0.015 sec

Object Info Session

MySQL Workbench

2520082003_Lab10s

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 7

```

161 CALL WithdrawMoney(10001, 3000);
162
163 DELIMITER //
164
165 CREATE TRIGGER CheckBalance
166 BEFORE UPDATE ON Account
167 FOR EACH ROW
168 BEGIN
169     IF NEW.Balance < 0 THEN
170         SIGNAL SQLSTATE '45000'
171         SET MESSAGE_TEXT =
172             'Transaction failed: Insufficient balance';
173     END IF;

```

SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feeds
19	10:35:04	CALL GetCustomerAccounts(101)	1 row(s) returned	0.000 sec / 0.000 sec
20	10:35:42	CREATE PROCEDURE DepositMoney(IN p_Accou...	0 rows affected	0.031 sec
21	10:35:10	CALL DepositMoney(10001, 5000)	1 row(s) affected	0.031 sec
22	10:35:41	CREATE PROCEDURE WithdrawMoney(IN p_Acc...	0 rows affected	0.031 sec
23	10:40:12	CALL WithdrawMoney(10001, 3000)	1 row(s) affected	0.015 sec
24	10:41:55	CREATE TRIGGER CheckBalance BEFORE UPDATE...	0 rows affected	0.032 sec

Object Info Session

MySQL Workbench

202000003_Lab1to5

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL Editor

```

167 FOR EACH ROW
168 BEGIN
169     IF NEW.Balance < 0 THEN
170         SIGNAL SQLSTATE '45000'
171         SET MESSAGE_TEXT =
172             'Transaction failed: Insufficient balance';
173     END IF;
174 END //
175
176 DELIMITER ;
177 * UPDATE Account
178 SET Balance = Balance - 50000
179 WHERE Account_No = 100001;

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip

Output

Action Output

#	Time	Action	Message	Duration / Feat
20	10:38:42	CREATE PROCEDURE DepositMoney(Wp_Accou...	2 rows(s) affected	0.031 sec
21	10:39:10	CALL DepositMoney(10001, 5000)	1 row(s) affected	0.031 sec
22	10:39:41	CREATE PROCEDURE WithdrawMoney(Wp_Acc...	0 rows(s) affected	0.031 sec
23	10:40:12	CALL WithdrawMoney(10001, 3000)	1 row(s) affected	0.015 sec
24	10:41:59	CREATE TRIGGER CheckBalance BEFORE UPDATE	0 rows(s) affected	0.032 sec
25	10:43:58	UPDATE Account SET Balance = Balance - 50000 W...	Error Code: 1546 Transaction failed: Insufficient balance	0.000 sec

Object Info Session

MySQL Workbench

202000003_Lab1to5

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL Editor

```

181 DELIMITER //
182
183 * CREATE TRIGGER CheckTransactionAmount
184 BEFORE INSERT ON Bank_transaction
185 FOR EACH ROW
186 BEGIN
187     IF NEW.Amount <= 0 THEN
188         SIGNAL SQLSTATE '45000'
189         SET MESSAGE_TEXT =
190             'Transaction amount must be greater than zero';
191     END IF;
192 END //
193

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip

Output

Action Output

#	Time	Action	Message	Duration / Feat
21	10:39:10	CALL DepositMoney(10001, 5000)	1 row(s) affected	0.031 sec
22	10:39:41	CREATE PROCEDURE WithdrawMoney(Wp_Acc...	0 row(s) affected	0.031 sec
23	10:40:12	CALL WithdrawMoney(10001, 3000)	1 row(s) affected	0.015 sec
24	10:41:59	CREATE TRIGGER CheckBalance BEFORE UPDATE	0 row(s) affected	0.032 sec
25	10:43:50	UPDATE Account SET Balance = Balance - 50000 W...	Error Code: 1546 Transaction failed: Insufficient balance	0.000 sec
26	10:54:00	CREATE TRIGGER CheckTransactionAmount BEFOR...	0 row(s) affected	0.031 sec

Object Info Session

MySQL Workbench

2520080953_Lalitha

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 2

```

184 BEFORE INSERT ON Bank_Transaction
185 FOR EACH ROW
186 BEGIN
187     IF NEW.Amount <= 0 THEN
188         SIGNAL SQLSTATE '45000'
189         SET MESSAGE_TEXT =
190             'Transaction amount must be greater than zero';
191     END IF;
192 END //
193 INSERT INTO Bank_Transaction
194 (Account_No, Transaction_Type, Amount)
195 VALUES
196 (10001, 'DEPOSIT', -5000);

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip to

Output

Action Output

#	Time	Action	Message	Duration / Fetch
22	10:39:41	CREATE PROCEDURE WithdrawMoney(IN p_Acc...	0 row(s) affected	0.021 sec
23	10:40:12	CALL WithdrawMoney(10001, 3000)	1 row(s) affected	0.015 sec
34	10:41:59	CREATE TRIGGER CheckBalance BEFORE UPDATE...	0 row(s) affected	0.032 sec
26	10:43:50	UPDATE Account SET Balance = Balance - 60000 W...	Error Code: 1644 Transaction failed: Insufficient balance	0.000 sec
26	10:54:00	CREATE TRIGGER CheckTransactionAmount BEFORE...	0 row(s) affected	0.031 sec
27	10:54:48	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644 Transaction amount must be greater t...	0.000 sec

Object Info Session

MySQL Workbench

2520080953_Lalitha

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 2

```

194 (Account_No, Transaction_Type, Amount)
195 VALUES
196 (10001, 'DEPOSIT', -5000);
197 DELIMITER ;
198
199 CREATE TABLE Transaction_Audit (
200     Audit_ID INT PRIMARY KEY AUTO_INCREMENT,
201     Transaction_ID INT,
202     Account_No INT,
203     Transaction_Type VARCHAR(20),
204     Amount DECIMAL(12,2),
205     Audit_Date DATETIME DEFAULT CURRENT_TIMESTAMP
206 );

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip to

Output

Action Output

#	Time	Action	Message	Duration / Fetch
23	10:40:12	CALL WithdrawMoney(10001, 3000)	1 row(s) affected	0.015 sec
24	10:41:59	CREATE TRIGGER CheckBalance BEFORE UPDATE...	0 row(s) affected	0.032 sec
26	10:43:50	UPDATE Account SET Balance = Balance - 60000 W...	Error Code: 1644 Transaction failed: Insufficient balance	0.000 sec
26	10:54:00	CREATE TRIGGER CheckTransactionAmount BEFORE...	0 row(s) affected	0.031 sec
27	10:54:48	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644 Transaction amount must be greater t...	0.000 sec
28	10:55:05	CREATE TABLE Transaction_Audit (Audit_ID INT	0 row(s) affected	0.031 sec

Object Info Session

MySQL Workbench

252000000_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

SQL File 1

```

DELIMITER //
CREATE TRIGGER TransactionAudit
AFTER INSERT ON Bank_Transaction
FOR EACH ROW
BEGIN
    INSERT INTO Transaction_Audit
    (
        Transaction_ID,
        Account_No,
        Transaction_Type,
        Amount
    )
    VALUES
    (
        NEW.Transaction_ID,
        NEW.Account_No,
        NEW.Transaction_Type,
        NEW.Amount
    )
END //
DELIMITER ;

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Feat
24	10:41:59	CREATE TRIGGER CheckBalance BEFORE UPDATE ...	0 row(s) affected	0.002 sec
25	10:43:50	UPDATE Account SET Balance = Balance - 50000 W...	Error Code: 1644 Transaction failed: Insufficient balance	0.000 sec
26	10:54:00	CREATE TRIGGER CheckTransactionAmount BEFOR...	0 row(s) affected	0.001 sec
27	10:54:48	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644 Transaction amount must be greater...	0.000 sec
28	10:55:05	CREATE TABLE Transaction_Audit (Audit_ID INT ...	0 row(s) affected	0.001 sec
29	10:55:48	CREATE TRIGGER TransactionAudit AFTER INSERT...	0 row(s) affected	0.045 sec

MySQL Workbench

252000000_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

SQL File 1

```

(
    NEW.Transaction_ID,
    NEW.Account_No,
    NEW.Transaction_Type,
    NEW.Amount
)
VALUES
(
    10000, 'DEPOSIT', 20000
)
END //
DELIMITER ;
INSERT INTO Bank_Transaction
(Account_No, Transaction_Type, Amount)
VALUES
(10000, 'DEPOSIT', 20000)

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Feat
25	10:43:50	UPDATE Account SET Balance = Balance - 50000 W...	Error Code: 1644 Transaction failed: Insufficient balance	0.000 sec
26	10:54:00	CREATE TRIGGER CheckTransactionAmount BEFOR...	0 row(s) affected	0.001 sec
27	10:54:48	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644 Transaction amount must be greater...	0.000 sec
28	10:55:05	CREATE TABLE Transaction_Audit (Audit_ID INT ...	0 row(s) affected	0.001 sec
29	10:55:48	CREATE TRIGGER TransactionAudit AFTER INSERT...	0 row(s) affected	0.045 sec
30	11:00:21	INSERT INTO Bank_Transaction (Account_No, Trans...	1 row(s) affected	0.015 sec

MySQL Workbench

2520080002_Lab10a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 2

```

221 * INSERT INTO Bank_Transaction
222 (Account_No, Transaction_Type, Amount)
223 VALUES
224 (10000, 'DEPOSIT', 2000);
225 * SELECT * FROM Transaction_Audit;

```

Result Grid

Audit_ID	Transaction_ID	Account_No	Transaction_Type	Amount	Audit_Date
1	6	20001	DEPOSIT	2000.00	2025-08-14 11:00

Transaction_Audit 6

Output

Action Output

#	Time	Action	Message	Duration / Fetch
26	10:54:00	CREATE TRIGGER CheckTransactionAmount BEFORE	0 rows affected	0.031 sec
27	10:54:48	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644 Transaction amount must be greater...	0.000 sec
28	10:55:05	CREATE TABLE Transaction_Audit (Audit_ID INT ...	0 rows affected	0.031 sec
29	10:55:48	CREATE TRIGGER TransactionAudit AFTER INSERT ...	0 rows affected	0.046 sec
30	11:00:21	INSERT INTO Bank_Transaction (Account_No, Trans...	1 rows affected	0.016 sec
31	11:00:52	SELECT * FROM Transaction_Audit LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

2520080002_Lab10a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 2

```

226
227 BEGIN
228
229 * CREATE TRIGGER UpdateBalanceAfterTransaction
230 AFTER INSERT ON Bank_Transaction
231 FOR EACH ROW
232 BEGIN
233
234 IF NEW.Transaction_Type = 'DEPOSIT' THEN
235 UPDATE Account
236 SET Balance = Balance + NEW.Amount
237 WHERE Account_No = NEW.Account_No;
238
239 ELSEIF NEW.Transaction_Type = 'WITHDRAWAL' THEN

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
27	10:54:48	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644 Transaction amount must be greater...	0.000 sec
28	10:55:05	CREATE TABLE Transaction_Audit (Audit_ID INT ...	0 rows affected	0.031 sec
29	10:55:48	CREATE TRIGGER TransactionAudit AFTER INSERT ...	0 rows affected	0.046 sec
30	11:00:21	INSERT INTO Bank_Transaction (Account_No, Trans...	1 rows affected	0.016 sec
31	11:00:52	SELECT * FROM Transaction_Audit LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
32	11:01:34	CREATE TRIGGER UpdateBalanceAfterTransaction A...	0 rows affected	0.032 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

2520000001_Lalitha

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

247
248     ELSEIF NEW.Transaction_Type = 'WITHDRAW' THEN
249         UPDATE Account
250         SET Balance = Balance - NEW.Amount
251         WHERE Account_No = NEW.Account_No;
252     END IF;
253 END //
254
255 DELIMITER ;
256 * INSERT INTO Bank_Transaction
257 (Account_No, Transaction_Type, Amount)
258 VALUES
259 (10001, 'DEPOSIT', 5000);

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Show All

Action Output

#	Time	Action	Message	Duration / Batch
28	10:59:05	CREATE TABLE Transaction_Audit (Audit_ID INT ...	0 row(s) affected	0.021 sec
29	10:59:48	CREATE TRIGGER TransactionAudit AFTER INSERT...	0 row(s) affected	0.045 sec
30	11:00:21	INSERT INTO Bank_Transaction (Account_No, Trans...	1 row(s) affected	0.016 sec
31	11:00:52	SELECT * FROM Transaction_Audit LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
32	11:01:34	CREATE TRIGGER UpdateBalanceAfterTransaction A...	0 row(s) affected	0.032 sec
33	11:02:01	INSERT INTO Bank_Transaction (Account_No, Trans...	1 row(s) affected	0.031 sec

Object Info Session

MySQL Workbench

2520000001_Lalitha

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

256 * INSERT INTO Bank_Transaction
257 (Account_No, Transaction_Type, Amount)
258 VALUES
259 (10001, 'DEPOSIT', 5000);
260 * SELECT *
261 FROM Account;

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Show All

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	57000.00	Hyderabad

Action Output

#	Time	Action	Message	Duration / Batch
29	10:59:48	CREATE TRIGGER TransactionAudit AFTER INSERT...	0 row(s) affected	0.045 sec
30	11:00:21	INSERT INTO Bank_Transaction (Account_No, Trans...	1 row(s) affected	0.016 sec
31	11:00:52	SELECT * FROM Transaction_Audit LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
32	11:01:34	CREATE TRIGGER UpdateBalanceAfterTransaction A...	0 row(s) affected	0.032 sec
33	11:02:01	INSERT INTO Bank_Transaction (Account_No, Trans...	1 row(s) affected	0.031 sec
34	11:02:38	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

252000003_Lalitha

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

263
264 DELIMITER //
265
266 CREATE TRIGGER PreventInsufficientWithdrawal
267 BEFORE INSERT ON Bank_Transaction
268 FOR EACH ROW
269 BEGIN
270     DECLARE CurrentBalance DECIMAL(12,2);
271
272     SELECT Balance
273     INTO CurrentBalance
274     FROM Account
275     WHERE Account_No = NEW.Account_No;

```

SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feeds
30	11:00:28	INSERT INTO Bank_Transaction (Account_No, Trans...	1 row(s) affected	0.016 sec
31	11:00:52	SELECT * FROM Transaction_Audit LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
32	11:01:34	CREATE TRIGGER UpdateBalanceAfterTransaction A...	0 row(s) affected	0.032 sec
33	11:02:08	INSERT INTO Bank_Transaction (Account_No, Trans...	1 row(s) affected	0.031 sec
34	11:02:38	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned	0.000 sec / 0.000 sec
35	11:03:14	CREATE TRIGGER PreventInsufficientWithdrawal BE...	0 row(s) affected	0.032 sec

Object Info Session

MySQL Workbench

252000003_Lalitha

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

No object selected

SQL File 1

```

278 AND NEW.Amount > CurrentBalance THEN
279
280 SIGNAL SQLSTATE '41000'
281 SET MESSAGE_TEXT =
282 'Withdrawal failed: Insufficient balance';
283 END IF;
284 END //
285
286 DELIMITER ;
287
288 INSERT INTO Bank_Transaction
289 (Account_No, Transaction_Type, Amount)
290 VALUES
291 (10001, 'WITHDRAW', 10000);

```

SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feeds
31	11:00:52	SELECT * FROM Transaction_Audit LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
32	11:01:34	CREATE TRIGGER UpdateBalanceAfterTransaction A...	0 row(s) affected	0.032 sec
33	11:02:01	INSERT INTO Bank_Transaction (Account_No, Trans...	1 row(s) affected	0.031 sec
34	11:02:38	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned	0.000 sec / 0.000 sec
35	11:03:14	CREATE TRIGGER PreventInsufficientWithdrawal BE...	0 row(s) affected	0.032 sec
36	11:03:56	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644: Withdrawal failed: Insufficient balance	0.000 sec

Object Info Session

MySQL Workbench

25000000_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

SQL File 1

```

232 DELIMITER //
233
234 CREATE PROCEDURE GetCustomerLoans(
235     IN p_Customer_ID INT
236 )
237 BEGIN
238     SELECT
239         C.Customer_Name,
240         L.Loan_ID,
241         L.Loan_Type,
242         L.Loan_Amount,
243         L.Interest_Rate
244     FROM Customer C
  
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
32	11:01:34	CREATE TRIGGER UpdateBalanceAfterTransaction A...	0 row(s) affected	0.032 sec
33	11:02:18	INSERT INTO Bank_Transaction (Account_No, Trans...	1 row(s) affected	0.031 sec
34	11:02:38	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned	0.000 sec / 0.000 sec
35	11:03:14	CREATE TRIGGER PreventInsufficientWithdrawal BE...	0 row(s) affected	0.032 sec
36	11:03:56	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644, Withdrawal failed: Insufficient balance	0.000 sec
37	11:06:06	CREATE PROCEDURE GetCustomerLoans(IN p_C...	0 row(s) affected	0.031 sec

Object Info | Session

MySQL Workbench

25000000_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Administration
- Schemas

Information

SQL File 1

```

309
310 DELIMITER ;
311 CALL GetCustomerLoans(101);
312
313 DELIMITER //
314
315 CREATE PROCEDURE HighBalanceAccounts(
316     IN MinimumBalance DECIMAL(10,2)
317 )
318 BEGIN
319     SELECT *
320     FROM Account
321     WHERE Balance >= MinimumBalance
  
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
34	11:02:38	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned	0.000 sec / 0.000 sec
35	11:03:14	CREATE TRIGGER PreventInsufficientWithdrawal BE...	0 row(s) affected	0.032 sec
36	11:03:56	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644, Withdrawal failed: Insufficient balance	0.000 sec
37	11:06:06	CREATE PROCEDURE GetCustomerLoans(IN p_C...	0 row(s) affected	0.031 sec
38	11:07:40	CALL GetCustomerLoans(101)	1 row(s) returned	0.000 sec / 0.000 sec
39	11:11:26	CREATE PROCEDURE HighBalanceAccounts(IN ...	0 row(s) affected	0.032 sec

Object Info | Session

MySQL Workbench

202000003_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 1

```

322 ORDER BY Balance DESC;
323 END //
324
325 DELIMITER ;
326 * CALL HighBalanceAccounts(50000);

```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
12002	101	Current	120000.00	Bangalore
12003	105	Current	90000.00	Hyderabad
12002	102	Savings	75000.00	Wayanada
12001	101	Savings	57000.00	Hyderabad

Result 11

Output

Action Output

Time	Action	Message	Duration / Fetch
35 11:03:14	CREATE TRIGGER PreventInsufficientWithdrawal BE...	0 row(s) affected	0.032 sec
36 11:03:56	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644, Withdrawal failed: Insufficient balance	0.000 sec
37 11:06:06	CREATE PROCEDURE GetCustomerLeans(IN p_C...	0 row(s) affected	0.031 sec
38 11:07:45	CALL GetCustomerLeans(101)	1 row(s) returned	0.000 sec / 0.000 sec
39 11:11:25	CREATE PROCEDURE HighBalanceAccounts(IN ...	0 row(s) affected	0.032 sec
40 11:11:54	CALL HighBalanceAccounts(50000)	4 row(s) returned	0.000 sec / 0.000 sec

Context Help

Scripting

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

202000003_Lab10

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File 2

```

325 DELIMITER ;
326 * CALL HighBalanceAccounts(50000);
327
328 DELIMITER //
329
330 * CREATE PROCEDURE GetBalance(
331   IN p_Account_No INT,
332   OUT p_Balance DECIMAL(12,2)
333 )
334 BEGIN
335   SELECT Balance
336   INTO p_Balance
337   FROM Account

```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
12002	101	Current	120000.00	Bangalore
12003	105	Current	90000.00	Hyderabad
12002	102	Savings	75000.00	Wayanada
12001	101	Savings	57000.00	Hyderabad

Result 11

Output

Action Output

Time	Action	Message	Duration / Fetch
36 11:03:56	INSERT INTO Bank_Transaction (Account_No, Trans...	Error Code: 1644, Withdrawal failed: Insufficient balance	0.000 sec
37 11:06:06	CREATE PROCEDURE GetCustomerLeans(IN p_C...	0 row(s) affected	0.031 sec
38 11:07:45	CALL GetCustomerLeans(101)	1 row(s) returned	0.000 sec / 0.000 sec
39 11:11:25	CREATE PROCEDURE HighBalanceAccounts(IN ...	0 row(s) affected	0.032 sec
40 11:11:54	CALL HighBalanceAccounts(50000)	4 row(s) returned	0.000 sec / 0.000 sec
41 11:12:28	CREATE PROCEDURE GetBalance(IN p_Account...	0 row(s) affected	0.032 sec

Context Help

Scripting

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

250000003_Lab10a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File Editor

```

338 WHERE Account_No = p_Account_No;
339 END //
340
341 DELIMITER ;
342 * CALL GetBalance(10001, @CurrentBalance);
343

```

Result Grid

Filter Rows:	Export	Wrap Cell Contents
@CurrentBalance		
57006.00		

Result Grid x

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
38	11:07:40	CALL GetCustomLoans(100)	1 row(s) returned	0.000 sec / 0.000 sec
39	11:11:26	CREATE PROCEDURE HighBalanceAccounts(IN p_Account_No INT)	0 row(s) affected	0.032 sec
40	11:11:54	CALL HighBalanceAccounts(00000)	4 row(s) returned	0.000 sec / 0.000 sec
41	11:12:26	CREATE PROCEDURE GetBalance(IN p_Account_No INT)	0 row(s) affected	0.032 sec
42	11:14:03	CALL GetBalance(10001, @CurrentBalance)	1 row(s) affected	0.016 sec
43	11:14:03	SELECT @CurrentBalance LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

250000003_Lab10a

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

Administration Schemas

Information

No object selected

SQL File Editor

```

348
349 * SHOW CREATE TRIGGER CheckBalance;
350
351
352 * DROP TRIGGER CheckBalance;

```

Result Grid

Filter Rows:	Export	Wrap Cell Contents
Trigger	sql_node	SQL Original Statement
CheckBalance	ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLES,NO_ZERO_IN_DATE,NO_ZERO_DATE,ERROR_FOR_DIVISION_BY_ZERO,NO_ENGINE_SUBSTITUTION	CREATE DEFINER='root'@'localhost' PROCEDURE HighBalanceAccounts(IN p_Account_No INT)

Result Grid x

Read Only

Context Help

Snippets

Output


Action Output

#	Time	Action	Message	Duration / Feat
41	11:12:26	CREATE PROCEDURE GetBalance(IN p_Account_No INT)	0 row(s) affected	0.032 sec
42	11:14:03	CALL GetBalance(10001, @CurrentBalance)	1 row(s) affected	0.016 sec
43	11:14:03	SELECT @CurrentBalance LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
44	11:15:06	SHOW TRIGGERS	0 row(s) returned	0.000 sec / 0.000 sec
45	11:15:06	SHOW CREATE TRIGGER CheckBalance	1 row(s) returned	0.000 sec / 0.000 sec
46	11:15:06	DROP TRIGGER CheckBalance	0 row(s) affected	0.000 sec



Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.



SKILL 7



MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 1

```

20 REFERENCES Customer(Customer_ID)
21 })
22
23 CREATE TABLE Bank_Transaction (
24     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
25     Account_No INT,
26     Transaction_Type VARCHAR(20),
27     Amount DECIMAL(12,2),
28     Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
29
30     FOREIGN KEY (Account_No)
31     REFERENCES Account(Account_No)
32 })

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
1	15:23:19	CREATE DATABASE Bank_DB	Error Code: 1007: Can't create database 'bankdb'; database...	0.000 sec
2	15:23:41	CREATE DATABASE Bank_DB	1 row(s) affected	0.031 sec
3	15:23:43	USE Bank_DB	0 row(s) affected	0.000 sec
4	15:24:01	CREATE TABLE Customer (Customer_ID INT PRIMAR	0 row(s) affected	0.047 sec
5	15:25:09	CREATE TABLE Account (Account_No INT PRIMAR	0 row(s) affected	0.047 sec
6	15:25:52	CREATE TABLE Bank_Transaction (Transaction_ID I	0 row(s) affected	0.047 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 1

```

31 REFERENCES Account(Account_No)
32 })
33
34 CREATE TABLE Loan (
35     Loan_ID INT PRIMARY KEY,
36     Customer_ID INT,
37     Loan_Type VARCHAR(20),
38     Loan_Amount DECIMAL(12,2),
39     Interest_Rate DECIMAL(5,2),
40
41     FOREIGN KEY (Customer_ID)
42     REFERENCES Customer(Customer_ID)
43 })

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
2	15:23:43	CREATE DATABASE Bank_DB	1 row(s) affected	0.031 sec
3	15:23:43	USE Bank_DB	0 row(s) affected	0.000 sec
4	15:24:01	CREATE TABLE Customer (Customer_ID INT PRIMAR	0 row(s) affected	0.047 sec
5	15:25:09	CREATE TABLE Account (Account_No INT PRIMAR	0 row(s) affected	0.047 sec
6	15:25:52	CREATE TABLE Bank_Transaction (Transaction_ID I	0 row(s) affected	0.047 sec
7	15:26:24	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY...	0 row(s) affected	0.047 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

```

64 ('ankit@gmail.com', '9876543210'),
65
66 (107, 'Neha Reddy', '9876543210',
67 'neha@gmail.com', 'Hydrabad'),
68
69 (108, 'Rahul Sharma', '9876543210',
70 'rahul@gmail.com', 'Pune'),
71
72 (109, 'Sandeep Dada', '9876543210',
73 'sandeep@gmail.com', 'Hydrabad'),
74
75 (110, 'Dinesh Babu', '9876543210',
76 'dinesh@gmail.com', 'Vijayawada')

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
4	15:24:01	CREATE TABLE Customer (Customer_ID INT PRIMA...	0 rows affected	0.047 sec
5	15:25:09	CREATE TABLE Account (Account_No INT PRIMA...	0 rows affected	0.047 sec
6	15:25:52	CREATE TABLE Bank_Transaction (Transaction_ID ...	0 rows affected	0.047 sec
7	15:26:24	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY...	0 rows affected	0.047 sec
8	15:27:11	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY...	Error Code: 1050. Table 'loan' already exists	0.031 sec
9	15:27:22	INSERT INTO Customer (Customer_ID, Customer_Name...	10 rows affected Records: 10 Duplicates: 0 Warnings...	0.031 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

```

70 INSERT INTO Account
71 (Account_No, Customer_ID, Account_Type, Balance, Branch)
72 VALUES
73 (10001, 101, 'Savings', 50000, 'Hydrabad'),
74
75 (10002, 102, 'Savings', 75000, 'Vijayawada'),
76
77 (10003, 103, 'Current', 120000, 'Bengaluru'),
78
79 (10004, 104, 'Savings', 45000, 'Chennai'),
80
81 (10005, 105, 'Current', 90000, 'Hydrabad'),
82

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	15:25:09	CREATE TABLE Account (Account_No INT PRIMA...	0 rows affected	0.047 sec
6	15:25:52	CREATE TABLE Bank_Transaction (Transaction_ID ...	0 rows affected	0.047 sec
7	15:26:24	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY...	0 rows affected	0.047 sec
8	15:27:11	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY...	Error Code: 1050. Table 'loan' already exists	0.031 sec
9	15:27:22	INSERT INTO Customer (Customer_ID, Customer_Name...	10 rows affected Records: 10 Duplicates: 0 Warnings...	0.031 sec
10	15:28:09	INSERT INTO Account (Account_No, Customer_ID, Ac...	10 rows affected Records: 10 Duplicates: 0 Warnings...	0.015 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 1

```

188
189
190 * INSERT INTO Bank_Transaction
191 (Account_No, Transaction_Type, Amount)
192 VALUES
193 (100001, 'DEPOSIT', 100000),
194 (100001, 'WITHDRAWAL', 50000),
195 (100002, 'DEPOSIT', 150000),
196 (100003, 'WITHDRAWAL', 200000),
197 (100004, 'DEPOSIT', 50000)

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	15:25:52	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY, Account_No INT, Transaction_Type VARCHAR(50), Amount DECIMAL(10,2))	6 row(s) affected	0.047 sec
7	15:26:24	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(50), Loan_Amount DECIMAL(10,2), Interest_Rate DECIMAL(5,2))	6 row(s) affected	0.047 sec
8	15:27:11	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(50), Loan_Amount DECIMAL(10,2), Interest_Rate DECIMAL(5,2))	Error Code: 1050. Table 'loan' already exists	0.031 sec
9	15:27:22	INSERT INTO Customer (Customer_ID, Customer_Name, Customer_Address, Customer_Phone)	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.031 sec
10	15:28:09	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Initial_Deposit)	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.019 sec
11	15:29:07	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount)	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0	0.016 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 2

```

126 * INSERT INTO Loan
127 (Loan_ID, Customer_ID, Loan_Type,
128 Loan_Amount, Interest_Rate)
129 VALUES
130 (501, 101, 'Home Loan', 5000000, 7.5),
131 (502, 102, 'Education Loan', 1000000, 8.5),
132 (503, 103, 'Car Loan', 800000, 9.2),
133 (504, 104, 'Personal Loan', 500000, 10.5),
134 (505, 105, 'Home Loan', 4000000, 7.2)

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	15:26:24	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(50), Loan_Amount DECIMAL(10,2), Interest_Rate DECIMAL(5,2))	6 row(s) affected	0.047 sec
8	15:27:11	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(50), Loan_Amount DECIMAL(10,2), Interest_Rate DECIMAL(5,2))	Error Code: 1050. Table 'loan' already exists	0.031 sec
9	15:27:22	INSERT INTO Customer (Customer_ID, Customer_Name, Customer_Address, Customer_Phone)	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.031 sec
10	15:28:09	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Initial_Deposit)	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.019 sec
11	15:29:07	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount)	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0	0.016 sec
12	15:29:49	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas
- Information

No object selected

SQL File 1

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Results Grid

Customer_ID	Customer_Name	Phone	Email	City
101	Ravi Kumar	9876543210	ravi@gmail.com	Hyderabad
102	Prity Sharma	9876543211	prity@gmail.com	Vijayawada
103	Arjun Reddy	9876543212	arjun@gmail.com	Bangalore
104	Shruti Rao	9876543213	shruti@gmail.com	Chennai
105	Kiran Kumar	9876543214	kiran@gmail.com	Hyderabad
106	Anil Kumar	9876543215	anil@gmail.com	Tiruchi

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	15:27:11	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY,	Error Code: 1050 Table 'Loan' already exists	0.031 sec
9	15:27:22	INSERT INTO Customer (Customer_ID, Customer_Name,	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.031 sec
10	15:28:05	INSERT INTO Account (Account_No, Customer_ID, A.	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
11	15:28:07	INSERT INTO Bank_Transaction (Account_No, Trans.	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0	0.016 sec
12	15:29:49	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Ty.	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0	0.016 sec
13	15:30:48	SELECT * FROM Customer LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas
- Information

No object selected

SQL File 1

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Results Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	50000.00	Hyderabad
10002	102	Savings	75000.00	Vijayawada
10003	103	Current	120000.00	Bangalore
10004	104	Savings	45000.00	Chennai
10005	105	Current	90000.00	Hyderabad
10006	106	Savings	65000.00	Tiruchi

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	15:27:22	INSERT INTO Customer (Customer_ID, Customer_Name,	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.031 sec
10	15:28:05	INSERT INTO Account (Account_No, Customer_ID, A.	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
11	15:28:07	INSERT INTO Bank_Transaction (Account_No, Trans.	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0	0.016 sec
12	15:29:49	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Ty.	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0	0.016 sec
13	15:30:48	SELECT * FROM Customer LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
14	15:31:09	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local Instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas
- Information

No object selected

SQL File 3

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
1	38001	DEPOSIT	2000.00	2025-08-24 15:29:07
2	38001	WITHDRAW	5000.00	2025-08-24 15:29:07
3	38002	DEPOSIT	25000.00	2025-08-24 15:29:07
4	38003	WITHDRAW	30000.00	2025-08-24 15:29:07
5	38004	DEPOSIT	3000.00	2025-08-24 15:29:07
6	38005	WITHDRAW	30000.00	2025-08-24 15:29:07

Bank_Transaction 3

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	15:29:09	INSERT INTO Account (Account_No, Customer_ID, A...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
11	15:29:07	INSERT INTO Bank_Transaction (Account_No, Trans...	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0	0.016 sec
12	15:29:49	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Ty...	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0	0.015 sec
13	15:30:48	SELECT * FROM Customer LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
14	15:31:09	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
15	15:31:30	SELECT * FROM Bank_Transaction LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local Instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas
- Information

No object selected

SQL File 3

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate
901	801	Home Loan	500000.00	7.50
902	802	Education Loan	100000.00	6.50
903	803	Car Loan	80000.00	8.20
904	804	Personal Loan	30000.00	10.50
905	805	Home Loan	400000.00	7.20
906	806	Car Loan	100000.00	8.50

Loan 4

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	15:29:07	INSERT INTO Bank_Transaction (Account_No, Trans...	11 row(s) affected Records: 11 Duplicates: 0 Warnings: 0	0.015 sec
12	15:29:49	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Ty...	8 row(s) affected Records: 8 Duplicates: 0 Warnings: 0	0.015 sec
13	15:30:48	SELECT * FROM Customer LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
14	15:31:09	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
15	15:31:30	SELECT * FROM Bank_Transaction LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
16	15:31:51	SELECT * FROM Loan LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File Editor

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip

Output

Action Output

#	Time	Action	Message	Duration / Fetch
12	15:29:49	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Ty...	8 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.015 sec
13	15:30:48	SELECT * FROM Customer LIMIT 5, 1000	10 row(s) returned	0.000 sec / 0.000 sec
14	15:31:09	SELECT * FROM Account LIMIT 5, 1000	10 row(s) returned	0.000 sec / 0.000 sec
15	15:31:30	SELECT * FROM Bank_Transaction LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
16	15:31:51	SELECT * FROM Loan LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
17	15:33:12	CREATE VIEW Customer_View AS SELECT * FROM ...	0 row(s) affected	0.015 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File Editor

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Skip

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	15:31:30	SELECT * FROM Bank_Transaction LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
16	15:31:51	SELECT * FROM Loan LIMIT 5, 1000	8 row(s) returned	0.000 sec / 0.000 sec
17	15:33:12	CREATE VIEW Customer_View AS SELECT * FROM ...	0 row(s) affected	0.015 sec
18	15:33:38	DISPLAY VIEW: SELECT * FROM Customer_View	Error Code: 1064: You have an error in your SQL syntax...	0.000 sec
19	15:34:06	DISPLAY VIEW	Error Code: 1064: You have an error in your SQL syntax...	0.000 sec
20	15:35:44	SELECT * FROM Customer_View LIMIT 5, 1000	10 row(s) returned	0.015 sec / 0.000 sec

Result Grid

Customer_ID	Customer_name	Phone	Email	City
101	Ravi Kumar	9876543210	ravi@gmail.com	Hyderabad
102	Prithvi Sharma	9876543211	prithvi@gmail.com	Hyderabad
103	Arjun Reddy	9876543212	arjun@gmail.com	Bangalore
104	Smrithi Rao	9876543213	smrithi@gmail.com	Chennai
105	Kiran Kumar	9876543214	kiran@gmail.com	Hyderabad
106	Anil Kumar	9876543215	anil@gmail.com	Hyderabad

Customer_View 5 / 6

Read Only

Context Help Skip

MySQL Workbench

Local Instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 7

```

158 Customer_Name,
159 City
162 FROM Customer;
163
164 * SELECT * FROM Customer_Basic_View
  
```

Result Grid

Customer_ID	Customer_Name	City
101	Ravi Kumar	Hyderabad
102	Prity Sharma	Vijayawada
103	Arun Reddy	Bangalore
104	Shruti Rao	Chennai
105	Kiran Kumar	Hyderabad
106	Aad Kumar	Tytila

Customer_Basic_View

Read Only

Context Help

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
17	15:33:12	CREATE VIEW Customer_View AS SELECT * FROM ...	0 row(s) affected	0.015 sec
18	15:33:25	DISPLAY VIEW SELECT * FROM Customer_View	Error Code: 1064. You have an error in your SQL syntax...	0.000 sec
19	15:34:06	DISPLAY VIEW	Error Code: 1064. You have an error in your SQL syntax...	0.000 sec
20	15:35:44	SELECT * FROM Customer_View LIMIT 0, 1000	10 row(s) returned	0.015 sec / 0.000 sec
21	15:37:05	CREATE VIEW Customer_Basic_View AS SELECT ...	0 row(s) affected	0.000 sec
22	15:37:12	SELECT * FROM Customer_Basic_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

MySQL Workbench

Local Instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 7

```

159 FROM Customer;
162 * SELECT * FROM Customer_Basic_View;
163
164
165 * CREATE VIEW Account_View AS
  
```

Result Grid

Account_No	Account_Type	Balance	Branch
10001	Savings	50000.00	Hyderabad
10002	Savings	75000.00	Vijayawada
10003	Current	120000.00	Bangalore
10004	Savings	45000.00	Chennai
10005	Current	90000.00	Hyderabad
10006	Savings	65000.00	Tytila

Account_View 7

Read Only

Context Help

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
19	15:34:06	DISPLAY VIEW	Error Code: 1064. You have an error in your SQL syntax...	0.000 sec
20	15:35:44	SELECT * FROM Customer_View LIMIT 0, 1000	10 row(s) returned	0.015 sec / 0.000 sec
21	15:37:05	CREATE VIEW Customer_Basic_View AS SELECT ...	0 row(s) affected	0.000 sec
22	15:37:12	SELECT * FROM Customer_Basic_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
23	15:38:23	CREATE VIEW Account_View AS SELECT ...	0 row(s) affected	0.015 sec
24	15:39:23	SELECT * FROM Account_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 1

```

176 Branch
177 FROM Account;
178 SELECT * FROM Account_View;
179
180 CREATE VIEW Savings_Account_View AS

```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	30000.00	Hyderabad
10002	102	Savings	75000.00	Vijayawada
10004	104	Savings	45000.00	Chennai
10006	106	Savings	65000.00	Delhi
10008	108	Savings	15000.00	Pune
10009	109	Savings	25000.00	Hyderabad

Savings_Account_View 0

Read Only

Context Help

Scripting

Output

Action Output

#	Time	Action	Message	Duration / Feeds
21	15:27:05	CREATE VIEW Customer_Basic_View AS SELECT	0 row(s) affected	0.000 sec
22	15:27:12	SELECT * FROM Customer_Basic_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
23	15:30:33	CREATE VIEW Account_View AS SELECT	0 row(s) affected	0.015 sec
24	15:30:33	SELECT * FROM Account_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
25	15:30:17	CREATE VIEW Savings_Account_View AS SELECT	0 row(s) affected	0.015 sec
26	15:30:17	SELECT * FROM Savings_Account_View LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 1

```

176 FROM Account;
177 WHERE Account_Type = 'Savings';
178 SELECT * FROM Savings_Account_View;
179
180 CREATE VIEW Current_Account_View AS

```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10003	103	Current	120000.00	Bangalore
10005	105	Current	90000.00	Hyderabad
10007	107	Current	130000.00	Mumbai
10010	110	Current	110000.00	Vijayawada

Current_Account_View 0

Read Only

Context Help

Scripting

Output

Action Output

#	Time	Action	Message	Duration / Feeds
23	15:30:33	CREATE VIEW Account_View AS SELECT	0 row(s) affected	0.015 sec
24	15:30:33	SELECT * FROM Account_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
25	15:30:17	CREATE VIEW Savings_Account_View AS SELECT	0 row(s) affected	0.015 sec
26	15:30:17	SELECT * FROM Savings_Account_View LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
27	15:30:55	CREATE VIEW Current_Account_View AS SELECT	0 row(s) affected	0.000 sec
28	15:30:55	SELECT * FROM Current_Account_View LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 1

```

132 FROM Account
133 WHERE Account_Type = 'Current';
134 * SELECT * FROM Current_Account_View;
135
136 * CREATE VIEW High_Balance_View AS

```

Results Grid

Account_No	Customer_ID	Account_Type	Balance
10003	103	Current	120000.00
10007	107	Current	190000.00
10018	130	Current	110000.00

High_Balance_View 10

Read Only

Context Help

Supports

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Action Output

#	Time	Action	Message	Duration / Feeds
25	15:39:17	CREATE VIEW Savings_Account_View AS SELECT * ...	0 rows affected	0.015 sec
26	15:39:17	SELECT * FROM Savings_Account_View LIMIT 0, 1000	0 rows returned	0.000 sec / 0.000 sec
27	15:39:55	CREATE VIEW Current_Account_View AS SELECT * ...	0 rows affected	0.000 sec
28	15:39:55	SELECT * FROM Current_Account_View LIMIT 0, 1000	4 rows returned	0.000 sec / 0.000 sec
29	15:40:26	CREATE VIEW High_Balance_View AS SELECT A...	0 rows affected	0.000 sec
30	15:40:26	SELECT * FROM High_Balance_View LIMIT 0, 1000	3 rows returned	0.000 sec / 0.000 sec

Object Info

Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 1

```

132 FROM Account
133 WHERE Balance > 100000;
134 * SELECT * FROM High_Balance_View;
135
136 * CREATE VIEW Hyderabad_Account_View AS

```

Results Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	30000.00	Hyderabad
10005	105	Current	90000.00	Hyderabad
10009	109	Savings	60000.00	Hyderabad

Hyderabad_Account_View 11

Read Only

Context Help

Supports

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Action Output

#	Time	Action	Message	Duration / Feeds
27	15:39:55	CREATE VIEW Current_Account_View AS SELECT * ...	0 rows affected	0.000 sec
28	15:39:55	SELECT * FROM Current_Account_View LIMIT 0, 1000	4 rows returned	0.000 sec / 0.000 sec
29	15:40:26	CREATE VIEW High_Balance_View AS SELECT A...	0 rows affected	0.000 sec
30	15:40:26	SELECT * FROM High_Balance_View LIMIT 0, 1000	3 rows returned	0.000 sec / 0.000 sec
31	15:41:27	CREATE VIEW Hyderabad_Account_View AS SELEC...	0 rows affected	0.000 sec
32	15:41:27	SELECT * FROM Hyderabad_Account_View LIMIT 0, 1000	3 rows returned	0.000 sec / 0.000 sec

Object Info

Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop/Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 7

```

218 FROM Account
219 WHERE Branch = 'Hyderabad'
220 * SELECT * FROM Hyderabad_Account_View
221
222 * CREATE VIEW Low_Balance_View AS
  
```

Result Grid

Account_No	Customer_ID	Balance
20004	104	45000.00
20008	108	28000.00

Low_Balance_View 12

Read Only

Context Help

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Feeds
29	15:42:26	CREATE VIEW High_Balance_View AS SELECT	0 rows(s) affected	0.000 sec
30	15:42:26	SELECT * FROM High_Balance_View LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
31	15:41:27	CREATE VIEW Hyderabad_Account_View AS SELECT	0 rows(s) affected	0.000 sec
32	15:41:27	SELECT * FROM Hyderabad_Account_View LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
33	15:42:05	CREATE VIEW Low_Balance_View AS SELECT	0 rows(s) affected	0.015 sec
34	15:42:05	SELECT * FROM Low_Balance_View LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec

Object Info

Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop/Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 7

```

219 FROM Account
220 WHERE Balance < 30000
221 * SELECT * FROM Low_Balance_View
222
223 * CREATE VIEW Customer_Account_View AS
  
```

Result Grid

Customer_ID	Customer_Name	City	Account_No	Account_Type	Balance
101	Ravi Kumar	Hyderabad	20001	Savings	50000.00
102	Priya Sharma	Hyderabad	20002	Savings	75000.00
103	Arjun Reddy	Bangalore	20003	Current	120000.00
104	Sneha Rao	Chennai	20004	Savings	45000.00
105	Ravi Kumar	Hyderabad	20005	Current	90000.00

Customer_Account_View 13

Read Only

Context Help

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Feeds
31	15:41:27	CREATE VIEW Hyderabad_Account_View AS SELECT	0 rows(s) affected	0.000 sec
32	15:41:27	SELECT * FROM Hyderabad_Account_View LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
33	15:42:05	CREATE VIEW Low_Balance_View AS SELECT	0 rows(s) affected	0.015 sec
34	15:42:05	SELECT * FROM Low_Balance_View LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec
35	15:42:44	CREATE VIEW Customer_Account_View AS SELECT	0 rows(s) affected	0.015 sec
36	15:42:44	SELECT * FROM Customer_Account_View LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

MySQL Workbench

Local Instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 37

```

232 FROM Customer_C
233 2018 Account_A
234 ON C.Customer_ID = A.Customer_ID
235 WHERE A.Branch = 'Hyderabad';
236 * SELECT * FROM Hyderabad_Customer_Accounts

```

Result Grid

Customer_Name	City	Account_No	Account_Type	Balance
Ravi Kumar	Hyderabad	10001	Savings	30000.00
Ravi Kumar	Hyderabad	10005	Current	90000.00
Lakshmi Devi	Hyderabad	10009	Savings	85000.00

Hyderabad_Customer_Accounts

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
33	15:42:09	CREATE VIEW Low_Balance_View AS SELECT Ac...	0 row(s) affected	0.016 sec
34	15:42:09	SELECT * FROM Low_Balance_View LIMIT 0, 1000	0 row(s) returned	0.019 sec / 0.000 sec
35	15:42:44	CREATE VIEW Customer_Account_View AS SELECT ...	0 row(s) affected	0.016 sec
36	15:42:44	SELECT * FROM Customer_Account_View LIMIT 0, 1...	10 row(s) returned	0.000 sec / 0.000 sec
37	15:43:27	CREATE VIEW Hyderabad_Customer_Accounts AS S...	0 row(s) affected	0.032 sec
38	15:43:27	SELECT * FROM Hyderabad_Customer_Accounts LIM...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local Instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 37

```

238 * CREATE VIEW Customer_Loan_View AS
239 SELECT
240 C.Customer_ID,
241 C.Customer_Name,
242 C.City,
...

```

Result Grid

Customer_ID	Customer_Name	City	Loan_ID	Loan_Type	Loan_Amount
101	Ravi Kumar	Hyderabad	501	Home Loan	500000.00
102	Prithi Sharma	Vijayavada	502	Educational Loan	300000.00
103	Arun Reddy	Bangalore	503	Car Loan	800000.00
104	Smitha Rao	Chennai	504	Personal Loan	500000.00
105	Ravi Kumar	Hyderabad	505	Home Loan	400000.00

Customer_Loan_View 13

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
35	15:42:44	CREATE VIEW Customer_Account_View AS SELECT ...	0 row(s) affected	0.016 sec
36	15:42:44	SELECT * FROM Customer_Account_View LIMIT 0, 1...	10 row(s) returned	0.000 sec / 0.000 sec
37	15:43:27	CREATE VIEW Hyderabad_Customer_Accounts AS S...	0 row(s) affected	0.032 sec
38	15:43:27	SELECT * FROM Hyderabad_Customer_Accounts LIM...	3 row(s) returned	0.000 sec / 0.000 sec
39	15:44:08	CREATE VIEW Customer_Loan_View AS SELECT ...	0 row(s) affected	0.016 sec
40	15:44:08	SELECT * FROM Customer_Loan_View LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 1

```

251
252 CREATE VIEW Customer_Banking_View AS
253 SELECT
254     C.Customer_ID,
255     C.Customer_Name,
  
```

Results Grid

Customer_ID	Customer_Name	City	Account_No	Account_Type	Balance
301	Ravi Kumar	Hyderabad	30001	Savings	50000.00
302	Priya Sharma	Hyderabad	30002	Savings	75000.00
303	Arjun Reddy	Bangalore	30003	Current	120000.00
304	Smitha Rao	Chennai	30004	Savings	45000.00
305	Ravi Kumar	Hyderabad	30005	Current	90000.00

Customer_Banking_View 16

Read Only

Context Help

Scripting

Output

Action Output

#	Time	Action	Message	Duration / Feeds
37	15:43:27	CREATE VIEW Hyderabad_Customer_Accounts AS S...	0 rows(s) affected	0.053 sec
38	15:43:27	SELECT * FROM Hyderabad_Customer_Accounts LIM...	0 rows(s) returned	0.000 sec / 0.000 sec
39	15:44:08	CREATE VIEW Customer_Loan_View AS SELECT ...	0 rows(s) affected	0.016 sec
40	15:44:08	SELECT * FROM Customer_Loan_View LIMIT 0, 1000	0 rows(s) returned	0.000 sec / 0.000 sec
41	15:44:48	CREATE VIEW Customer_Banking_View AS SELECT ...	0 rows(s) affected	0.031 sec
42	15:44:48	SELECT * FROM Customer_Banking_View LIMIT 0, 10...	10 rows(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL File 1

```

256 LIMIT 1000;
257 ON C.Customer_ID = L.Customer_ID);
258 SELECT * FROM Customer_Banking_View
259
260 CREATE VIEW Total_Bank_Balance AS
  
```

Results Grid

Total_Bank_Balance
305000.00

Total_Bank_Balance 17

Read Only

Context Help

Scripting

Output

Action Output

#	Time	Action	Message	Duration / Feeds
39	15:44:08	CREATE VIEW Customer_Loan_View AS SELECT C.Customer_ID, C.Customer_Na...	0 rows(s) affected	0.016 sec
40	15:44:08	SELECT * FROM Customer_Loan_View LIMIT 0, 1000	0 rows(s) returned	0.000 sec / 0.000 sec
41	15:44:48	CREATE VIEW Customer_Banking_View AS SELECT C.Customer_ID, C.Customer...	0 rows(s) affected	0.031 sec
42	15:44:48	SELECT * FROM Customer_Banking_View LIMIT 0, 1000	10 rows(s) returned	0.000 sec / 0.000 sec
43	21:20:57	CREATE VIEW Total_Bank_Balance AS SELECT SUM(Balance) AS Total_Balance ...	0 rows(s) affected	0.016 sec
44	21:20:57	SELECT * FROM Total_Bank_Balance LIMIT 0, 1000	0 rows(s) returned	0.015 sec / 0.000 sec

Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

272  SUM(Balance) AS Total_Balance
273  FROM Account;
274  SELECT * FROM Total_Bank_Balance;
275
276  CREATE VIEW Average_Account_Balance AS

```

Result Grid

Filter Rows: | Export | Wrap Cell Contents

Average_Balance

82500.000000

SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Feat
41	15:44:43	CREATE VIEW Customer_Banking_View AS SELECT ...	0 rows affected	0.021 sec
42	15:44:43	SELECT * FROM Customer_Banking_View LIMIT 0, 10	10 row(s) returned	0.000 sec / 0.000 sec
43	21:20:57	CREATE VIEW Total_Bank_Balance AS SELECT ...	0 rows affected	0.016 sec
44	21:20:57	SELECT * FROM Total_Bank_Balance LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
45	21:22:45	CREATE VIEW Average_Account_Balance AS SELE...	0 rows affected	0.016 sec
46	21:22:45	SELECT * FROM Average_Account_Balance LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

278  AVG(Balance) AS Average_Balance
279  FROM Account;
280  SELECT * FROM Average_Account_Balance;
281
282  CREATE VIEW Maximum_Balance_View AS

```

Result Grid

Filter Rows: | Export | Wrap Cell Contents

Maximum_Balance

150000.00

SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Feat
43	21:20:57	CREATE VIEW Total_Bank_Balance AS SELECT ...	0 rows affected	0.016 sec
44	21:20:57	SELECT * FROM Total_Bank_Balance LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
45	21:22:45	CREATE VIEW Average_Account_Balance AS SELE...	0 rows affected	0.016 sec
46	21:22:45	SELECT * FROM Average_Account_Balance LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
47	21:25:28	CREATE VIEW Maximum_Balance_View AS SELECT ...	0 rows affected	0.015 sec
48	21:25:28	SELECT * FROM Maximum_Balance_View LIMIT 0, 10	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

No object selected

SQL Editor

```

254 MAX(Balance) AS Maximum_Balance
255 FROM Account;
256 * SELECT * FROM Maximum_Balance_View;
257
258 * CREATE VIEW Minimum_Balance_View AS

```

Result Grid

Minimum_Balance
31000.00

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Minimum_Balance_View 20

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
45	21:22:45	CREATE VIEW Average_Account_Balance AS SELE...	0 row(s) affected	0.015 sec
46	21:22:45	SELECT * FROM Average_Account_Balance LIMIT 0...	1 row(s) returned	0.000 sec / 0.000 sec
47	21:23:29	CREATE VIEW Maximum_Balance_View AS SELECT ...	0 row(s) affected	0.015 sec
48	21:23:28	SELECT * FROM Maximum_Balance_View LIMIT 0, 10...	1 row(s) returned	0.000 sec / 0.000 sec
49	21:24:07	CREATE VIEW Minimum_Balance_View AS SELECT ...	0 row(s) affected	0.015 sec
50	21:24:07	SELECT * FROM Minimum_Balance_View LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

No object selected

SQL Editor

```

259 MIN(Balance) AS Minimum_Balance
260 FROM Account;
261 * SELECT * FROM Minimum_Balance_View;
262
263 * CREATE VIEW Account_Count_View AS

```

Result Grid

Total_Accounts
10

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Account_Count_View 21

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
47	21:23:29	CREATE VIEW Maximum_Balance_View AS SELECT ...	0 row(s) affected	0.015 sec
48	21:23:28	SELECT * FROM Maximum_Balance_View LIMIT 0, 10...	1 row(s) returned	0.000 sec / 0.000 sec
49	21:24:07	CREATE VIEW Minimum_Balance_View AS SELECT ...	0 row(s) affected	0.015 sec
50	21:24:07	SELECT * FROM Minimum_Balance_View LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
51	21:24:41	CREATE VIEW Account_Count_View AS SELECT ...	0 row(s) affected	0.031 sec
52	21:24:41	SELECT * FROM Account_Count_View LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local Instance MySQL 8.0

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

296 COUNT(*) AS Total_Accounts

297 FROM Account;

298 SELECT * FROM Account_Count_View;

299

300 CREATE VIEW Branch_Account_Count AS

Result Grid

Branch	Number_of_Accounts
Hyderabad	3
Vijayawada	3
Bangalore	1
Chennai	1
Delhi	1
Mumbai	1

Count_Count | 0

Output

Action Output

#	Time	Action	Message
2	09:05:55	CREATE VIEW Branch_Account_Count AS SELECT Branch, COUNT(*) AS Num...	Error Code: 1046. No database selected. Select the default DB to be
3	09:07:14	CREATE VIEW Branch_Account_Count AS SELECT Branch, COUNT(*) AS Num...	Error Code: 1046. No database selected. Select the default DB to be
4	09:09:04	CREATE DATABASE Bank_DB	Error Code: 1007. Can't create database 'Bank_DB'; database exists
5	09:09:17	USE Bank_DB	Event(s) affected
6	09:09:39	CREATE VIEW Branch_Account_Count AS SELECT Branch, COUNT(*) AS Num...	Event(s) affected
7	09:09:38	SELECT * FROM Branch_Account_Count LIMIT 0, 1000	Rows returned

Object Info Session

MySQL Workbench

Local Instance MySQL 8.0

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

304 FROM Account;

305 GROUP BY Branch;

306 SELECT * FROM Branch_Account_Count;

307

308 CREATE VIEW Branch_Total_Balance AS

Result Grid

Branch	Total_Balance
Hyderabad	20000.00
Vijayawada	18000.00
Bangalore	12000.00
Chennai	4000.00
Delhi	4000.00
Mumbai	15000.00

Branch_Total_Balance | 0

Output

Action Output

#	Time	Action	Message	Duration / Fetch
4	09:09:04	CREATE DATABASE Bank_DB	Error Code: 1007. Can't create database 'Bank_DB'; database exists	0.000 sec
5	09:09:17	USE Bank_DB	Event(s) affected	0.000 sec
6	09:09:39	CREATE VIEW Branch_Account_Count AS SELECT Branch, COUNT(*) AS Num...	Event(s) affected	0.000 sec
7	09:09:39	SELECT * FROM Branch_Account_Count LIMIT 0, 1000	Rows returned	0.000 sec / 0.000 sec
8	10:01:25	CREATE VIEW Branch_Total_Balance AS SELECT Branch, SUM(Balance) AS Tot...	Event(s) affected	0.000 sec
9	10:01:26	SELECT * FROM Branch_Total_Balance LIMIT 0, 1000	Rows returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current card position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

SQL Editor

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Account_Type	Number_of_Accounts
Savings	6
Current	4

Account_Type_Count 1

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	09:09:39	CREATE VIEW Branch_Account_Count AS SELECT	0 rows(s) affected	0.031 sec
7	09:09:39	SELECT * FROM Branch_Account_Count LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec
8	10:57:26	CREATE VIEW Branch_Total_Balance AS SELECT	0 rows(s) affected	0.000 sec
9	10:57:26	SELECT * FROM Branch_Total_Balance LIMIT 0, 1000	7 row(s) returned	0.015 sec / 0.000 sec
10	10:58:15	CREATE VIEW Account_Type_Count AS SELECT	0 rows(s) affected	0.016 sec
11	10:58:15	SELECT * FROM Account_Type_Count LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

SQL Editor

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Account_Type	Total_Balance
Savings	210000.00
Current	470000.00

Account_Type_Balance 4

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	10:57:26	CREATE VIEW Branch_Total_Balance AS SELECT	0 row(s) affected	0.000 sec
9	10:57:26	SELECT * FROM Branch_Total_Balance LIMIT 0, 1000	7 row(s) returned	0.015 sec / 0.000 sec
10	10:58:15	CREATE VIEW Account_Type_Count AS SELECT	0 row(s) affected	0.016 sec
11	10:58:15	SELECT * FROM Account_Type_Count LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
12	10:58:52	CREATE VIEW Account_Type_Balance AS SELECT	0 row(s) affected	0.016 sec
13	10:58:52	SELECT * FROM Account_Type_Balance LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

328 FROM Account
329 GROUP BY Account_Type;
330 * SELECT * FROM Account_Type_Balance;
331
332 * CREATE VIEW Multiple_Account_Branches AS

```

Result Grid

Branch	Number_of_Accounts
Hyderabad	1
Vijayawada	2

Multiple_Account_Branches 5 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Exec
10	10:58:19	CREATE VIEW Account_Type_Count AS SELECT	0 row(s) affected	0.019 sec
11	10:58:19	SELECT * FROM Account_Type_Count LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
12	10:58:52	CREATE VIEW Account_Type_Balance AS SELECT	0 row(s) affected	0.015 sec
13	10:58:52	SELECT * FROM Account_Type_Balance LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec
14	10:59:30	CREATE VIEW Multiple_Account_Branches AS SELE	0 row(s) affected	0.000 sec
15	10:59:30	SELECT * FROM Multiple_Account_Branches LIMIT 0,	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

337 GROUP BY Branch
338 HAVING COUNT(*) > 1;
339 * SELECT * FROM Multiple_Account_Branches;
340
341 * CREATE VIEW Rich_Branches AS

```

Result Grid

Branch	Total_Balance
Hyderabad	225000.00
Vijayawada	105000.00
Bengaluru	120000.00
Mumbai	150000.00

Rich_Branches 6 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Exec
12	10:58:52	CREATE VIEW Account_Type_Balance AS SELECT	0 row(s) affected	0.018 sec
13	10:58:52	SELECT * FROM Account_Type_Balance LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec
14	10:59:30	CREATE VIEW Multiple_Account_Branches AS SELE	0 row(s) affected	0.000 sec
15	10:59:30	SELECT * FROM Multiple_Account_Branches LIMIT 0,	2 row(s) returned	0.000 sec / 0.000 sec
16	11:00:01	CREATE VIEW Rich_Branches AS SELECT Branch,	0 row(s) affected	0.015 sec
17	11:00:01	SELECT * FROM Rich_Branches LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop/Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

346 GROUP BY Branch
347 HAVING SUM(Balance) > 100000;
348 * SELECT * FROM Rich_Branches;
349
350 * CREATE VIEW Deposit_Transaction_View AS

```

Result Grid

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
1	10001	DEPOSIT	10000.00	2026-08-24 15:29:07
3	10002	DEPOSIT	15000.00	2026-08-24 15:29:07
5	10004	DEPOSIT	5000.00	2026-08-24 15:29:07
7	10006	DEPOSIT	12000.00	2026-08-24 15:29:07
8	10007	DEPOSIT	25000.00	2026-08-24 15:29:07
10	10009	DEPOSIT	30000.00	2026-08-24 15:29:07

Deposit_Transaction_View ?

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	10:59:30	CREATE VIEW Multiple_Account_Branches AS SELE...	0 rows(s) affected	0.000 sec
15	10:59:30	SELECT * FROM Multiple_Account_Branches LIMIT 5...	2 rows(s) returned	0.000 sec / 0.000 sec
16	11:00:03	CREATE VIEW Rich_Branches AS SELECT Branch...	0 rows(s) affected	0.015 sec
17	11:00:03	SELECT * FROM Rich_Branches LIMIT 0 1000	4 rows(s) returned	0.000 sec / 0.000 sec
18	11:00:59	CREATE VIEW Deposit_Transaction_View AS SELEC...	0 rows(s) affected	0.015 sec
19	11:00:59	SELECT * FROM Deposit_Transaction_View LIMIT 0...	6 rows(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop/Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

352 FROM Bank_Transaction
353 WHERE Transaction_Type = 'DEPOSIT';
354 * SELECT * FROM Deposit_Transaction_View;
355
356 * CREATE VIEW Withdrawal_Transaction_View AS

```

Result Grid

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
2	10001	WITHDRAW	5000.00	2026-08-24 15:29:07
4	10003	WITHDRAW	30000.00	2026-08-24 15:29:07
6	10005	WITHDRAW	10000.00	2026-08-24 15:29:07
9	10008	WITHDRAW	8000.00	2026-08-24 15:29:07
11	10010	WITHDRAW	15000.00	2026-08-24 15:29:07

Withdrawal_Transaction_View ?

Output

Action Output

#	Time	Action	Message	Duration / Fetch
16	11:00:03	CREATE VIEW Rich_Branches AS SELECT Branch...	0 rows(s) affected	0.015 sec
17	11:00:03	SELECT * FROM Rich_Branches LIMIT 0 1000	4 rows(s) returned	0.000 sec / 0.000 sec
18	11:00:59	CREATE VIEW Deposit_Transaction_View AS SELEC...	0 rows(s) affected	0.015 sec
19	11:00:59	SELECT * FROM Deposit_Transaction_View LIMIT 0...	6 rows(s) returned	0.000 sec / 0.000 sec
20	11:01:33	CREATE VIEW Withdrawal_Transaction_View AS SEL...	0 rows(s) affected	0.015 sec
21	11:01:33	SELECT * FROM Withdrawal_Transaction_View LIMIT...	6 rows(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

362 CREATE VIEW Customer_Transaction_View AS
363 SELECT
364     C.Customer_Name,
365     A.Account_No,
366     A.Account_Type,
  
```

Result Grid

Customer_Name	Account_No	Account_Type	Transaction_ID	Transaction_Type	Amount
Ravi Kumar	10001	Savings	1	DEPOSIT	100
Ravi Kumar	10001	Savings	2	WITHDRAW	500
Priya Sharma	10002	Savings	3	DEPOSIT	150
Arjun Reddy	10003	Current	4	WITHDRAW	200
Sneha Rao	10004	Savings	5	DEPOSIT	300

Customer_Transaction_View 1

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
18	11:00:59	CREATE VIEW Deposit_Transaction_View AS SELEC...	0 row(s) affected	0.015 sec
19	11:00:59	SELECT * FROM Deposit_Transaction_View LIMIT 0...	0 row(s) returned	0.000 sec / 0.000 sec
20	11:01:33	CREATE VIEW Withdrawal_Transaction_View AS SEL...	0 row(s) affected	0.015 sec
21	11:01:33	SELECT * FROM Withdrawal_Transaction_View LIMIT...	0 row(s) returned	0.000 sec / 0.000 sec
22	11:02:11	CREATE VIEW Customer_Transaction_View AS SELE...	0 row(s) affected	0.031 sec
23	11:02:11	SELECT * FROM Customer_Transaction_View LIMIT 0...	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

374 2028 Bank_Transaction T
375 ON A.Account_No = T.Account_No)
376 SELECT * FROM Customer_Transaction_View)
377
378 CREATE VIEW High_Value_Transaction_View AS
  
```

Result Grid

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
3	18002	DEPOSIT	15000.00	2026-09-24 15:29:07
4	18003	WITHDRAW	20000.00	2026-09-24 15:29:07
7	18006	DEPOSIT	12000.00	2026-09-24 15:29:07
8	18007	DEPOSIT	25000.00	2026-09-24 15:29:07
10	18009	DEPOSIT	20000.00	2026-09-24 15:29:07
11	18010	WITHDRAW	15000.00	2026-09-24 15:29:07

High_Value_Transaction_View 11

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
20	11:01:33	CREATE VIEW Withdrawal_Transaction_View AS SEL...	0 row(s) affected	0.015 sec
21	11:01:33	SELECT * FROM Withdrawal_Transaction_View LIMIT...	0 row(s) returned	0.000 sec / 0.000 sec
22	11:02:11	CREATE VIEW Customer_Transaction_View AS SELE...	0 row(s) affected	0.031 sec
23	11:02:11	SELECT * FROM Customer_Transaction_View LIMIT 0...	5 row(s) returned	0.000 sec / 0.000 sec
24	11:02:47	CREATE VIEW High_Value_Transaction_View AS SE...	0 row(s) affected	0.015 sec
25	11:02:47	SELECT * FROM High_Value_Transaction_View LIMIT...	6 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

308 FROM Bank_Transaction
309 WHERE Amount > 10000;
310 SELECT * FROM High_Value_Transaction_View;
311 CREATE VIEW Balance_Ranking_View AS

```

Result Grid

Account_No	Customer_ID	Account_Type	Balance
10007	107	Current	10000.00
10003	103	Current	12000.00
10010	110	Current	11000.00
10005	105	Current	9000.00
10009	109	Savings	8000.00
10002	102	Savings	7000.00

Balance_Ranking_View 11

Output

Action Output

#	Time	Action	Message	Duration / Fetch
22	11:02:11	CREATE VIEW Customer_Transaction_View AS SELE...	0 row(s) affected	0.031 sec
23	11:02:11	SELECT * FROM Customer_Transaction_View LIMIT 0;	11 row(s) returned	0.000 sec / 0.000 sec
24	11:02:47	CREATE VIEW High_Value_Transaction_View AS SE...	0 row(s) affected	0.015 sec
25	11:02:47	SELECT * FROM High_Value_Transaction_View LIM...	6 row(s) returned	0.000 sec / 0.000 sec
26	11:03:29	CREATE VIEW Balance_Ranking_View AS SELECT ...	0 row(s) affected	0.015 sec
27	11:03:29	SELECT * FROM Balance_Ranking_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

309 FROM Account
310 ORDER BY Balance DESC;
311 SELECT * FROM Balance_Ranking_View;
312 CREATE VIEW Customer_Name_View AS

```

Result Grid

Customer_ID	Customer_Name	City
106	Amal Kumar	Delhi
103	Arjun Reddy	Bangalore
105	Kiran Kumar	Hyderabad
109	Lakshmi Devi	Hyderabad
107	Meena Reddy	Mumbai
102	Praveen Sharma	Vijayawada

Customer_Name_View 12

Output

Action Output

#	Time	Action	Message	Duration / Fetch
24	11:02:47	CREATE VIEW High_Value_Transaction_View AS SE...	0 row(s) affected	0.015 sec
25	11:02:47	SELECT * FROM High_Value_Transaction_View LIM...	6 row(s) returned	0.000 sec / 0.000 sec
26	11:03:29	CREATE VIEW Balance_Ranking_View AS SELECT ...	0 row(s) affected	0.015 sec
27	11:03:29	SELECT * FROM Balance_Ranking_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
28	11:04:04	CREATE VIEW Customer_Name_View AS SELECT ...	0 row(s) affected	0.031 sec
29	11:04:04	SELECT * FROM Customer_Name_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

401 * SELECT * FROM Customer_Name_View

402

403 * CREATE VIEW Loan_Interest_View AS

404 SELECT

405 Loan_ID,

Result Grid

Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate	Annual_Interest
301	301	Home Loan	300000.00	7.50	22500.000000
302	302	Education Loan	200000.00	6.50	13000.000000
303	303	Car Loan	80000.00	8.20	6560.000000
304	304	Personal Loan	50000.00	10.50	5250.000000
305	305	Home Loan	400000.00	7.20	28800.000000

Loan_Interest_View 13

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Patch
26	11:03:25	CREATE VIEW Balance_Ranking_View AS SELECT	0 row(s) affected	0.015 sec
27	11:03:25	SELECT * FROM Balance_Ranking_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
28	11:04:04	CREATE VIEW Customer_Name_View AS SELECT	0 row(s) affected	0.031 sec
29	11:04:04	SELECT * FROM Customer_Name_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
30	11:04:45	CREATE VIEW Loan_Interest_View AS SELECT	0 row(s) affected	0.031 sec
31	11:04:45	SELECT * FROM Loan_Interest_View LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

414

415 * CREATE VIEW Loan_Total_Amount_View AS

416 SELECT

417 Loan_ID,

418 Customer_ID,

Result Grid

Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate	Total_Amount
301	301	Home Loan	300000.00	7.50	327500.000000
302	302	Education Loan	200000.00	6.50	206500.000000
303	303	Car Loan	80000.00	8.20	85560.000000
304	304	Personal Loan	50000.00	10.50	55250.000000
305	305	Home Loan	400000.00	7.20	428800.000000

Loan_Total_Amount_View 14

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Patch
26	11:04:04	CREATE VIEW Customer_Name_View AS SELECT	0 row(s) affected	0.031 sec
29	11:04:04	SELECT * FROM Customer_Name_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
30	11:04:45	CREATE VIEW Loan_Interest_View AS SELECT	0 row(s) affected	0.031 sec
31	11:04:45	SELECT * FROM Loan_Interest_View LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
32	11:05:21	CREATE VIEW Loan_Total_Amount_View AS SELECT	0 row(s) affected	0.032 sec
33	11:05:21	SELECT * FROM Loan_Total_Amount_View LIMIT 0, 1000	0 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

SQL Statement:

```

424 AS Total_Amount;
425 FROM Loans;
426 * SELECT * FROM Loan_Total_Amount_View;
427
428 * SELECT *
  
```

Result Grid

Account_No	Customer_ID	Account_Type	Balance
10007	107	Current	150000.00

High_Balance_View 15 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
29	11:04:04	SELECT * FROM Customer_Name_View LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
30	11:04:45	CREATE VIEW Loan_Interest_View AS SELECT La...	0 row(s) affected	0.031 sec
31	11:04:45	SELECT * FROM Loan_Interest_View LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
32	11:05:21	CREATE VIEW Loan_Total_Amount_View AS SEL...	0 row(s) affected	0.032 sec
33	11:05:21	SELECT * FROM Loan_Total_Amount_View LIMIT 0, ...	0 row(s) returned	0.015 sec / 0.000 sec
34	11:05:02	SELECT * FROM High_Balance_View WHERE Balanc...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

SQL Statement:

```

428 * SELECT *
429 FROM High_Balance_View
430 WHERE Balance > 120000;
431
432 * SELECT *
  
```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10002	102	Savings	75000.00	Wayterada
10006	106	Savings	65000.00	Delhi
10009	109	Savings	85000.00	Hyderabad

Savings_Account_View 15 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
30	11:04:45	CREATE VIEW Loan_Interest_View AS SELECT La...	0 row(s) affected	0.031 sec
31	11:04:45	SELECT * FROM Loan_Interest_View LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
32	11:05:21	CREATE VIEW Loan_Total_Amount_View AS SEL...	0 row(s) affected	0.032 sec
33	11:05:21	SELECT * FROM Loan_Total_Amount_View LIMIT 0, ...	0 row(s) returned	0.015 sec / 0.000 sec
34	11:05:02	SELECT * FROM High_Balance_View WHERE Balanc...	1 row(s) returned	0.000 sec / 0.000 sec
35	11:05:30	SELECT * FROM Savings_Account_View WHERE Bal...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

432 * SELECT *
433 FROM Savings_Account_View
434 WHERE Balance > 50000;
435
436 * SELECT *
  
```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10005	105	Current	30000.00	Hyderabad
10009	109	Savings	85000.00	Hyderabad

Hyderabad_Account_View 17 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
31	11:04:45	SELECT * FROM Loan_Interest_View LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
32	11:05:21	CREATE VIEW Loan_Total_Amount_View AS SELEC...	0 row(s) affected	0.032 sec
33	11:05:21	SELECT * FROM Loan_Total_Amount_View LIMIT 0, ...	0 row(s) returned	0.015 sec / 0.000 sec
34	11:06:02	SELECT * FROM High_Balance_View WHERE Balanc...	1 row(s) returned	0.000 sec / 0.000 sec
35	11:06:30	SELECT * FROM Savings_Account_View WHERE Bal...	3 row(s) returned	0.000 sec / 0.000 sec
36	11:07:00	SELECT * FROM Hyderabad_Account_View WHERE ...	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

436 * SELECT *
437 FROM Hyderabad_Account_View
438 WHERE Balance > 50000;
439
440 * SELECT *
  
```

Result Grid

Customer_ID	Customer_Name	City
101	Ravi Kumar	Hyderabad
105	Ravi Kumar	Hyderabad
109	Lakshmi Devi	Hyderabad

Customer_Basic_View 18 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Feat
32	11:05:21	CREATE VIEW Loan_Total_Amount_View AS SELEC...	0 row(s) affected	0.032 sec
33	11:05:21	SELECT * FROM Loan_Total_Amount_View LIMIT 0, ...	0 row(s) returned	0.015 sec / 0.000 sec
34	11:06:02	SELECT * FROM High_Balance_View WHERE Balanc...	1 row(s) returned	0.000 sec / 0.000 sec
35	11:06:30	SELECT * FROM Savings_Account_View WHERE Bal...	3 row(s) returned	0.000 sec / 0.000 sec
36	11:07:00	SELECT * FROM Hyderabad_Account_View WHERE ...	2 row(s) returned	0.000 sec / 0.000 sec
37	11:07:30	SELECT * FROM Customer_Basic_View WHERE City ...	3 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local Instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

440 * SELECT *
441 FROM Customer_Basic_View
442 WHERE City = 'Hyderabad';
443
444 * SELECT *
  
```

Result Grid

Customer_ID	Customer_Name	City	Account_No	Account_Type	Balance
107	Meena Reddy	Mumbai	10007	Current	150000.00
103	Arjun Reddy	Bangalore	10003	Current	120000.00
110	Suresh Babu	Vijayawada	10010	Current	110000.00
105	Kiran Kumar	Hyderabad	10005	Current	90000.00
109	Lakshmi Devi	Hyderabad	10009	Savings	85000.00

Customer_Account_View 23

Read Only Context Help Snippets

Output

Action Output

Time	Action	Message	Duration / Feeds
33 11:05:21	SELECT * FROM Loan_Total_Amount_View LIMIT 0 ...	0 rows(s) returned	0.015 sec / 0.000 sec
34 11:06:02	SELECT * FROM High_Balance_View WHERE Balanc...	1 row(s) returned	0.000 sec / 0.000 sec
35 11:06:30	SELECT * FROM Savings_Account_View WHERE Bal...	3 row(s) returned	0.000 sec / 0.000 sec
36 11:07:00	SELECT * FROM Hyderabad_Account_View WHERE ...	2 row(s) returned	0.000 sec / 0.000 sec
37 11:07:30	SELECT * FROM Customer_Basic_View WHERE City ...	3 row(s) returned	0.015 sec / 0.000 sec
38 11:07:55	SELECT * FROM Customer_Account_View ORDER B...	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local Instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

444 * SELECT *
445 FROM Customer_Account_View
446 ORDER BY Balance DESC;
447
448 * SELECT *
  
```

Result Grid

Customer_ID	Customer_Name	City	Loan_ID	Loan_Type	Loan_Amount
101	Kiran Kumar	Hyderabad	501	Home Loan	500000.00
105	Kiran Kumar	Hyderabad	505	Home Loan	400000.00
107	Meena Reddy	Mumbai	507	Business Loan	300000.00

Customer_Loan_View 20

Read Only Context Help Snippets

Output

Action Output

Time	Action	Message	Duration / Feeds
34 11:06:02	SELECT * FROM High_Balance_View WHERE Balanc...	1 row(s) returned	0.000 sec / 0.000 sec
35 11:06:30	SELECT * FROM Savings_Account_View WHERE Bal...	3 row(s) returned	0.000 sec / 0.000 sec
36 11:07:00	SELECT * FROM Hyderabad_Account_View WHERE ...	2 row(s) returned	0.000 sec / 0.000 sec
37 11:07:30	SELECT * FROM Customer_Basic_View WHERE City ...	3 row(s) returned	0.015 sec / 0.000 sec
38 11:07:55	SELECT * FROM Customer_Account_View ORDER B...	10 row(s) returned	0.000 sec / 0.000 sec
39 11:08:25	SELECT * FROM Customer_Loan_View WHERE Loan ...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop/Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

452 * UPDATE Account_View
453 SET Balance = 60000
454 WHERE Account_No = 10001;
455
456 * SELECT *
  
```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	60000.00	Hyderabad

Output

Action Output

#	Time	Action	Message	Duration / Fetch
36	11:07:00	SELECT * FROM Hyderabad_Account_View WHERE...	2 row(s) returned	0.000 sec / 0.000 sec
37	11:07:30	SELECT * FROM Customer_Basic_View WHERE City...	3 row(s) returned	0.015 sec / 0.000 sec
38	11:07:55	SELECT * FROM Customer_Account_View ORDER B...	10 row(s) returned	0.000 sec / 0.000 sec
39	11:08:25	SELECT * FROM Customer_Loan_View WHERE Loan...	3 row(s) returned	0.000 sec / 0.000 sec
40	11:08:09	UPDATE Account_View SET Balance = 60000 WHER...	1 row(s) affected Rows matched: 1 Changed: 1 Writ...	0.015 sec
41	11:05:14	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop/Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

470 * INSERT INTO Simple_Account_View
471 VALUES
472 (10001, 101, 'Savings', 60000, 'Hyderabad');
473
474 * SELECT *
  
```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	60000.00	Hyderabad
10002	102	Savings	25000.00	Ngayabade
10003	103	Current	120000.00	Bengaluru
10004	104	Savings	48000.00	Chennai
10005	105	Current	90000.00	Hyderabad
10006	106	Savings	65000.00	Delhi

Output

Action Output

#	Time	Action	Message	Duration / Fetch
39	11:08:25	SELECT * FROM Customer_Loan_View WHERE Loan...	2 row(s) returned	0.000 sec / 0.000 sec
40	11:08:09	UPDATE Account_View SET Balance = 60000 WHER...	1 row(s) affected Rows matched: 1 Changed: 1 Writ...	0.015 sec
41	11:05:14	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned	0.000 sec / 0.000 sec
42	11:10:10	CREATE VIEW Simple_Account_View AS SELECT	0 row(s) affected	0.000 sec
43	11:10:10	INSERT INTO Simple_Account_View VALUES (1001...	1 row(s) affected	0.015 sec
44	11:10:10	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

475 DELETE FROM Simple_Account_View
477 WHERE Account_No = 10011;
478 SELECT *
479 FROM Account;
480

```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	001	Savings	60000.00	Hyderabad
10002	002	Savings	75000.00	Vijayawada
10003	003	Current	120000.00	Bangalore
10004	004	Savings	45000.00	Chennai
10005	005	Current	90000.00	Hyderabad
10006	006	Savings	65000.00	Delhi

Output

Action Output

#	Time	Action	Message	Duration / Feeds
41	11:09:14	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned	0.000 sec / 0.000 sec
42	11:10:10	CREATE VIEW Simple_Account_View AS SELECT ...	0 row(s) affected	0.000 sec
43	11:10:10	INSERT INTO Simple_Account_View VALUES (10011...	1 row(s) affected	0.015 sec
44	11:10:10	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
45	11:10:48	DELETE FROM Simple_Account_View WHERE Acco...	1 row(s) affected	0.015 sec
46	11:10:48	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

```

475 FROM Account;
478
481 SHOW FULL TABLES;
482 WHERE TABLE_TYPE = 'VIEW';
483

```

Result Grid

Tables_in_bank_db	Table_type
account_count_view	VIEW
account_balance	VIEW
account_type_count	VIEW
account_view	VIEW
average_account_balance	VIEW
balance_ranking_view	VIEW

Output

Action Output

#	Time	Action	Message	Duration / Feeds
42	11:10:10	CREATE VIEW Simple_Account_View AS SELECT ...	0 row(s) affected	0.000 sec
43	11:10:10	INSERT INTO Simple_Account_View VALUES (10011...	1 row(s) affected	0.015 sec
44	11:10:10	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
45	11:10:48	DELETE FROM Simple_Account_View WHERE Acco...	1 row(s) affected	0.015 sec
46	11:10:48	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
47	11:11:37	SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW'	32 row(s) returned	0.015 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

480

481 * SHOW FULL TABLES

482 WHERE TABLE_TYPE = 'VIEW';

483

484 * SHOW CREATE VIEW Customer_Account_View;

Result Grid

View	Create view	character_set_collation
CUSTOMER_ACCOUNT_VIEW	CREATE ALGORITHM=UNDEFINED DEFINER = '...'	utf8mb4

Result 23

Output

Action Output

#	Time	Action	Message	Duration / Fetch
43	11:10:10	INSERT INTO Simple_Account_View VALUES (12011...	1 row(s) affected	0.015 sec
44	11:10:10	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
45	11:10:48	DELETE FROM Simple_Account_View WHERE Acco...	1 row(s) affected	0.015 sec
46	11:10:48	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
47	11:11:27	SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW'	32 row(s) returned	0.016 sec / 0.000 sec
48	11:12:09	SHOW CREATE VIEW Customer_Account_View	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Start/Stop
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

482 WHERE TABLE_TYPE = 'VIEW';

483

484 * SHOW CREATE VIEW Customer_Account_View;

485

486 * DESCRIBE Customer_Account_View;

Result Grid

Field	Type	Null	Key	Default	Extra
Customer_ID	int	NO		0000	
Customer_Name	varchar(100)	NO		0000	
City	varchar(50)	YES		0000	
Account_No	int	NO		0000	
Account_Type	varchar(20)	YES		0000	
Balance	decimal(12,2)	YES		0000	

Result 26

Output

Action Output

#	Time	Action	Message	Duration / Fetch
44	11:10:10	SELECT * FROM Account LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
45	11:10:48	DELETE FROM Simple_Account_View WHERE Acco...	1 row(s) affected	0.015 sec
46	11:10:48	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
47	11:11:27	SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW'	32 row(s) returned	0.016 sec / 0.000 sec
48	11:12:09	SHOW CREATE VIEW Customer_Account_View	1 row(s) returned	0.000 sec / 0.000 sec
49	11:12:37	DESCRIBE Customer_Account_View	7 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration
- Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

SQL Assistant

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help

Shippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
46	11:10:49	SELECT * FROM Account LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
47	11:11:37	SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW'	32 row(s) returned	0.016 sec / 0.000 sec
48	11:12:09	SHOW CREATE VIEW Customer_Account_View	1 row(s) returned	0.000 sec / 0.000 sec
49	11:12:37	DESCRIBE Customer_Account_View	7 row(s) returned	0.016 sec / 0.000 sec
50	11:13:28	DROP VIEW Customer_View	0 row(s) affected	0.016 sec
51	11:13:33	DROP VIEW Customer_Basic_View, Savings_Account...	0 row(s) affected	0.016 sec

Object Info

Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3*

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Output

Action Output

#	Time	Action	Message
1	14:04:53	CREATE DATABASE Bank_ACID_DB;	1 row(s) affected
2	14:04:53	USE Bank_ACID_DB;	0 row(s) affected

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
1 • CREATE DATABASE Bank_ACID_DB;
2
3 • USE Bank_ACID_DB;
4
5 • CREATE TABLE Customer (
6     Customer_ID INT PRIMARY KEY,
7     Customer_Name VARCHAR(100) NOT NULL,
8     Phone VARCHAR(15),
9     City VARCHAR(50)
10 );
11
```

Output

Action Output

#	Time	Action	Message
✓ 1	14:04:53	CREATE DATABASE Bank_ACID_DB	1 row(s) affected
✓ 2	14:04:53	USE Bank_ACID_DB	0 row(s) affected
✓ 3	14:05:28	CREATE TABLE Customer (Customer_ID INT PRIMAR...	0 row(s) affected

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3 x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
9      City VARCHAR(50)
10    );
11
12    CREATE TABLE Account (
13      Account_No INT PRIMARY KEY,
14      Customer_ID INT,
15      Account_Type VARCHAR(20),
16      Balance DECIMAL(12,2),
17      Branch VARCHAR(50),
18
19      FOREIGN KEY (Customer_ID)
20      REFERENCES Customer(Customer_ID)
21    );
```

Output

Action Output

#	Time	Action	Message
✓ 1	14:04:53	CREATE DATABASE Bank_ACID_DB	1 row(s) affected
✓ 2	14:04:53	USE Bank_ACID_DB	0 row(s) affected
✓ 3	14:05:28	CREATE TABLE Customer (Customer_ID INT PRIMAR...	0 row(s) affected
✓ 4	14:07:09	CREATE TABLE Account (Account_No INT PRIMAR...	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

SQL File 3*

```
20 REFERENCES Customer(Customer_ID)
21 );
22
23 CREATE TABLE Bank_Transaction (
24     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
25     Account_No INT,
26     Transaction_Type VARCHAR(20),
27     Amount DECIMAL(12,2),
28     Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
29
30     FOREIGN KEY (Account_No)
31     REFERENCES Account(Account_No)
32 );
```

Output

Action Output

#	Time	Action	Message
✓ 1	14:04:53	CREATE DATABASE Bank_ACID_DB	1 row(s) affected
✓ 2	14:04:53	USE Bank_ACID_DB	0 row(s) affected
✓ 3	14:05:28	CREATE TABLE Customer (Customer_ID INT PRIMAR...	0 row(s) affected
✓ 4	14:07:09	CREATE TABLE Account (Account_No INT PRIMAR...	0 row(s) affected
✓ 5	14:07:36	CREATE TABLE Bank_Transaction (Transaction_ID I...	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3*

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
33
34 INSERT INTO Customer
35 (Customer_ID, Customer_Name, Phone, City)
36 VALUES
37 (101, 'Ravi Kumar', '9876543210', 'Hyderabad'),
38
39 (102, 'Priya Sharma', '9876543211', 'Vijayawada'),
40
41 (103, 'Arjun Reddy', '9876543212', 'Bangalore'),
42
43 (104, 'Sneha Rao', '9876543213', 'Chennai'),
44
45 (105, 'Kiran Kumar', '9876543214', 'Hyderabad');
```

Output

Action Output

#	Time	Action	Message
1	14:04:53	CREATE DATABASE Bank_ACID_DB	1 row(s) affected
2	14:04:53	USE Bank_ACID_DB	0 row(s) affected
3	14:05:28	CREATE TABLE Customer (Customer_ID INT PRIMAR...	0 row(s) affected
4	14:07:09	CREATE TABLE Account (Account_No INT PRIMAR...	0 row(s) affected
5	14:07:36	CREATE TABLE Bank_Transaction (Transaction_ID I...	0 row(s) affected
6	14:08:16	INSERT INTO Customer (Customer_ID, Customer_Name, ...	5 row(s) affected

Object Info Session



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object
selected

```
46
47 • INSERT INTO Account
48 (Account_No, Customer_ID, Account_Type, Balance, Branch)
49 VALUES
50 (10001, 101, 'Savings', 50000, 'Hyderabad'),
51
52 (10002, 102, 'Savings', 75000, 'Vijayawada'),
53
54 (10003, 103, 'Current', 120000, 'Bangalore'),
55
56 (10004, 104, 'Savings', 45000, 'Chennai'),
57
58 (10005, 105, 'Current', 90000, 'Hyderabad');
```

Output

Action Output

#	Time	Action	Message
✓ 2	14:04:53	USE Bank_ACID_DB	0 row(s) affected
✓ 3	14:05:28	CREATE TABLE Customer (Customer_ID INT PRIMA...	0 row(s) affected
✓ 4	14:07:09	CREATE TABLE Account (Account_No INT PRIMA...	0 row(s) affected
✓ 5	14:07:36	CREATE TABLE Bank_Transaction (Transaction_ID ...	0 row(s) affected
✓ 6	14:08:16	INSERT INTO Customer (Customer_ID, Customer_Name...	5 row(s) affected
✓ 7	14:08:49	INSERT INTO Account (Account_No, Customer_ID, Ac...	5 row(s) affected

Object Info

Session



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object
selected

```
60 INSERT INTO Bank_Transaction
61 (Account_No, Transaction_Type, Amount)
62 VALUES
63 (10001, 'DEPOSIT', 10000),
64
65 (10002, 'DEPOSIT', 15000),
66
67 (10003, 'WITHDRAW', 20000),
68
69 (10004, 'DEPOSIT', 5000),
70
71 (10005, 'WITHDRAW', 10000);
72
```

Output

Action Output

#	Time	Action	Message
✓ 4	14:07:09	CREATE TABLE Account (Account_No INT PRIMARY ...	0 row(s) affec
✓ 5	14:07:36	CREATE TABLE Bank_Transaction (Transaction_ID IN...	0 row(s) affec
✓ 6	14:08:16	INSERT INTO Customer (Customer_ID, Customer_Name, P...	5 row(s) affec
✓ 7	14:08:49	INSERT INTO Account (Account_No, Customer_ID, Accou...	5 row(s) affec
✓ 8	14:13:02	INSERT INTO Bank_Transaction (Account_No, Transactio...	5 row(s) affec

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

69 (10004, 'DEPOSIT', 5000),

70

71 (10005, 'WITHDRAW', 10000);

72

73 • SELECT * FROM Customer;

Result Grid Filter Rows: Edit: Export/Import

	Customer_ID	Customer_Name	Phone	City
▶	101	Ravi Kumar	9876543210	Hyderabad
	102	Priya Sharma	9876543211	Vijayawada
	103	Arjun Reddy	9876543212	Bangalore
	104	Sneha Rao	9876543213	Chennai
	105	Kiran Kumar	9876543214	Hyderabad
•	10000	10000	10000	10000

Customer 1 x Apply

Output

Action Output

#	Time	Action	Message
✓ 4	14:07:09	CREATE TABLE Account (Account_No INT PRIM...	0 row(s) affected
✓ 5	14:07:36	CREATE TABLE Bank_Transaction (Transaction_J...	0 row(s) affected
✓ 6	14:08:16	INSERT INTO Customer (Customer_ID, Customer_Nam...	5 row(s) affected
✓ 7	14:08:49	INSERT INTO Account (Account_No, Customer_ID, A...	5 row(s) affected
✓ 8	14:13:02	INSERT INTO Bank_Transaction (Account_No, Trans...	5 row(s) affected
✓ 9	14:13:29	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

72

73 • `SELECT * FROM Customer;`

74

75 • `SELECT * FROM Account;`

76

Result Grid Filter Rows: Edit: Export/Import

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	50000.00	Hyderabad
	10002	102	Savings	75000.00	Vijayawada
	10003	103	Current	120000.00	Bangalore
	10004	104	Savings	45000.00	Chennai
	10005	105	Current	90000.00	Hyderabad
•	10006	10006	10006	10006	10006

Account 2 x Apply

Output

Action Output

#	Time	Action	Message
5	14:07:36	CREATE TABLE Bank_Transaction (Transaction_ID, Customer_ID, Account_No, Transaction_Amount, Transaction_Date, Transaction_Type)	0 row(s) affected
6	14:08:16	INSERT INTO Customer (Customer_ID, Customer_Name, Customer_Age, Customer_Gender, Customer_Address)	5 row(s) affected
7	14:08:49	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Account_Balance)	5 row(s) affected
8	14:13:02	INSERT INTO Bank_Transaction (Account_No, Transaction_ID, Transaction_Amount, Transaction_Date, Transaction_Type)	5 row(s) affected
9	14:13:29	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned
10	14:13:53	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

73 • `SELECT * FROM Customer;`

74

75 • `SELECT * FROM Account;`

76

77 • `SELECT * FROM Bank_Transaction;`

Result Grid Filter Rows: Edit: Export/Import

	Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
▶ 1	10001		DEPOSIT	10000.00	2026-08-26 14:13:02
2	10002		DEPOSIT	15000.00	2026-08-26 14:13:02
3	10003		WITHDRAW	20000.00	2026-08-26 14:13:02
4	10004		DEPOSIT	5000.00	2026-08-26 14:13:02
5	10005		WITHDRAW	10000.00	2026-08-26 14:13:02
•	10006		WITHDRAW	10000.00	2026-08-26 14:13:02

Bank_Transaction 3 x Apply

Output

Action Output

#	Time	Action	Message
✓ 6	14:08:16	INSERT INTO Customer (Customer_ID, Customer_Nam...	5 row(s) affected
✓ 7	14:08:49	INSERT INTO Account (Account_No, Customer_ID, A...	5 row(s) affected
✓ 8	14:13:02	INSERT INTO Bank_Transaction (Account_No, Trans...	5 row(s) affected
✓ 9	14:13:29	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned
✓ 10	14:13:53	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned
✓ 11	14:14:12	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

```
71 (10005, 'WITHDRAW', 10000);
72
73 • SELECT * FROM Customer;
74
75 • SELECT * FROM Account;
76
77 • SELECT * FROM Bank_Transaction;
78
79 • START TRANSACTION;
80
81 • UPDATE Account
82   SET Balance = Balance + 5000
83   WHERE Account_No = 10001;
```

Output

Action Output

#	Time	Action	Message
8	14:13:02	INSERT INTO Bank_Transaction (Account_No, Trans...	5 row(s) affected
9	14:13:29	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned
10	14:13:53	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned
11	14:14:12	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned
12	14:14:44	START TRANSACTION	0 row(s) affected
13	14:14:59	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Object Info Session

81 • UPDATE Account

82 SET Balance = Balance + 5000

83 WHERE Account_No = 10001;

84

85 • SELECT *

Result Grid Filter Rows: Edit: Export/Import

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	55000.00	Hyderabad
*	NULL	NULL	NULL	NULL	NULL

Account 4 x Apply

Output

Action Output

#	Time	Action	Message
✓ 9	14:13:29	SELECT * FROM Customer LIMIT 0, 1000	5 row(s) returned
✓ 10	14:13:53	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned
✓ 11	14:14:12	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned
✓ 12	14:14:44	START TRANSACTION	0 row(s) affected
✓ 13	14:14:59	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
✓ 14	14:15:27	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3*

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

89 • COMMIT;

90

91 • SELECT *

92 FROM Account

93 WHERE Account_No = 10001;

Result Grid Filter Rows: Edit: Export/Import

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	55000.00	Hyderabad
•	more	more	more	more	more

Account 5 x Apply

Output

Action Output

#	Time	Action	Message
✓ 11	14:14:12	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned
✓ 12	14:14:44	START TRANSACTION	0 row(s) affected
✓ 13	14:14:59	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
✓ 14	14:15:27	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 15	14:15:58	COMMIT	0 row(s) affected
✓ 16	14:16:11	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3*

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

```
87 WHERE Account_No = 10001;
88
89 • COMMIT;
90
91 • SELECT *
92 FROM Account
93 WHERE Account_No = 10001;
94
95 • START TRANSACTION;
96
97 • UPDATE Account
98 SET Balance = Balance - 10000
99 WHERE Account_No = 10001;
```

Output

Action Output

#	Time	Action	Message
✓ 13	14:14:59	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
✓ 14	14:15:27	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 15	14:15:58	COMMIT	0 row(s) affected
✓ 16	14:16:11	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 17	14:17:29	START TRANSACTION	0 row(s) affected
✓ 18	14:17:29	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

Object Info Session

SQL File 3* x

99 WHERE Account_No = 10001;

100

101 • SELECT *

102 FROM Account

103 WHERE Account_No = 10001;

Result Grid

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	45000.00	Hyderabad
•	10001	10001	10001	10001	10001

Account 6 x

Output

Action Output

#	Time	Action	Message
✓ 14	14:15:27	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 15	14:15:58	COMMIT	0 row(s) affected
✓ 16	14:16:11	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 17	14:17:29	START TRANSACTION	0 row(s) affected
✓ 18	14:17:29	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected
✓ 19	14:18:01	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```

93 WHERE Account_No = 10001;
94
95 • START TRANSACTION;
96
97 • UPDATE Account
98 SET Balance = Balance - 10000
99 WHERE Account_No = 10001;
100
101 • SELECT *
102 FROM Account
103 WHERE Account_No = 10001;
104
105 • ROLLBACK;
  
```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 15	14:15:58	COMMIT	0 row(s) affected
✓ 16	14:16:11	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 17	14:17:29	START TRANSACTION	0 row(s) affected
✓ 18	14:17:29	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected
✓ 19	14:18:01	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 20	14:18:37	ROLLBACK	0 row(s) affected

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

Object Info Session

185 • ROLLBACK;

186

187 • SELECT *

188 FROM Account

189 WHERE Account_No = 10001;

Result Grid Filter Rows: Edit: Export/Import

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	55000.00	Hyderabad
•	NULL	NULL	NULL	NULL	NULL

Account 7 x Apply

Output

Action Output

#	Time	Action	Message
✓ 16	14:16:11	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 17	14:17:29	START TRANSACTION	0 row(s) affected
✓ 18	14:17:29	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected
✓ 19	14:18:01	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 20	14:18:37	ROLLBACK	0 row(s) affected
✓ 21	14:19:15	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```

102 FROM Account
103 WHERE Account_No = 10001;
104
105 • ROLLBACK;
106
107 • SELECT *
108 FROM Account
109 WHERE Account_No = 10001;
110
111 • START TRANSACTION;
112 • UPDATE Account
113 SET Balance = Balance + 5000
114 WHERE Account_No = 10001;
  
```

Output

Action Output

#	Time	Action	Message
✓ 18	14:17:29	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected
✓ 19	14:18:01	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 20	14:18:37	ROLLBACK	0 row(s) affected
✓ 21	14:19:15	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 22	14:20:11	START TRANSACTION	0 row(s) affected
✓ 23	14:20:11	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
109 WHERE Account_No = 10001;
110
111 • START TRANSACTION;
112
113 • UPDATE Account
114 SET Balance = Balance + 5000
115 WHERE Account_No = 10001;
116
117 • SAVEPOINT Deposit1;
118
119 • UPDATE Account
120 SET Balance = Balance - 3000
121 WHERE Account_No = 10002;
```

Output

Action Output

#	Time	Action	Message
✓ 20	14:18:37	ROLLBACK	0 row(s) affected
✓ 21	14:19:15	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 22	14:20:11	START TRANSACTION	0 row(s) affected
✓ 23	14:20:11	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
✓ 24	14:20:55	SAVEPOINT Deposit1	0 row(s) affected
✓ 25	14:20:55	UPDATE Account SET Balance = Balance - 3000 WH...	1 row(s) affected

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

SQL File 3*

```

117 • SAVEPOINT Deposit1;
118
119 • UPDATE Account
120 SET Balance = Balance - 3000
121 WHERE Account_No = 10002;
122
123 • SAVEPOINT Withdrawal1;
124
125 • UPDATE Account
126 SET Balance = Balance + 10000
127 WHERE Account_No = 10003;
128
129 • ROLLBACK TO SAVEPOINT Withdrawal1;

```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 26	14:22:05	SAVEPOINT Deposit1	0 row(s) affected
✓ 27	14:22:05	UPDATE Account SET Balance = Balance - 3000 WH...	1 row(s) affected
✓ 28	14:22:05	SAVEPOINT Withdrawal1	0 row(s) affected
✓ 29	14:22:05	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected
✓ 30	14:22:05	ROLLBACK TO SAVEPOINT Withdrawal1	0 row(s) affected
✓ 31	14:22:05	COMMIT	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

Result Grid

Filter Rows: Edit: Export/Import

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	60000.00	Hyderabad
	10002	102	Savings	69000.00	Vijayawada
	10003	103	Current	120000.00	Bangalore
	10004	104	Savings	45000.00	Chennai
	10005	105	Current	90000.00	Hyderabad
•	total	total	total	total	total

Account 8 x Apply

Output

Action Output

#	Time	Action	Message
✓ 27	14:22:05	UPDATE Account SET Balance = Balance - 3000 WH...	1 row(s) affected
✓ 28	14:22:05	SAVEPOINT Withdrawal1	0 row(s) affected
✓ 29	14:22:05	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected
✓ 30	14:22:05	ROLLBACK TO SAVEPOINT Withdrawal1	0 row(s) affected
✓ 31	14:22:05	COMMIT	0 row(s) affected
✓ 32	14:22:38	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
132
133 • SELECT *
134 FROM Account;
135
136 • START TRANSACTION;
137
138 • UPDATE Account
139 SET Balance = Balance - 10000
140 WHERE Account_No = 10001;
141
142 • UPDATE Account
143 SET Balance = Balance + 10000
144 WHERE Account_No = 10002;
```

Output

Action Output

#	Time	Action	Message
✓ 30	14:22:05	ROLLBACK TO SAVEPOINT Withdrawal1	0 row(s) affected
✓ 31	14:22:05	COMMIT	0 row(s) affected
✓ 32	14:22:38	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned
✓ 33	14:24:06	START TRANSACTION	0 row(s) affected
✓ 34	14:24:06	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected
✓ 35	14:24:06	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

Result Grid

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	50000.00	Hyderabad
	10002	102	Savings	79000.00	Vijayawada
•	10003	103	10000	10000	10000

Account 9 x Apply

Output

Action Output

#	Time	Action	Message
31	14:22:05	COMMIT	0 row(s) affected
32	14:22:38	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned
33	14:24:06	START TRANSACTION	0 row(s) affected
34	14:24:06	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected
35	14:24:06	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected
36	14:24:41	SELECT * FROM Account WHERE Account_No IN (1...	2 row(s) returned

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

Result Grid

	Account_No	Balance
▶	10001	50000.00
	10002	79000.00
•	TABLES	TABLES

Account 10 x Apply

Output

Action Output

#	Time	Action	Message
✓ 33	14:24:06	START TRANSACTION	0 row(s) affected
✓ 34	14:24:06	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected
✓ 35	14:24:06	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected
✓ 36	14:24:41	SELECT * FROM Account WHERE Account_No IN (1...	2 row(s) returned
✓ 37	14:25:27	COMMIT	0 row(s) affected
✓ 38	14:25:27	SELECT Account_No, Balance FROM Account ...	2 row(s) returned

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
156 WHERE Account_No IN (10001,10002);
157
158 • START TRANSACTION;
159
160 • UPDATE Account
161 SET Balance = Balance - 20000
162 WHERE Account_No = 10001;
163
164 • UPDATE Account
165 SET Balance = Balance + 20000
166 WHERE Account_No = 10002;
167
168 • ROLLBACK;
```

Output

Action Output

#	Time	Action	Message
✓ 37	14:25:27	COMMIT	0 row(s) affected
✓ 38	14:25:27	SELECT Account_No, Balance FROM Account ...	2 row(s) returned
✓ 39	14:26:29	START TRANSACTION	0 row(s) affected
✓ 40	14:26:29	UPDATE Account SET Balance = Balance - 20000 W...	1 row(s) affected
✓ 41	14:26:29	UPDATE Account SET Balance = Balance + 20000 W...	1 row(s) affected
✓ 42	14:26:29	ROLLBACK	0 row(s) affected

Object Info Session



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Object Info Session

```
166 WHERE Account_No = 10002;
167
168 • ROLLBACK;
169
170 • SELECT *
```

Result Grid Filter Rows: Edit: Export/Import

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	50000.00	Hyderabad
	10002	102	Savings	79000.00	Vijayawada
*	10003	103	10003	10003	10003

Account 11 x

Apply

Output

Action Output

#	Time	Action	Message
✓ 38	14:25:27	SELECT Account_No, Balance FROM Account ...	2 row(s) returned
✓ 39	14:26:29	START TRANSACTION	0 row(s) affected
✓ 40	14:26:29	UPDATE Account SET Balance = Balance - 20000 W...	1 row(s) affected
✓ 41	14:26:29	UPDATE Account SET Balance = Balance + 20000 W...	1 row(s) affected
✓ 42	14:26:29	ROLLBACK	0 row(s) affected
✓ 43	14:26:56	SELECT * FROM Account WHERE Account_No IN (1...	2 row(s) returned

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3 x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```

171 FROM Account
172 WHERE Account_No IN (10001,10002);
173
174 • START TRANSACTION;
175
176 • UPDATE Account
177 SET Balance = Balance - 10000
178 WHERE Account_No = 10001;
179
180 • UPDATE Account
181 SET Balance = Balance + 10000
182 WHERE Account_No = 10002;
183

```

Output

Action Output

#	Time	Action	Message
✓ 41	14:26:29	UPDATE Account SET Balance = Balance + 20000 W...	1 row(s) affected f
✓ 42	14:26:29	ROLLBACK	0 row(s) affected
✓ 43	14:26:56	SELECT * FROM Account WHERE Account_No IN (1...	2 row(s) returned
✓ 44	14:34:36	START TRANSACTION	0 row(s) affected
✓ 45	14:34:36	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected f
✓ 46	14:34:36	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected f

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

SQL File 3 x

```
176 • UPDATE Account
177   SET Balance = Balance - 10000
178   WHERE Account_No = 10001;
179
180 • UPDATE Account
181   SET Balance = Balance + 10000
182   WHERE Account_No = 10002;
183
184 • COMMIT;
185
186 • ROLLBACK;
187
188
```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 43	14:26:56	SELECT * FROM Account WHERE Account_No IN (1...	2 row(s) returned
✓ 44	14:34:36	START TRANSACTION	0 row(s) affected
✓ 45	14:34:36	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected
✓ 46	14:34:36	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected
✓ 47	14:35:19	COMMIT	0 row(s) affected
✓ 48	14:35:19	ROLLBACK	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3 x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

183

184 • COMMIT;

185

186 • ROLLBACK;

187

188 • START TRANSACTION;

189

190 • UPDATE Account

191 SET Balance = Balance + 5000

192 WHERE Account_No = 10001;

193

194 • COMMIT;

195

Output

Action Output

#	Time	Action	Message
✓ 46	14:34:36	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected
✓ 47	14:35:19	COMMIT	0 row(s) affected
✓ 48	14:35:19	ROLLBACK	0 row(s) affected
✓ 49	14:36:07	START TRANSACTION	0 row(s) affected
✓ 50	14:36:07	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
✓ 51	14:36:07	COMMIT	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Result Grid

	@@SESSION.transaction_isolation
	REPEATABLE READ

Result 12 x Read C

Output

Action Output

#	Time	Action	Message
✓ 47	14:35:19	COMMIT	0 row(s) affected
✓ 48	14:35:19	ROLLBACK	0 row(s) affected
✓ 49	14:36:07	START TRANSACTION	0 row(s) affected
✓ 50	14:36:07	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
✓ 51	14:36:07	COMMIT	0 row(s) affected
✓ 52	14:36:53	SELECT @@SESSION.transaction_isolation LIMIT 0, ...	1 row(s) returned

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

194 • COMMIT;

195

196 • SELECT @@SESSION.transaction_isolation;

197

198 • SET SESSION TRANSACTION ISOLATION LEVEL

199 READ UNCOMMITTED;

200

201

202 • START TRANSACTION;

203

204

205

206

Output

Action Output

#	Time	Action	Message
49	14:36:07	START TRANSACTION	0 row(s) affected
50	14:36:07	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
51	14:36:07	COMMIT	0 row(s) affected
52	14:36:53	SELECT @@SESSION.transaction_isolation LIMIT 0, ...	1 row(s) returned
53	14:37:37	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
54	14:37:37	START TRANSACTION	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Object Info Session

```
204 • SELECT *
205 FROM Account
206 WHERE Account_No = 10001;
207
208 • COMMIT;
```

Result Grid Filter Rows: Edit Export/Import

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	45000.00	Hyderabad
*	ROLL	ROLL	ROLL	ROLL	ROLL

Account 13 x Apply

Output

Action Output

#	Time	Action	Message
✓ 51	14:36:07	COMMIT	0 row(s) affected
✓ 52	14:36:53	SELECT @@SESSION.transaction_isolation LIMIT 0, ...	1 row(s) returned
✓ 53	14:37:37	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
✓ 54	14:37:37	START TRANSACTION	0 row(s) affected
✓ 55	14:38:06	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 56	14:38:06	COMMIT	0 row(s) affected

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3*

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
203
204 • SELECT *
205 FROM Account
206 WHERE Account_No = 10001;
207
208 • COMMIT;
209
210 • SET SESSION TRANSACTION ISOLATION LEVEL
211 READ COMMITTED;
212
213
214 • START TRANSACTION;
215
```

Output

Action Output

#	Time	Action	Message
✓ 53	14:37:37	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
✓ 54	14:37:37	START TRANSACTION	0 row(s) affected
✓ 55	14:38:06	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 56	14:38:06	COMMIT	0 row(s) affected
✓ 57	14:38:52	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
✓ 58	14:38:52	START TRANSACTION	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Result Grid

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	45000.00	Hyderabad
•	NULL	NULL	NULL	NULL	NULL

Account 14 x Apply

Output

Action Output

#	Time	Action	Message
✓ 55	14:38:06	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 56	14:38:06	COMMIT	0 row(s) affected
✓ 57	14:38:52	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
✓ 58	14:38:52	START TRANSACTION	0 row(s) affected
✓ 59	14:39:17	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 60	14:39:17	COMMIT	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

SQL File 3* x

```
222 SET SESSION TRANSACTION ISOLATION LEVEL
223 REPEATABLE READ;
224
225 START TRANSACTION;
226
```

Result Grid

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	45000.00	Hyderabad

Account 15 x

Output

Action Output

#	Time	Action	Message
✓ 59	14:39:17	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 60	14:39:17	COMMIT	0 row(s) affected
✓ 61	14:40:16	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
✓ 62	14:40:16	START TRANSACTION	0 row(s) affected
✓ 63	14:40:16	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 64	14:40:16	COMMIT	0 row(s) affected

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Result Grid Filter Rows: Edit: Export/Import

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	45000.00	Hyderabad
•	NULL	NULL	NULL	NULL	NULL

Account 16 x Apply

Output

Action Output

#	Time	Action	Message
✓ 63	14:40:16	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 64	14:40:16	COMMIT	0 row(s) affected
✓ 65	14:41:00	SET SESSION TRANSACTION ISOLATION LEVEL S...	0 row(s) affected
✓ 66	14:41:00	START TRANSACTION	0 row(s) affected
✓ 67	14:41:00	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
✓ 68	14:41:00	COMMIT	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

```
239 FROM Account
240 WHERE Account_No = 10001;
241
242 COMMIT;
243
244 SET SESSION TRANSACTION ISOLATION LEVEL
245 READ UNCOMMITTED;
246
247 START TRANSACTION;
248
249 UPDATE Account
250 SET Balance = Balance + 20000
251 WHERE Account_No = 10001;
```

Output

Action Output

#	Time	Action	Message
66	14:41:00	START TRANSACTION	0 row(s) affected
67	14:41:00	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
68	14:41:00	COMMIT	0 row(s) affected
69	14:43:03	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
70	14:43:03	START TRANSACTION	0 row(s) affected
71	14:43:03	UPDATE Account SET Balance = Balance + 20000 W...	1 row(s) affected

Object Info Session



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object
selected

```
253 • SET SESSION TRANSACTION ISOLATION LEVEL
254 READ UNCOMMITTED;
255
256 • START TRANSACTION;
257
```

Result Grid Filter Rows: Export: Wrap Cell Contents:

Balance
65000.00

Account 17 x

Read C

Output

Action Output

#	Time	Action	Message
69	14:43:03	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
70	14:43:03	START TRANSACTION	0 row(s) affected
71	14:43:03	UPDATE Account SET Balance = Balance + 20000 W...	1 row(s) affected
72	14:43:39	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
73	14:43:39	START TRANSACTION	0 row(s) affected
74	14:43:39	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

Result Grid

	Balance
▶	65000.00

Account 18 x

Output

Action Output

#	Time	Action	Message
✓ 72	14:43:39	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
✓ 73	14:43:39	START TRANSACTION	0 row(s) affected
✓ 74	14:43:39	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned
✓ 75	14:44:24	ROLLBACK	0 row(s) affected
✓ 76	14:44:24	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned
✓ 77	14:44:24	COMMIT	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
265 FROM Account
266 WHERE Account_No = 10001;
267
268 COMMIT;
269
270 SET SESSION TRANSACTION ISOLATION LEVEL
271 READ COMMITTED;
272
273 START TRANSACTION;
274
275 UPDATE Account
276 SET Balance = Balance + 10000
277 WHERE Account_No = 10001;
```

Output

Action Output

#	Time	Action	Message
75	14:44:24	ROLLBACK	0 row(s) affected
76	14:44:24	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned
77	14:44:24	COMMIT	0 row(s) affected
78	14:45:08	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
79	14:45:08	START TRANSACTION	0 row(s) affected
80	14:45:08	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Object Info Session

279 • SET SESSION TRANSACTION ISOLATION LEVEL

280 READ COMMITTED;

281

282 • START TRANSACTION;

283

Result Grid

	Balance
▶	75000.00

Filter Rows: Export: Wrap Cell Contents

Account 19 x Read C

Output

Action Output

#	Time	Action	Message
✓ 78	14:45:08	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
✓ 79	14:45:08	START TRANSACTION	0 row(s) affected
✓ 80	14:45:08	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected
✓ 81	14:45:36	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
✓ 82	14:45:36	START TRANSACTION	0 row(s) affected
✓ 83	14:45:36	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Result Grid

	Balance
▶	75000.00

Account 20 x

Output

Action Output

#	Time	Action	Message
81	14:45:36	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
82	14:45:36	START TRANSACTION	0 row(s) affected
83	14:45:36	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned
84	14:45:29	COMMIT	0 row(s) affected
85	14:46:30	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned
86	14:46:30	COMMIT	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

Result Grid

	Balance
▶	75000.00

WHERE Account_No = 10001;

COMMIT;

SET SESSION TRANSACTION ISOLATION LEVEL

Account 21 x

Output

Action Output

#	Time	Action	Message
✓ 84	14:46:29	COMMIT	0 row(s) affected
✓ 85	14:46:30	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned
✓ 86	14:46:30	COMMIT	0 row(s) affected
✓ 87	14:47:08	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
✓ 88	14:47:08	START TRANSACTION	0 row(s) affected
✓ 89	14:47:08	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
300
301
302 • SELECT Balance
303 FROM Account
304 WHERE Account_No = 10001;
305
306 • START TRANSACTION;
307
308 • UPDATE Account
309 SET Balance = Balance + 5000
310 WHERE Account_No = 10001;
311
312 • COMMIT;
```

Output

Action Output

#	Time	Action	Message
✓ 87	14:47:08	SET SESSION TRANSACTION ISOLATION LEVEL R...	0 row(s) affected
✓ 88	14:47:08	START TRANSACTION	0 row(s) affected
✓ 89	14:47:08	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned
✓ 90	14:47:57	START TRANSACTION	0 row(s) affected
✓ 91	14:47:57	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected f
✓ 92	14:47:57	COMMIT	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Result Grid

	Balance
▶	80000.00

WHERE Account_No = 10001;

COMMIT;

SELECT Balance

Account 22 x

Output

Action Output

#	Time	Action	Message
✓ 89	14:47:08	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned
✓ 90	14:47:57	START TRANSACTION	0 row(s) affected
✓ 91	14:47:57	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
✓ 92	14:47:57	COMMIT	0 row(s) affected
✓ 93	14:48:37	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned
✓ 94	14:48:37	COMMIT	0 row(s) affected

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3*

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

Object Info Session

316 WHERE Account_No = 10001;

317

318 COMMIT;

319

320 SET SESSION TRANSACTION ISOLATION LEVEL

Result Grid Filter Rows: Edit: Export/Import

	Account_No	Customer_ID	Account_Type	Balance	Branch
▶	10001	101	Savings	80000.00	Hyderabad
*	WAIT	WAIT	WAIT	WAIT	WAIT

Account 23 Apply

Output

Action Output

#	Time	Action	Message
✓ 92	14:47:57	COMMIT	0 row(s) affected
✓ 93	14:48:37	SELECT Balance FROM Account WHERE Account_N...	1 row(s) returned
✓ 94	14:48:37	COMMIT	0 row(s) affected
✓ 95	14:51:11	SET SESSION TRANSACTION ISOLATION LEVEL S...	0 row(s) affected
✓ 96	14:51:11	START TRANSACTION	0 row(s) affected
✓ 97	14:51:11	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

```

325 • SELECT *
326 FROM Account
327 WHERE Account_No = 10001;
328
329 • SET SESSION TRANSACTION ISOLATION LEVEL
330 SERIALIZABLE;
331
332 • START TRANSACTION;
333
334 • UPDATE Account
335 SET Balance = Balance + 5000
336 WHERE Account_No = 10001;
337

```

Output

Action Output

#	Time	Action	Message
95	14:51:11	SET SESSION TRANSACTION ISOLATION LEVEL S...	0 row(s) affected
96	14:51:11	START TRANSACTION	0 row(s) affected
97	14:51:11	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
98	14:52:21	SET SESSION TRANSACTION ISOLATION LEVEL S...	0 row(s) affected
99	14:52:21	START TRANSACTION	0 row(s) affected
100	14:52:21	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

```
328
329 • SET SESSION TRANSACTION ISOLATION LEVEL
330     SERIALIZABLE;
331
332 • START TRANSACTION;
333
334 • UPDATE Account
335     SET Balance = Balance + 5000
336     WHERE Account_No = 10001;
337
338 • COMMIT;
339
340 • COMMIT;
```

Output

Action Output

#	Time	Action	Message
97	14:51:11	SELECT * FROM Account WHERE Account_No = 10...	1 row(s) returned
98	14:52:21	SET SESSION TRANSACTION ISOLATION LEVEL S...	0 row(s) affected
99	14:52:21	START TRANSACTION	0 row(s) affected
100	14:52:21	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
101	14:52:52	COMMIT	0 row(s) affected
102	14:52:52	COMMIT	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

```
342 • START TRANSACTION;
343
344 • BEGIN;
345
346 • COMMIT;
347
348 • ROLLBACK;
349
350 • SAVEPOINT Savepoint_Name;
351
352 • ROLLBACK TO SAVEPOINT Savepoint_Name;
353
354 • RELEASE SAVEPOINT Savepoint_Name;
```

Output

Action Output

#	Time	Action	Message
✓ 103	14:53:23	START TRANSACTION	0 row(s) affected
✓ 104	14:53:23	BEGIN	0 row(s) affected
✓ 105	14:53:23	COMMIT	0 row(s) affected
✓ 106	14:53:23	ROLLBACK	0 row(s) affected
✓ 107	14:53:23	SAVEPOINT Savepoint_Name	0 row(s) affected
✗ 108	14:53:23	ROLLBACK TO SAVEPOINT Savepoint_Name	Error Code: 1305.

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

Administration Schemas

Information

No object selected

```
350 • SAVEPOINT Savepoint_Name;
351
352 • ROLLBACK TO SAVEPOINT Savepoint_Name;
353
354 • RELEASE SAVEPOINT Savepoint_Name;
355
356 • START TRANSACTION;
357
358 • UPDATE Account
359   SET Balance = Balance + 5000
360   WHERE Account_No = 10001;
361
362 • COMMIT;
```

Output

Action Output

#	Time	Action	Message
106	14:53:23	ROLLBACK	0 row(s) affected
107	14:53:23	SAVEPOINT Savepoint_Name	0 row(s) affected
108	14:53:23	ROLLBACK TO SAVEPOINT Savepoint_Name	Error Code: 1305
109	14:54:02	START TRANSACTION	0 row(s) affected
110	14:54:02	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
111	14:54:02	COMMIT	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
358 • UPDATE Account
359 SET Balance = Balance + 5000
360 WHERE Account_No = 10001;
361
362 • COMMIT;
363
364 • START TRANSACTION;
365
366 • UPDATE Account
367 SET Balance = Balance - 5000
368 WHERE Account_No = 10001;
369
370 • COMMIT;
```

Limit to 1000 rows

Output

Action Output

#	Time	Action	Message
✓ 109	14:54:02	START TRANSACTION	0 row(s) affected
✓ 110	14:54:02	UPDATE Account SET Balance = Balance + 5000 W...	1 row(s) affected
✓ 111	14:54:02	COMMIT	0 row(s) affected
✓ 112	14:54:28	START TRANSACTION	0 row(s) affected
✓ 113	14:54:28	UPDATE Account SET Balance = Balance - 5000 WH...	1 row(s) affected
✓ 114	14:54:28	COMMIT	0 row(s) affected

Object Info Session

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```

366 • UPDATE Account
367 SET Balance = Balance - 5000
368 WHERE Account_No = 10001;
369
370 • COMMIT;
371
372 • START TRANSACTION;
373
374 • UPDATE Account
375 SET Balance = Balance - 10000
376 WHERE Account_No = 10001;
377
378 • ROLLBACK;
  
```

Output

Action Output

#	Time	Action	Message
✓ 112	14:54:28	START TRANSACTION	0 row(s) affected
✓ 113	14:54:28	UPDATE Account SET Balance = Balance - 5000 WH...	1 row(s) affected
✓ 114	14:54:28	COMMIT	0 row(s) affected
✓ 115	14:54:58	START TRANSACTION	0 row(s) affected
✓ 116	14:54:58	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected
✓ 117	14:54:58	ROLLBACK	0 row(s) affected

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator SQL File 3*

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Var
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File
- Administration Schemas

Information

No object selected

```
380 • START TRANSACTION;
381
382 • UPDATE Account
383 SET Balance = Balance - 10000
384 WHERE Account_No = 10001;
385
386 • SAVEPOINT AfterDebit;
387
388 • UPDATE Account
389 SET Balance = Balance + 10000
390 WHERE Account_No = 10002;
391
392 • COMMIT;
```

Output

Action Output

#	Time	Action	Message
✓ 117	14:54:58	ROLLBACK	0 row(s) affected
✓ 118	14:55:31	START TRANSACTION	0 row(s) affected
✓ 119	14:55:31	UPDATE Account SET Balance = Balance - 10000 W...	1 row(s) affected
✓ 120	14:55:31	SAVEPOINT AfterDebit	0 row(s) affected
✓ 121	14:55:31	UPDATE Account SET Balance = Balance + 10000 W...	1 row(s) affected
✓ 122	14:55:31	COMMIT	0 row(s) affected

Object Info Session